



Northwest Four States (NWF)  
Version 9.30.20.1  
RPL FORM

# NWF Local Business Rules

Version: 9.30.20.1

RPL FORM

Effective: 05/01/2020

## Contents

RPL_ADMINISTRATIVE .....	6
RSQTY - Resale Quantity .....	6
NSL - Number of SECLOC Locations.....	6
PRIMARY_LOC .....	6
LIT - Location Identification Type (PRILOC).....	6
LOCNUM - Location Number (PRILOC).....	6
LEGNUM - Multi-point Leg Number (PRILOC) .....	7
PRILOC - PRILOC Location.....	7
TSP - Telecommunications Service Priority.....	8
AFT - Address Format Type (PRILOC) .....	8
ROUTE (PRILOC).....	9
BOX (PRILOC) .....	9
SANO - Service Address Number (PRILOC).....	9
SASF - Service Address Number Suffix (PRILOC).....	9
SASD - Service Address Street Directional Prefix (PRILOC).....	10
SASN - Service Address Street Name (PRILOC).....	10
SATH - Service Address Street Type (PRILOC).....	11
SASS - Service Address Street Directional Suffix (PRILOC) .....	11
LD1 - Location Designator 1 (PRILOC) .....	11
LV1 - Location Value 1 (PRILOC) .....	11
LD2 - Location Designator 2 (PRILOC) .....	12
LV2 - Location Value 2 (PRILOC) .....	12
LD3 - Location Designator 3 (PRILOC) .....	12
LV3 - Location Value 3 (PRILOC) .....	12
AAI - Additional Address Information (PRILOC) .....	13
RLSO - Resale Local Service Office (PRILOC) .....	13
CITY - City (PRILOC).....	13
STATE - State/Province (PRILOC).....	14
ZIP - ZIP/Postal Code (PRILOC).....	14
ALOC - Additional Location Details (PRILOC).....	14
LCON - Local Contact (PRILOC).....	14
ACTEL NO - Access Telephone Number (PRILOC).....	15
ALCON - Alternate Local Contact (PRILOC).....	15

# NWF Local Business Rules

Version: 9.30.20.1

RPL FORM

Effective: 05/01/2020

AACTEL - Alternate Access Telephone Number (PRILOC).....	15
ACC - Access Information (PRILOC) .....	15
SECONDARY_LOC .....	16
LIT - Location Identification Type (SECLOC).....	16
LOCNUM - Location Number (SECLOC) .....	16
LEGNUM - Multi-point Leg Number (SECLOC).....	16
SECLOC - SECLOC Location.....	16
AFT - Address Format Type (SECLOC) .....	17
ROUTE .....	18
(SECLOC) .....	18
BOX.....	18
(SECLOC) .....	18
SANO - Service Address Number (SECLOC) .....	18
SASF - Service Address Number Suffix (SECLOC) .....	19
SASD - Service Address Street Directional Prefix (SECLOC) .....	19
SASN - Service Address Street Name (SECLOC).....	19
SATH - Service Address Street Type (SECLOC) .....	20
SASS - Service Address Street Directional Suffix (SECLOC).....	20
LD1 - Location Designator 1 (SECLOC).....	20
LV1 - Location Value 1 (SECLOC) .....	20
LD2 - Location Designator 2 (SECLOC).....	21
LV2 - Location Value 2 (SECLOC) .....	21
LD3 - Location Designator 3 (SECLOC).....	21
LV3 - Location Value 3 (SECLOC) .....	22
AAI - Additional Address Information (SECLOC) .....	22
RLSO - Resale Local Service Office (SECLOC).....	22
CITY - City (SECLOC) .....	22
STATE - State/Province (SECLOC) .....	23
ZIP - ZIP/Postal Code (SECLOC) .....	23
ALOC - Additional Location Details (SECLOC) .....	23
LCON - Local Contact (SECLOC) .....	23
ACTEL NO - Access Telephone Number (SECLOC) .....	23
ALCON - Alternate Local Contact (SECLOC).....	24
AACTEL - Alternate Access Telephone Number (SECLOC) .....	24
ACC - Access Information (SECLOC) .....	24

# NWF Local Business Rules

Version: 9.30.20.1

RPL FORM

Effective: 05/01/2020

DISCONNECT SECTION.....	25
LOCNUM - Location Number .....	25
DISC_ECCKT - Disconnect ECCKT.....	25
PRIMARYLOCATIONSERVICEDETAILSECTION .....	26
LOCNUM - Location Number (PRILOC).....	26
LNUM - Line Number (PRILOC).....	26
LEGNUM - Multi-point Leg Number (PRILOC) .....	26
LNA - Line Activity (PRILOC) .....	26
LEGACT - Multi-point Leg Activity (PRILOC).....	27
SR - Special Routing Code (PRILOC).....	27
TLV - Transmission Level Point (PRILOC) .....	27
MST - Master (PRILOC).....	28
IWJQ – Inside Wire Jack Quantity (PRILOC) .....	28
IWJK – Inside Wire Jack Code (PRILOC) .....	28
CKR - Customer Circuit Reference (PRILOC) .....	29
ECCKT - Exchange Company Circuit ID (PRILOC).....	29
CFA - Connecting Facility Assignment (PRILOC).....	30
SCFA - SECLOC Connecting Facility Assignment (PRILOC).....	30
FA - Feature Activity (PRILOC) .....	30
FEATURE - Feature Codes (PRILOC) .....	30
FEATURE DETAIL (PRILOC) .....	31
SECONDARYLOCATIONSERVICEDETAILSECTION .....	31
LOCNUM - Location Number (SECLOC) .....	31
LNUM - Line Number (SECLOC) .....	31
LEGNUM - Multi-point Leg Number (SECLOC).....	31
LNA - Line Activity (SECLOC).....	32
LEGACT - Multi-point Leg Activity (SECLOC) .....	32
MST - Master (SECLOC) .....	32
IWJQ - Inside Wire Jack Quantity (SECLOC).....	33
IWJK - Inside Wire Jack Code (SECLOC) .....	33
CKR - Customer Circuit Reference (SECLOC).....	33
ECCKT - Exchange Company Circuit ID (SECLOC) .....	34
CFA - Connecting Facility Assignment (SECLOC) .....	34
SCFA - SECLOC Connecting Facility Assignment (SECLOC).....	34
FA - Feature Activity (SECLOC).....	35

# NWF Local Business Rules

Version: **9.30.20.1**

**RPL FORM**

**Effective: 05/01/2020**

FEATURE - Feature Codes (SECLOC).....	35
FEATURE_DETAIL - Feature Detail (SECLOC).....	35
APPENDIX A – ERROR MESSAGE TABLE .....	35
APPENDIX B – CHANGE CONTROL LOG .....	44

Flid Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
<b>RPL ADMINISTRATIVE</b>							
001	PON					<b>FIELD NOT SUPPORTED</b>	P
002	VER					<b>FIELD NOT SUPPORTED</b>	P
003	AN					<b>FIELD NOT SUPPORTED</b>	P
004	ATN					<b>FIELD NOT SUPPORTED</b>	P
005	RSQTY - Resale Quantity	Identifies the quantity of Resale Service (e.g., lines, circuits, trunks, etc.) involved in this service request.	N	1-5		1.If not populated then return error: NWFRPL001 RSQTY IS REQUIRED  2. If populated and vv > 1 and NSL is populated, then return error: NWFRPL003 RSQTY CAN NOT BE GREATER THAN 1 WHEN NSL IS POPULATED  3. If populated and (dl > 5 or dc not = numeric), then return error: NWFRPL004 RSQTY VALID VALUE = 1-5 NUMERIC	R
006	NSL - Number of SECLOC Locations	Identifies the number of secondary end points with circuit activity associated with a multipoint circuit.	N	1-2		1. If populated and (dl > 2 or dc not = numeric), then return error: NWFRPL005 NSL VALID VALUE = 1-2 NUMERIC  2. If populated and LEGACT (SECLOC) and LEGNUM (SECLOC) are not populated return error message NWFRPL002 LEGACT AND LEGNUM ARE REQUIRED IN THE SECLOC SECTION WHEN NSL IS POPULATED  Note: 1.Used when ordering multipoint circuit activity. 2.When the NSL field is populated, LEGACT and LEGNUM fields are required.	O
007	DQTY					<b>FIELD NOT SUPPORTED</b>	P
008	PG_of_					<b>FIELD NOT SUPPORTED</b>	P
<b>PRIMARY_LOC</b>							
009	LIT - Location Identification Type (PRILOC)	Identifies the location type.	A	1-1	C=CLLI Code E=End User	1. If not populated and PRILOC is populated, then return error: NWFRPL009 LIT IS REQUIRED  2. If populated and vv not = C, E, then return error: NWFRPL010 LIT VALID VALUE = C, E	O
010	LOCNUM - Location Number (PRILOC)	Identifies the service location number for the service requested.	N	3		1.If not populated and PRILOC is populated, then return error: NWFRPL011 LOCNUM IS REQUIRED	R

**NWF Local Business Rules**  
Version: 9.30.20.1

**RPL FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>2. If populated and (dl &gt; 3 or dc not = numeric), then return error: NWFRPL012 LOCNUM VALID VALUE = 1-3 NUMERIC</p> <p>Note:                      1. The location number is assigned by the customer and is retained until the service is disconnected                      2. For a move at the primary location, LSR ACT = T, the new primary location information should be populated in the primary location section. Any secondary locations which are not changing will be recapped with an LNA = W. REMARKS field should be populated with "Move of primary location only". Any secondary locations which are changing will be detailed with an LNA = N. REMARKS field should be populated with "Move of primary and secondary locations".                      3. For a move at the secondary location, LSR ACT = C, the old secondary location should be populated with an LNA = D and another entry with an LNA = N for the new secondary location (with a new LOCNUM).</p>	
011	LEGNUM - Multi-point Leg Number (PRILOC)	Identifies the number assigned by the customer to this leg of a multipoint circuit.	N	3		<p>1. If not populated and NSL is populated, then return error: NWFRPL013 LEGNUM IS REQUIRED</p> <p>2. If populated and NSL is not populated, then return error: NWFRPL014 LEGNUM IS PROHIBITED</p> <p>3. If populated and (dl &gt; 3 or dc not = numeric), then return error: NWFRPL015 LEGNUM VALID VALUE = 1-3 NUMERIC</p>	O
012	PRILOC - PRILOC Location	Identifies the primary end of the service being provided.	AN & ' * : , \$ ( ) - # % . + " ; / Space	1-25		<p>1. If populated and dl &gt; 25, then return error: NWFRPL016 PRILOC VALID LENGTH = 1-25</p> <p>2. If populated and special character is not ampersand, apostrophe, asterisk, colon, comma, dollar sign, parenthesis, hyphen, number sign, percent sign, period, plus sign, quote, semicolon, space, virgule return error message NWFRPL245 ONLY SPECIAL CHARACTERS ALLOWED FOR PRILOC ARE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESIS, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE OR VIRGULE</p> <p>3. If not populated and EU.SASN is populated return error message NWFRPL246 PRILOC IS REQUIRED</p> <p>4. If not populated and ACT=N,C,M,T,V,D and primary location LIT=E, return error NWFRPL006 PRILOC REQUIRED</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p><b>Note:</b></p> <p>1. When PRILOC and SECLOC are both CLLI codes, PRILOC will be the low alpha/numeric of the two.</p> <p>2. When this field contains a CLLI Code, the format and structure is defined by ANSI in document T1.253, Identification of Location Entities for the North American Telecommunications System, and consists of the following elements: <b>1. Geographical Code</b> – A code that designates a single geographical locality within a state, province, territory, country or distinct region of the world. Valid entries are outlined in Telcordia Technologies document BR 795-100-050 (4 alphanumeric characters). <b>2. Geopolitical Code</b> – A code that designates a state or territory of the United States, a province or territory of Canada, another country having a national federal government or a unique designation. Valid entries are outlined in Telcordia Technologies document BR 795-100-100 (variable length, 1-6 alphanumeric characters). <b>3. Network Site Code</b> – A code designating a structure within a geographical location where there is a need to identify one or more telecommunications equipment entities. Valid entries are outlined in Telcordia Technologies repository (2 alpha or 2 numeric characters). <b>4. Network Site Entity Code</b> – A functional category of equipment or work center contained within a structure. Equipment categories are associated network site for purposes of maintaining equipment inventories and for identifying facility and circuit terminations and nodal locations. Valid entries are outlined in Telcordia Technologies document BR 795-100-100 (3 alphanumeric characters).</p>	
012a	TSP - Telecommunications Service Priority	Indicates the provisioning and restoration priority as defined under the TSP Service Vendor Handbook.	AN -	12-12	Format = XXXXXXXXXX-XX  (Note - X = alpha/numeric)	<p>1. If populated and position 1 of LSR.TOS = 2, then return error: NWRPL094 TSP IS PROHIBITED</p> <p>2. If populated and valid format is not XXXXXXXXXXXX-XX, then return error: NWRPL095 TSP VALID FORMAT = XXXXXXXXXXXX-XX</p> <p>3. If populated and position 11 is not E, 0, 1, 2, 3, 4, 5, then return error: NWRPL096 TSP VALID VALUE FOR POSITION 11 MUST = E, 0, 1, 2, 3, 4, 5</p> <p>4. If populated and position 12 is not 0, 1, 2, 3, 4, 5, then return error: NWRPL109 TSP VALID VALUE FOR POSITION 12 MUST = 0, 1, 2, 3, 4, 5</p>	O
013	AFT - Address Format Type (PRILOC)	Identifies the format of the address being supplied.	A	1-1	C=Provider assigned house number  N= Normal(not an assigned) house number	<p>1. If populated and vv not = C, N, then return error: NWRPL017 AFT VALID VALUES = C OR N</p> <p>2. If not populated and LSR.ACT is C, N and LIT is E return error message NWRPL247 AFT IS REQUIRED</p>	O



**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						3. If populated and LSR.ACT is not C, N or LIT is not E return error message NWFRL248 AFT IS PROHIBITED	
013a	ROUTE (PRILOC)	Identifies the service address route of the end user.	AN	1-6		<p>1. If not populated and AFT (PRILOC) is C and SASN (PRILOC) is not populated return error message NWFRL235 ROUTE IS REQUIRED</p> <p>2. If populated and AFT (PRILOC) is not C return error NWFRL250 ROUTE IS NOT ALLOWED</p> <p>3. If populated and dl &gt; 6 return error message NWFRL251 ROUTE MAY NOT EXCEED 6 CHARACTERS</p>	O
013b	BOX (PRILOC)	Identifies the service address box of the end user	AN	1-9		<p>1. If not populated and ROUTE is populated return error message NWFRL237 BOX IS REQUIRED</p> <p>2. If populated and ROUTE is not populated return error message NWFRL236 BOX IS PROHIBITED</p> <p>3. If populated and dl &gt; 9 return error message NWFRL238 BOX MAY NOT EXCEED 9 CHARACTERS</p>	O
014	SAPR					<b>FIELD NOT SUPPORTED</b>	P
015	SANO - Service Address Number (PRILOC)	Identifies the number of the service address.	AN - Space	1-10		<p>1. If not populated and AFT = C, N then return error: NWFRL019 SANO IS REQUIRED</p> <p>2. If populated and dl &gt; 10, return error: NWFRL020 SANO INVALID VALUE</p> <p>3. If populated and special characters are not hyphen , space return error message NWFRL252 SANO SPECIAL CHARACTERS MAY ONLY BE HYPHEN OR SPACE</p> <p>4. If populated and AFT is not C, N return error message NWFRL253 SANO IS PROHIBITED</p> <p>Note:  Where 450 is the house number in the following address example:  EXAMPLE: 25W 450 1/2 SW Camino Ramon Lane NW Suite 23</p>	O
016	SASF - Service Address	Identifies the suffix for the address number of the	AN / -Space	1-4		1. If populated and SANO is not populated, then return error: NWFRL021 SASF IS PROHIBITED	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
	Number Suffix (PRILOC)	service address.				<p>2. If populated and dl &gt; 4, return error: NWFRPL022 SASF INVALID VALUE</p> <p>3. If populated and special characters are not hyphen, space, virgule return error message NWFRPL254 SASF SPECIAL CHARACTERS MAY ONLY BE HYPHEN, SPACE OR VIRGULE</p> <p>Note:            Where 1/2 is the house number suffix in the following address example:            EXAMPLE: 25W 450 1/2 SW Camino Ramon Lane NW Suite 23            ** If 1st position is numeric, fraction is assumed and looks for slash followed by another number</p>	
017	SASD - Service Address Street Directional Prefix (PRILOC)	Identifies the street directional prefix for the service address.	A	1-2	N, S, E, W, NE, NW, SE, SW	<p>1. If populated and vv not = N, S, E, W, NE, NW, SE, SW, then return error: NWFRPL023 SASD VALID VALUE = N, S, E, W, NE, NW, SE, SW</p> <p>2. If populated and SASN is not populated return error message NWFRPL255 SASD IS PROHIBITED</p> <p>Note:            Where SW is the street directional in the following address example.            EXAMPLE: 25W 450 1/2 SW Camino Ramon Lane NW Suite 23</p>	O
018	SASN - Service Address Street Name (PRILOC)	Identifies the street name of the service address.	AN & ' * - # ( ) space	1-50		<p>1. If not populated and AFT (PRILOC) is N then return error: NWFRPL024 SASN IS REQUIRED</p> <p>2. If populated and dl &gt; 50, then return error: NWFRPL025 SASN VALID LENGTH = 1-50</p> <p>3. If not populated and AFT (PRILOC) is C and ROUTE (PRILOC) is not populated return error message NWFRPL256 SASN IS REQUIRED</p> <p>4. If populated and AFT is not N, C return error message NWFRPL257 SASN IS PROHIBITED</p> <p>5. If populated and special characters are not Ampersand, Apostrophe, Asterisk, Hyphen, Number Sign, Parentheses, Space return error message NWFRPL258 SASN SPECIAL CHARACTERS ARE AMPERSAND, APOSTROPHE, ASTERISK, HYPHEN, NUMBER SIGN, PARENTHESSES, SPACE</p>	O

**NWF Local Business Rules**  
Version: 9.30.20.1

**RPL FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>Note:</p> <p>1.If no street name exists, may be rural route, general delivery or other Definition for delivery/service destination</p> <p>2.Where Camino Ramon is the street name in the following address example. EXAMPLE 1: 25W 450 1/2 SW Camino Ramon Lane NW Suite 23</p> <p>3.Where there is no street name EXAMPLE 2: P.O. Box 111</p>	
019	SATH - Service Address Street Type (PRILOC)	Identifies the thoroughfare portion of the street name of the service address.	AN	1-7	See Separate Table for SATH Values  (Street Suffix Abbreviations)	<p>1. If populated and vv not = vv on Street Suffix Abbreviations Table, then return error: NWFRL026 SATH IS INVALID</p> <p>2. If populated and SASN is not populated return error message NWFRL259 SATH IS PROHIBITED</p> <p>3.If populated dl&gt;7 or dc does not = uppercase alpha, numeric, return error NWFRL007 SATH VALID VALUE = 1-7 UPPER CASE ALPHA, NUMERIC</p> <p>Note:</p> <p>1.Recommended abbreviations are contained in the United States Postal Service Publication 28, Postal Addressing Standards, Street Suffix Abbreviations Section.</p> <p>2. Where Lane is the thoroughfare in the following address example. EXAMPLE: 25W 450 1/2 SW Camino Ramon Lane NW Suite 23</p>	O
020	SASS - Service Address Street Directional Suffix (PRILOC)	Identifies the street directional suffix for the service address.	A	1-2	N, S, E, W, NE, NW, SE, SW	<p>1. If populated and vv not = N, S, E, W, NE, NW, SE, SW, then return error: NWFRL027 SASS VALID VALUE = N, S, E, W, NE, NW, SE, SW</p> <p>2. If populated and SASN is not populated return error message NWFRL260 SASS IS PROHIBITED</p> <p>Note:</p> <p>Where NW is the street suffix in the following address example. EXAMPLE: 25W 450 1/2 SW Camino Ramon Lane NW Suite 23</p>	O
021	LD1 - Location Designator 1 (PRILOC)	Identifies additional specific information related to the address (e.g., building).	A	3-4	BLDG, WNG, PIER	<p>1. If populated and vv not = BLDG, WNG, PIER, then return error: NWFRL028 LD1 VALID VALUES ARE BLDG, WNG OR PIER</p> <p>2. If populated and SASN is not populated return error message NWFRL261 LD1 IS PROHIBITED</p>	O
022	LV1 - Location Value 1 (PRILOC)	Identifies the value associated with the first location	AN ' - space	1-10		<p>1. If populated and LD1 is not populated, then return error: NWFRL029 LV1 IS PROHIBITED</p>	O

# NWF Local Business Rules

Version: 9.30.20.1

# RPL FORM

Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
		designator of the address.				<p>2. If populated and dl &gt; 10, then return error: NWFRPL030 LV1 VALID LENGTH = 1-10</p> <p>3. If populated and special characters are not Apostrophe, Hyphen, Space return error message NWFRPL262 LV1 SPECIAL CHARACTERS MAY ONLY BE APOSTROPHE, HYPHEN OR SPACE</p>	
023	LD2 - Location Designator 2 (PRILOC)	Identifies additional specific information related to the address (e.g., floor).	A	2	FL	<p>1. If populated and vv is not FL then return error: NWFRPL031 LD2 MUST BE FL</p> <p>2. If populated and SASN is not populated return error message NWFRPL263 LD2 IS PROHIBITED</p>	O
024	LV2 - Location Value 2 (PRILOC)	Identifies the value associated with the second location designator of the address.	AN	1-10	(1-999), Main, Attic, Penthouse, Townhouse, Ground, Basement, UpperLevel, LowerLevel, Mezzanine, Terrace, Bottom, RearLeft, RearRight, FrontLeft, FrontRight, Middle, LeftRear, RightRear, LeftFront, RightFront, Garden, Garage, Superinten, Store, Walk-in, Lobby) or (numeric in range of 1-999), LBBY, FRONT, SIDE, STOP then return error: NWFRPL033 LV2 MUST BE MAIN, ATTIC, PENTHOUSE, TOWNHOUSE, GROUND, BASEMENT, UPPERLEVEL, LOWERLEVEL, MEZZANINE, TERRACE, BOTTOM, REARLEFT, REARRIGHT, FRONTLEFT, FRONTRIGHT, MIDDLE, LEFTREAR, RIGHTREAR, LEFTFRONT, RIGHTFRONT, GARDEN, GARAGE, SUPERINTEN, STORE, WALK-IN, LOBBY, LBBY, FRONT, SIDE, STOP	<p>1. If populated and LD2 is not populated, then return error: NWFRPL032 LV2 IS PROHIBITED</p> <p>2. If populated and vv is not (Main, Attic, Penthouse, Townhouse, Ground, Basement, UpperLevel, LowerLevel, Mezzanine, Terrace, Bottom, RearLeft, RearRight, FrontLeft, FrontRight, Middle, LeftRear, RightRear, LeftFront, RightFront, Garden, Garage, Superinten, Store, Walk-in, Lobby) or (numeric in range of 1-999), LBBY, FRONT, SIDE, STOP then return error: NWFRPL033 LV2 MUST BE MAIN, ATTIC, PENTHOUSE, TOWNHOUSE, GROUND, BASEMENT, UPPERLEVEL, LOWERLEVEL, MEZZANINE, TERRACE, BOTTOM, REARLEFT, REARRIGHT, FRONTLEFT, FRONTRIGHT, MIDDLE, LEFTREAR, RIGHTREAR, LEFTFRONT, RIGHTFRONT, GARDEN, GARAGE, SUPERINTEN, STORE, WALK-IN, LOBBY, LBBY, FRONT, SIDE, STOP</p>	O
025	LD3 - Location Designator 3 (PRILOC)	Identifies additional specific information related to the address (e.g., suite, room).	A	2-4	APT, SUIT, SLIP, RM, LOT, UNIT, SPC, BLDG, OFC, FL, DEPT, STE, PH	<p>1. If populated and vv is not APT, SUIT, SLIP, RM, LOT, UNIT, SPC, BLDG, OFC, FL, DEPT, STE, PH then return error: NWFRPL034 LD3 MUST BE APT, SUIT, SLIP, RM, LOT, UNIT, SPC, BLDG, OFC, FL, DEPT, STE, PH</p> <p>2. If populated and SASN is not populated return error message NWFRPL264 LD3 IS PROHIBITED</p>	O
026	LV3 - Location Value 3 (PRILOC)	Identifies the value associated with	AN	1-10		<p>1. If populated and LD3 is not populated, then return error: NWFRPL035 LV3 IS PROHIBITED</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
		the third location designator of the address				2. If populated and dl > 10, then return error: NWFRPL036 LV3 VALID LENGTH = 1-10	
027	AAI - Additional Address Information (PRILOC)	Identifies additional location information about the address.	AN & ' * : , \$ ( ) - # % . + " ; / Space	1-100		<p>1. If populated and dl &gt; 100, then return error: NWFRPL037 AAI VALID LENGTH = 1-100</p> <p>2. If populated and SASN is not populated return error message NWFRPL265 AAI IS PROHIBITED</p> <p>3. If populated and special characters are not AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE return error message NWFRPL266 AAI SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE</p> <p>Note: This instance of the AAI field is used for the service address</p>	O
028	RLSO - Resale Local Service Office (PRILOC)	Identifies the NPA/NXX of the local serving office of the end user location.	N	6-6		<p>1.If populated and (dl not = 6 or dc not = numeric), then return error: NWFRPL038 RLSO VALID VALUE = 6 NUMERIC</p> <p>2.If not populated, return error NWFRPL008 RLSO REQUIRED FIELD</p> <p>3.If populated and vv does not = valid NPANXX, return error NWFRPL051 RLSO MUST BE =VALID NPA NXX</p>	R
029	CITY - City (PRILOC)	Identifies the city, village, township, etc.	AN & ' * # ( ) Space	1-32		<p>1. If not populated and SASN is populated , then return error: NWFRPL039 CITY IS REQUIRED</p> <p>2. If populated and dl &gt; 32, then return error: NWFRPL040 CITY VALID LENGTH = 1-32</p> <p>3. If populated and SASN is not populated return error message NWFRPL267 CITY IS PROHIBITED</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						4. If populated and special characters are not AMPERSAND, APOSTROPHE, ASTERISK, SPACE, NUMBER SIGN, PARENTHESES return error message NWFRPL268 CITY SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, SPACE, NUMBER SIGN, PARENTHESES	
030	STATE - State/Province (PRILOC)	Identifies the abbreviation for the state or province.	A	2-2	ID, MT, OR, WA	1.If not populated, then return error: NWFRPL041 STATE IS REQUIRED  2.If populated and vv does not = ID, MT, OR, or WA, return error: NWFRPL052 NOT A VALID STATE	R
031	ZIP - ZIP/Postal Code (PRILOC)	Identifies the ZIP code, ZIP code + extension or postal code.	AN	5-12		1. If populated and (dl < 5 or > 12), then return error: NWFRPL044 ZIP VALID LENGTH = 5-12	O
032	ALOC - Additional Location Details (PRILOC)	Identifies any necessary location information which cannot be described in other fields and indicates further definition of the physical point of termination at the primary location	AN, & ' * : , \$ ( ) - # % . + " ; / Space	1-106		1. If populated and special characters are not AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE, then return error: NWFRPL045 ALOC SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE  2. If populated and dl > 106, then return error: NWFRPL046 ALOC VALID LENGTH = 1-106  Note: This field, along with other primary address fields, describes the termination at the primary end user location	O
033	LCON - Local Contact (PRILOC)	Identifies the local contact name for access of the service location.	AN, ' , - . Space	1-15		1. If populated dl > 15, then return error: NWFRPL047 LCON VALID LENGTH = 1-15  2. If populated and special characters are not APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE return error message NWFRPL042 LCON SPECIAL CHARACTERS ARE APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						3.If not populated and ACT=N,C,D, M,T,V and PRILOC LIT=E, return error NWFRPL053 LCON REQUIRED	
034	ACTEL NO - Access Telephone Number (PRILOC)	Identifies the telephone number of the local contact for the service location.	AN -	10-14		1. If populated and ((dl < 10 or > 14) or (dc not = alphanumeric, hyphen)), then return error: NWFRPL048 ACTEL NO VALID VALUE = 10-14 ALPHANUMERIC INCLUDING HYPHEN  2. If populated and special character is not hyphen return error message NWFRPL043 ACTEL NO SPECIAL CHARACTER IS HYPHEN  3.If not populated and PRILOC LCON is populated, return error NWFRPL057 ACTEL NO REQUIRED	O
035	ALCON - Alternate Local Contact (PRILOC)	Identifies the alternate local contact name for access to the service location.	A/N , - . Space	1-15		1. If populated and dl > 15, then return error: NWFRPL049 ALCON VALID LENGTH = 1-15  2. If populated and special characters are not APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE return error message NWFRPL269 ALCON SPECIAL CHARACTERS ARE APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE	O
036	AACTEL - Alternate Access Telephone Number (PRILOC)	Identifies the alternate telephone number of the local contact for the service location.	N -	10-14		1. If populated and ((dl < 10 or > 14) or (dc not = numeric)), then return error: NWFRPL050 AACTEL VALID VALUE = 10-14 NUMERIC  2. If populated and special character is not hyphen return error message NWFRPL270 AACTEL VALID SPECIAL CHARACTER IS HYPHEN	O
037	IWO					<b>FIELD NOT SUPPORTED</b>	P
038	IWCON					<b>FIELD NOT SUPPORTED</b>	P
039	TEL_NO					<b>FIELD NOT SUPPORTED</b>	P
040	GBTN					<b>FIELD NOT SUPPORTED</b>	P
041	ACC - Access Information (PRILOC)	Indicates the access instructions for the end user location	AN & ' * : , \$ ( ) - # % . + " ; / SPACE	1-45		1. If populated and dl > 45, then return error: NWFRPL058 ACC VALID LENGTH = 1-45  2. If populated and special characters are not AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE, then return error: NWFRPL271 ACC SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK,	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE	
042	LEAN					<b>FIELD NOT SUPPORTED</b>	P
043	LEATN					<b>FIELD NOT SUPPORTED</b>	P
<b>SECONDARY_LOC</b>							
044	LIT - Location Identification Type (SECLOC)	Identifies the end user location as an end user name or CLLI Code.	A	1-1	C=CLLI Code E=End User	1. If not populated and SECLOC is populated, then return error: NWFRPL063 LIT (SEC) IS REQUIRED  2. If populated and vv not = C, E, then return error: NWFRPL064 LIT (SEC) VALID VALUE = C, E	O
045	LOCNUM - Location Number (SECLOC)	Identifies this service delivery number for the service requested.	N	1-3		1. If not populated, then return error: NWFRPL065 LOCNUM (SEC) IS REQUIRED  2. If populated and (dl > 3 or dc not = numeric), then return error: NWFRPL066 LOCNUM (SEC) VALID VALUE = 1-3 NUMERIC  <b>Note:</b> 1. For a move at the primary location, LSR ACT = T, the new primary location information should be populated in the primary location section. Any secondary locations which are not changing will be recapped with an LNA = W. REMARKS field should be populated with "Move of primary location only". 2. Any secondary locations which are changing will be detailed with an LNA = N. REMARKS field should be populated with "Move of primary and secondary locations". 3. For a move at the secondary location, LSR ACT = C, the old secondary location should be populated with an LNA = D and another entry with an LNA = N for the new secondary location (with a new LOCNUM). Prohibited if SECLOC is not populated.	R
046	LEGNUM - Multi-point Leg Number (SECLOC)	Identifies the number assigned by the customer to this leg of a multipoint circuit.	N	1-3		1. If not populated and NSL is populated, then return error: NWFRPL067 LEGNUM (SEC) IS REQUIRED  2. If populated and NSL is not populated, then return error: NWFRPL068 LEGNUM (SEC) IS PROHIBITED  3. If populated and (dl > 3 or dc not = numeric), then return error: NWFRPL069 LEGNUM (SEC) VALID VALUE = 1-3 NUMERIC	O
047	SECLOC - SECLOC Location	Identifies the terminating end of the service being provided.	AN & ' * : , \$ ( ) - # % . + " ; / SPACE	1-25		1. If populated and dl > 25, then return error: NWFRPL070 SECLOC VALID LENGTH = 1-25  2. If populated and special characters are not AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN,	O



**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE return error message NWFRPL272 SECLOC SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE</p> <p>3.If not populated and ACT=N,C,M, T,V,D and SECLOC LIT=E, return error NWFRPL059 SECLOC REQUIRED</p> <p>Note:                      When this field contains a CLLI Code, the format and structure is defined by ANSI in document T1.253, Identification of Location Entities for the North American Telecommunications System, and consists of the following elements: <b>1. Geographical Code</b> – A code that designates a single geographical locality within a state, province, territory, country or distinct region of the world. Valid entries are outlined in Telcordia Technologies document BR 795-100-050 (4 alphanumeric characters). <b>2. Geopolitical Code</b> – A code that designates a state or territory of the United States, a province or territory of Canada, another country having a national federal government or a unique designation. Valid entries are outlined in Telcordia Technologies document BR 795-100-100 (variable length, 1-6 alphanumeric characters). <b>3. Network Site Code</b> – A code designating a structure within a geographical location where there is a need to identify one or more telecommunications equipment entities. Valid entries are outlined in Telcordia Technologies repository (2 alpha or 2 numeric characters). <b>4. Network Site Entity Code</b> – A functional category of equipment or work center contained within a structure. Equipment categories are associated network site for purposes of maintaining equipment inventories and for identifying facility and circuit terminations and nodal locations. Valid entries are outlined in Telcordia Technologies document BR 795-100-100 (3 alphanumeric characters).</p> <p>Note:                      When more than 3 SECLOCs are ordered, a bridge point is required - IOSCs are required</p>	
048	AFT - Address Format Type (SECLOC)	Identifies the format of the address being supplied.	A	1-1	C=Provider assigned house number  N= Normal(not an assigned) house number	<p>1. If populated and vv not = C, N, then return error: NWFRPL275 AFT VALID VALUES = C OR N</p> <p>2. If not populated and LSR.ACT is C, N and LIT is E return error message NWFRPL276 AFT IS REQUIRED</p> <p>3. If populated and LSR.ACT is not C, N or LIT is not E return error message NWFRPL278 AFT IS PROHIBITED</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
048a	ROUTE (SECLOC)	Identifies the service address route of the end user	AN	1-6		<p>1. If not populated and AFT (SECLOC) is C and SASN (SECLOC) is not populated return error message NWFRPL279 ROUTE IS REQUIRED</p> <p>2. If populated and AFT (SECLOC) is not C return error NWFRPL280 ROUTE IS NOT ALLOWED</p> <p>3. If populated and dl &gt; 6 return error message NWFRPL281 ROUTE MAY NOT EXCEED 6 CHARACTERS</p>	
048b	BOX (SECLOC)	Identifies the service address box of the end user	AN	1-9		<p>1. If not populated and ROUTE is populated return error message NWFRPL282 BOX IS REQUIRED</p> <p>2. If populated and ROUTE is not populated return error message NWFRPL283 BOX IS PROHIBITED</p> <p>3. If populated and dl &gt; 9 return error message NWFRPL284 BOX MAY NOT EXCEED 9 CHARACTERS</p>	O
049	SAPR					<b>FIELD NOT SUPPORTED</b>	P
050	SANO - Service Address Number (SECLOC)	Identifies the number of the service address.	AN - Space	1-10		<p>1. If not populated and AFT = C, N then return error: NWFRPL285 SANO IS REQUIRED</p> <p>2. If populated and dl &gt; 10, then return error: NWFRPL286 SANO VALID LENGTH = 1-10</p> <p>3. If populated and special characters are not hyphen , space return error message NWFRPL287 SANO SPECIAL CHARACTERS MAY ONLY BE HYPHEN OR SPACE</p> <p>4. If populated and AFT is not C, N return error message NWFRPL288 SANO IS PROHIBITED</p> <p>Note:            Where 450 is the house number in the following address example.            EXAMPLE: 25W 450 1/2 SW Camino Ramon Lane NW Suite 23</p> <p>***This field may contain a provider assigned house number.</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
051	SASF - Service Address Number Suffix (SECLOC)	Identifies the suffix for the address number of the service address.	AN / - space	1-4		<p>1. If populated and SANO is not populated, then return error: NWFRL289 SASF IS PROHIBITED</p> <p>2. If populated and dl &gt; 4, then return error: NWFRL302 SASF INVALID VALUE</p> <p>3. If populated and special characters are not hyphen, space, virgule return error message NWFRL290 SASF SPECIAL CHARACTERS MAY ONLY BE HYPHEN, SPACE OR VIRGULE</p> <p>Note:            Where 1/2 is the house number suffix in the following address example:            EXAMPLE: 25W 450 1/2 SW Camino Ramon Lane NW Suite 23            ** If 1st position is numeric, fraction is assumed and looks for slash followed by another number</p>	O
052	SASD - Service Address Street Directional Prefix (SECLOC)	Identifies the street directional prefix for the service address.	A	1-2	N, S, E, W, NE, NW, SE, SW	<p>1. If populated and vv not = N, S, E, W, NE, NW, SE, SW, then return error: NWFRL301 SASD VALID VALUE = N, S, E, W, NE, NW, SE, SW</p> <p>2. If populated and SASN is not populated return error message NWFRL291 SASD IS PROHIBITED</p> <p>Note:            Where SW is the street directional in the following address example.            EXAMPLE: 25W 450 1/2 SW Camino Ramon Lane NW Suite 23</p>	O
053	SASN - Service Address Street Name (SECLOC)	Identifies the street name of the service address.	AN & ' * - # ( ) Space	1-50		<p>1. If not populated and AFT (SECLOC) is N then return error: NWFRL303 SASN IS REQUIRED</p> <p>2. If populated and dl &gt; 50, then return error: NWFRL292 SASN VALID LENGTH = 1-50</p> <p>3. If not populated and AFT (SECLOC) is C and ROUTE (SECLOC) is not populated return error message NWFRL293 SASN IS REQUIRED</p> <p>4. If populated and AFT is not N, C return error message NWFRL294 SASN IS PROHIBITED</p> <p>5. If populated and special characters are not Ampersand, Apostrophe, Asterisk, Hyphen, Number Sign, Parentheses, Space</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>return error message NWFRL295 SECLOC SASN SPECIAL CHARACTERS ARE AMPERSAND, APOSTROPHE, ASTERISK, HYPHEN, NUMBER SIGN, PARENTHESES, SPACE</p> <p>Note:            1.If no street name exists, may be rural route, general delivery or other description for delivery/service destination            2.Where Camino Ramon is the street name in the following address example.            EXAMPLE 1: 25W 450 1/2 SW Camino Ramon Lane NW Suite 23            3.Where there is no street name            EXAMPLE 2: P.O. Box 111</p>	
054	SATH - Service Address Street Type (SECLOC)	Identifies the thoroughfare portion of the street name of the service address.	AN	1-7	See Separate Table for SATH Values  (Street Suffix Abbreviations)	<p>1. If populated and vv not = vv on Street Suffix Abbreviations Table, then return error: NWFRL300 SATH IS INVALID</p> <p>2. If populated and SASN is not populated return error message NWFRL296 SATH IS PROHIBITED</p> <p>Note:            1.Recommended abbreviations are contained in the United States Postal Service Publication 28, Postal Addressing Standards, Street Suffix Abbreviations Section.            2.Where Lane is the thoroughfare in the following address example.            EXAMPLE: 25W 450 1/2 SW Camino Ramon Lane NW Suite 23</p>	O
055	SASS - Service Address Street Directional Suffix (SECLOC)	Identifies the street directional suffix for the service address.	A	1-2	N, S, E, W, NE, NW, SE, SW	<p>1. If populated and vv not = N, S, E, W, NE, NW, SE, SW, then return error: NWFRL304 SASS VALID VALUE = N, S, E, W, NE, NW, SE, SW</p> <p>2. If populated and SASN is not populated return error message NWFRL297 SECLOC SASS IS PROHIBITED</p> <p>Note:            Where NW is the street suffix in the following address example.            EXAMPLE: 25W 450 1/2 SW Camino Ramon Lane NW Suite 23</p>	O
056	LD1 - Location Designator 1 (SECLOC)	Identifies additional specific information related to the address (e.g., building).	A	3-4	BLDG, WNG, PIER	<p>1. If populated and vv not = BLDG, WNG, PIER, then return error: NWFRL298 LD1 VALID VALUES ARE BLDG, WNG OR PIER</p> <p>2. If populated and SASN is not populated return error message NWFRL299 LD1 IS PROHIBITED</p>	O
057	LV1 - Location Value 1 (SECLOC)	Identifies the value associated with the first location	AN '- space	1-10		<p>1. If populated and LD1 is not populated, then return error: NWFRL305 LV1 IS PROHIBITED</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
		designator of the address.				2. If populated and dl > 10, then return error: NWFRPL306 LV1 VALID LENGTH = 1-10  3. If populated and special characters are not Apostrophe, Hyphen, Space return error message NWFRPL249 LV1 SPECIAL CHARACTERS MAY ONLY BE APOSTROPHE, HYPHEN OR SPACE	
058	LD2 - Location Designator 2 (SECLOC)	Identifies additional specific information related to the address (e.g., floor).	A	2	FL	1. If populated and vv is not FL then return error: NWFRPL273 LD2 MUST BE FL  2. If populated and SASN is not populated return error message NWFRPL274 LD2 IS PROHIBITED	O
059	LV2 - Location Value 2 (SECLOC)	Identifies the value associated with the second location designator of the address.	AN	1-10	(1-999), Main, Attic, Penthouse, Townhouse, Ground, Basement, UpperLevel, LowerLevel, Mezzanine, Terrace, Bottom, RearLeft, RearRight, FrontLeft, FrontRight, Middle, LeftRear, RightRear, LeftFront, RightFront, Garden, Garage, Superinten, Store, Walk-in, Lobby) (numeric in range of 1-999), LBBY, FRONT, SIDE, STOP then return error: NWFRPL308 LV2 MUST BE MAIN, ATTIC, PENTHOUSE, TOWNHOUSE, GROUND, BASEMENT, UPPERLEVEL, LOWERLEVEL, MEZZANINE, TERRACE, BOTTOM, REARLEFT, REARRIGHT, FRONTLEFT, FRONTRIGHT, MIDDLE, LEFTREAR, RIGHTREAR, LEFTFRONT, RIGHTFRONT, GARDEN, GARAGE, SUPERINTEN, STORE, WALK-IN, LOBBY, LBBY, FRONT, SIDE, STOP	1. If populated and LD2 is not populated, then return error: NWFRPL307 LV2 IS PROHIBITED  2. If populated and vv is not (Main, Attic, Penthouse, Townhouse, Ground, Basement, UpperLevel, LowerLevel, Mezzanine, Terrace, Bottom, RearLeft, RearRight, FrontLeft, FrontRight, Middle, LeftRear, RightRear, LeftFront, RightFront, Garden, Garage, Superinten, Store, Walk-in, Lobby) (numeric in range of 1-999), LBBY, FRONT, SIDE, STOP then return error: NWFRPL308 LV2 MUST BE MAIN, ATTIC, PENTHOUSE, TOWNHOUSE, GROUND, BASEMENT, UPPERLEVEL, LOWERLEVEL, MEZZANINE, TERRACE, BOTTOM, REARLEFT, REARRIGHT, FRONTLEFT, FRONTRIGHT, MIDDLE, LEFTREAR, RIGHTREAR, LEFTFRONT, RIGHTFRONT, GARDEN, GARAGE, SUPERINTEN, STORE, WALK-IN, LOBBY ,A NUMBER FROM 1 TO 999, LBBY, FRONT, SIDE, STOP	O
060	LD3 - Location Designator 3 (SECLOC)	Identifies additional specific information related to the address (e.g., suite, room).	A	2-4	APT, SUIT, SLIP, RM, LOT, UNIT, SPC, BLDG, OFC, FL, DEPT, STE, PH	1. If populated and vv is not APT, SUIT, SLIP, RM, LOT, UNIT, SPC, BLDG, OFC, FL, DEPT, STE, PH then return error: NWFRPL309 LD3 MUST BE APT, SUIT, SLIP, RM, LOT, UNIT, SPC, BLDG, OFC, FL, DEPT, STE, PH  2. If populated and SASN is not populated return error message NWFRPL310 LD3 IS PROHIBITED	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
061	LV3 - Location Value 3 (SECLOC)	Identifies the value associated with the third location designator of the address	AN	1-10		<p>1. If populated and LD3 is not populated, then return error: NWFRPL311 LV3 IS PROHIBITED</p> <p>2. If populated and dl &gt; 10, then return error: NWFRPL312 LV3 VALID LENGTH = 1-10</p>	O
062	AAI - Additional Address Information (SECLOC)	Identifies additional location information about the address.	AN & ' * : , \$ ( ) - # % . + " ; / SPACE	1-100		<p>1. If populated and dl &gt; 100, then return error: NWFRPL313 AAI VALID LENGTH = 1-100</p> <p>2. If populated and SASN is not populated return error message NWFRPL314 AAI IS PROHIBITED</p> <p>3. If populated and special characters are not AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE return error message NWFRPL315 AAI SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE</p>	O
063	RLSO - Resale Local Service Office (SECLOC)	Identifies the NPA/NXX of the local serving office of the end user location. Could be Verizon or others NPA/NXX	N	6-6		<p>1. If populated and (dl not = 6 or dc not = numeric), then return error: NWFRPL316 RLSO VALID VALUE = 6 NUMERIC</p>	O
064	CITY - City (SECLOC)	Identifies the city, village, township, etc.	AN & ' * # ( ) Space	1-32		<p>1. If not populated and SASN is populated , then return error: NWFRPL317 CITY IS REQUIRED</p> <p>2. If populated and dl &gt; 32, then return error: NWFRPL318 CITY VALID LENGTH = 1-32</p> <p>3. If populated and SASN is not populated return error message NWFRPL319 CITY IS PROHIBITED</p> <p>4. If populated and special characters are not AMPERSAND, APOSTROPHE, ASTERISK, SPACE, NUMBER SIGN,</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						PARENTHESES return error message NWFRPL320 CITY SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, SPACE, NUMBER SIGN, PARENTHESES	
065	STATE - State/Province (SECLOC)	Identifies the abbreviation for the state or province.	A	2-2		1. If not populated, then return error: NWFRPL321 STATE IS REQUIRED	R
066	ZIP - ZIP/Postal Code (SECLOC)	Identifies the ZIP code, ZIP code + extension or postal code.	AN	5-12		1. If populated and (dl < 5 or > 12), then return error: NWFRPL322 ZIP VALID LENGTH = 5-12	O
067	ALOC - Additional Location Details (SECLOC)	Identifies any necessary location information which cannot be described in other fields and indicates further definition of the physical point of termination at the secondary location.	AN & ' * : , \$ ( ) - # % . + ; " / Space	1-106		1. If populated and special characters are not AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE, then return error: NWFRPL323 ALOC SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE  2. If populated and dl > 106, then return error: NWFRPL324 ALOC VALID LENGTH = 1-106	O
068	LCON - Local Contact (SECLOC)	Identifies the local contact name for access of the service location.	AN ' , - . space	1-15		1. If populated dl > 15, then return error: NWFRPL325 LCON VALID LENGTH = 1-15  2. If populated and special characters are not APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE return error message NWFRPL326 LCON SPECIAL CHARACTERS ARE APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE	O
069	ACTEL NO - Access Telephone Number (SECLOC)	Identifies the telephone number of the local contact for the service location.	N	10-14		1. If populated and ((dl < 10 or > 14) or (dc not = numeric)), then return error: NWFRPL327 ACTEL NO VALID VALUE = 10-14 NUMERIC  2. If populated and special character is not hyphen return error message NWFRPL328 ACTEL NO SPECIAL CHARACTER IS HYPHEN	O

# NWF Local Business Rules

Version: 9.30.20.1

# RPL FORM

Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
070	ALCON - Alternate Local Contact (SECLOC)	Identifies the alternate local contact name for access of the service location.	AN ' , - . space	1-15		1. If populated and dl > 15, then return error: NWFRPL329 ALCON VALID LENGTH = 1-15  2. If populated and special characters are not APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE return error message NWFRPL330 ALCON SPECIAL CHARACTERS ARE APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE	O
071	AACTEL - Alternate Access Telephone Number (SECLOC)	Identifies the alternate telephone number of the local contact for the service location	N -	10-14		1. If populated and ((dl < 10 or > 14) or (dc not = numeric)), then return error: NWFRPL331 AACTEL VALID VALUE = 10-14 NUMERIC  2. If populated and special character is not hyphen return error message NWFRPL332 AACTEL VALID SPECIAL CHARACTER IS HYPHEN	O
072	IWO					<b>FIELD NOT SUPPORTED</b>	P
073	IWCON					<b>FIELD NOT SUPPORTED</b>	P
074	TEL NO					<b>FIELD NOT SUPPORTED</b>	P
075	GBTN					<b>FIELD NOT SUPPORTED</b>	P
076	ACC - Access Information (SECLOC)	Indicates the access instructions for the end user location.	AN & ' * : , \$ ( ) # % . + " ; / Space	1-45		1. If populated and dl > 45, then return error: NWFRPL333 ACC VALID LENGTH = 1-45  2. If populated and special characters are not AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE, then return error: NWFRPL334 ACC SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE	O
077	LEAN					<b>FIELD NOT SUPPORTED</b>	P
078	LEATN					<b>FIELD NOT SUPPORTED</b>	P
<b>BILL SECTION</b>							
079	FBI					<b>FIELD NOT SUPPORTED</b>	P
080	BILLNM					<b>FIELD NOT SUPPORTED</b>	P
081	SBILLNM					<b>FIELD NOT SUPPORTED</b>	P
082	STREET					<b>FIELD NOT SUPPORTED</b>	P
083	FLOOR					<b>FIELD NOT SUPPORTED</b>	P



**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
084	ROOM_MAIL_S TOP					<b>FIELD NOT SUPPORTED</b>	P
085	CITY					<b>FIELD NOT SUPPORTED</b>	P
086	STATE					<b>FIELD NOT SUPPORTED</b>	P
087	ZIP					<b>FIELD NOT SUPPORTED</b>	P
088	BILLCON					<b>FIELD NOT SUPPORTED</b>	P
089	TEL_NO					<b>FIELD NOT SUPPORTED</b>	P
090	SSN					<b>FIELD NOT SUPPORTED</b>	P
<b>DISCONNECT SECTION</b>							
091	LOCNUM - Location Number	Identifies this service delivery number for the service requested.	N	1-3		<p>1. If not populated and LSR.ACT is D then return error: NWFRPL136 LOCNUM IS REQUIRED</p> <p>2. If populated and (dl &gt; 3 or dc not = numeric), then return error: NWFRPL137 LOCNUM VALID VALUE = 1-3 NUMERIC</p> <p>Note:</p> <p>1.The disconnect information section will only be used for a disconnect of the entire circuit (all legs). For a disconnect of a secondary location populate the secondary location section and secondary location service detail section using LNA = D.</p> <p>2.For a move or a disconnect of the primary location only, LSR ACT = T, the new primary location information should be populated in the primary location section. Any secondary locations which are not changing will be recapped with an LNA = W. REMARKS field should be populated with "Move of primary location only". Any secondary locations which are changing will be detailed with an LNA = N. REMARKS field should be populated with "Move of primary and secondary locations".</p> <p>3.For a move at the secondary location, LSR ACT = C, the old secondary location should be populated with an LNA = D and another entry with an LNA = N for the new secondary location (with a new LOC NUM). The Location Number is assigned by the Customer and is retained until the service is disconnected.</p>	O
092	DNUM					<b>FIELD NOT SUPPORTED</b>	P
093	DISC_ECCKT - Disconnect ECCKT	Identifies the end user ECCKT to be disconnected.	AN /	1-36		<p>1.If populated and dl &gt;36 or dc is not alpha numeric, return error NWFRPL060 DISC ECCKT MUST BE ALPHA NUMERIC AND CANNOT EXCEED 36 CHARACTERS</p> <p>Note:</p> <p>TELEPHONE NUMBER FORMAT:  Prefix/Service Code and modifier/NPA/NXX/XXXX/Terminal Number (if applicable)  This format may be up to 30 characters in length.  EXAMPLE: 20/DINV/425/290/0066/DI001</p> <p>SERIAL NUMBER FORMAT:</p>	O

**NWF Local Business Rules**  
Version: 9.30.20.1

**RPL FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						Prefix/Service Code and Modifier/Serial Number/Suffix code/AP code/segment name (if applicable) This format may be up to 27 characters in length including space for depicting a range of numbers. EXAMPLE: 43/TXNU/508449//GTEC/	
094	REMARKS					<b>FIELD NOT SUPPORTED</b>	P
<b>PRIMARYLOCATIONSERVICEDETAILSECTION</b>							
095	LOCNUM - Location Number (PRILOC)	Identifies this service location number for the service requested.	N	1-3		1. If not populated, then return error: NWFRPL143 LOCNUM IS REQUIRED  2. If populated and (dl > 3 or dc not = numeric), then return error: NWFRPL144 LOCNUM VALID VALUE = 1-3 NUMERIC  3.If populated and vv does not equal PRILOC LOCNUM, return error NWFRPL062 LOCNUM MUST EQUAL PRILOC LOCNUM	R
096	LNUM - Line Number (PRILOC)	Identifies the first line or trunk as a unique number and each additional line or trunk segment as a unique number.	N	1-5		1.If not populated and PRILOC LNA is populated, then return error: NWFRPL145 LNUM IS REQUIRED  2. If populated and (dl > 5 or dc not = numeric), then return error: NWFRPL146 LNUM VALID VALUE = 1-5 NUMERIC	R
097	LEGNUM - Multi-point Leg Number (PRILOC)	Identifies the number assigned by the customer to this leg of a multipoint circuit.	N	1-3		1. If not populated and NSL is populated, then return error: NWFRPL147 LEGNUM IS REQUIRED  2. If populated and NSL is not populated, then return error: NWFRPL148 LEGNUM IS PROHIBITED  3. If populated and (dl > 3 or dc not = numeric), then return error: NWFRPL149 LEGNUM VALID VALUE = 1-3 NUMERIC	O
098	LNA - Line Activity (PRILOC)	Identifies the activity involved at the line level.	A	1-1	C= Change an existing account, e.g., rearrangement, partial disconnect or addition  D=Disconnection  N= New installation and/or account  R= Record activity is for ordering administrative changes	1. If not populated and PRILOC LNUM is populated, then return error: NWFRPL150 LNA IS REQUIRED  2. If populated and vv does not = C, D, N, V, W, X, return error: NWFRPL151 LNA VALID VALUE = C, D, N, V, W, X  3.If populated and vv does not = N and ACT = N, T, then return error NWFRPL138 LNA MUST = N WHEN ACT = N, T  4.If populated and vv does not = D, N, V, W and ACT = V, then return error NWFRPL139 LNA MUST = N, D, V, W WHEN ACT = V	R

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
					V= Conversion of service to new LSP as specified  W= Conversion As Is  X= Telephone number change	5.If populated and vv does not = C, D, N, X and ACT = C, then return error NWFRPL140 LNA MUST = C, D, N, X WHEN ACT = C  6.If populated and vv does not = C, D, N, X and ACT = M, then return error NWFRPL061 LNA VALID VALUE = C, D, N, X WHEN ACT = M	
099	LEGACT - Multi-point Leg Activity (PRILOC)	Identifies the activity that is occurring on this leg per this request.	A	1-1	N=New leg D=Disconnect leg C=Change leg	1. If not populated and NSL is populated, then return error: NWFRPL152 LEGACT IS REQUIRED  2. If populated and NSL is not populated, then return error: NWFRPL153 LEGACT IS PROHIBITED  3. If populated and vv does not = N, D, C, return error: NWFRPL156 LEGACT VALID VALUE = N, D, C	O
100	SR - Special Routing Code (PRILOC)	Identifies the type of special routing requested.	AN	3-3	<b>1<sup>st</sup> Character:</b> A=Cable only B=Diversity C=Disaster recovery D=Route other than normal F=Alternate wire center  <b>2<sup>nd</sup> Character:</b> 2=Diversity 3=Avoidance and diversity 6=Route other than normal  <b>3<sup>rd</sup> Character:</b> A=Cable only B=Diversity C=Disaster recovery D=Route other than normal F=Alternate wire center	1. If populated and dl not = 3, then return error: NWFRPL158 SR VALID LENGTH = 3  2. If populated and position 1 of vv not = A, B, C, D, F, then return error: NWFRPL159 SR FIRST CHARACTER VALID VALUE = A, B, C, D, F  3 If populated and position 2 of vv not = 2, 3, 6, then return error: NWFRPL160 SR SECOND CHARACTER VALID VALUE = 2, 3, 6  4. If populated and position 3 of vv not = A, B, C, D, F, then return error: NWFRPL161 SR THIRD CHARACTER VALID VALUE = A, B, C, D, F	O
101	TLV - Transmission Level Point (PRILOC)	Identifies the required transmission level when a non-standard interface is required at the primary location.	AN	1-12		1.If populated and dl > 12, then return error: NWFRPL162 TLV VALID LENGTH = 1-12  <b>Note:</b> 1.This field should contain a one character plus or minus (+ or -), a two digit number, a decimal point, a one digit number, a one digit plus or minus, a two digit number, a decimal point, and a one digit number. 2. Positions 1-6 are used when an "I" has been entered in position 8 or 11 of the NCI field and represents the transmission level to be received at the interface from the provider.	O

**NWF Local Business Rules**  
Version: 9.30.20.1

**RPL FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						3. Positions 7-12 are used when an "I" has been entered in position 9 or 12 of the NCI field and represents the transmission level to be transmitted from the interface to the provider. 4. Transmission specifications may be described in provider's tariffs and/or in Technical Reference Publications.	
102	MST - Master (PRILOC)	Indicator designating a circuit portion as the master leg on a multipoint configuration.	A	1-1	A=This is the master leg  B=This is an alternate to the master leg  C=Remove this as the master leg or alternate master leg	1. If populated and vv not = A, B, C, then return error: NWFRPL163 MST VALID VALUE = A, B, C  2. If not populated and LEGACT is N return error message NWFRPL117 MST IS REQUIRED  3. If populated and vv = A and MST (SECLOC) = A return error message NWFRPL118 MST PRILOC MAY NOT BE A IF MST (SECLOC) IS A  Note: 1. Only one leg on a multipoint circuit can be designated as the master; however, any number of other legs can be designated as an alternate to the master. 2. Legs designated as an alternate master will be designed with the same functionality as the master leg. 3. All multipoint circuit configurations must contain a designated master leg.	O
103	JR					<b>FIELD NOT SUPPORTED</b>	P
104	JK CODE					<b>FIELD NOT SUPPORTED</b>	P
105	JK NUM					<b>FIELD NOT SUPPORTED</b>	P
106	JK POS					<b>FIELD NOT SUPPORTED</b>	P
107	IWJQ – Inside Wire Jack Quantity (PRILOC)	Indicates the number of jacks requested for inside wiring.	N	2	01-99	1.If populated and vv is not in range 01-99, return error NWFRPL113 IWJQ VALID CONTENT = 01-99  2.If populated and IWJK PRILOC is not populated, return error NWFRPL121 IWJQ PRILOC PROHIBITED IF IWJK PRILOC IS NOT POPULATED  Note: When multiple lines are terminating in one multi-line jack, the IWJK (PRILOC) and IWJQ (PRILOC) fields should only be populated for the first line. Jacks maybe ordered on a line by line basis.	O
108	IWJK – Inside Wire Jack Code (PRILOC)	Indicates the standard code for the type of jack requested for inside wiring	AN	1-5		1.If populated and dl>5 or dc is not alphanumeric, return error NWFRPL114 IWJK VALID CONTENT = 1-5 ALPHANUMERIC  2.If not populated and IWJQ PRILOC is populated, return error NWFRPL122 IWJK PRILOC IS REQUIRED WHEN IWJQ PRILOC IS POPULATED	O

**NWF Local Business Rules**  
Version: 9.30.20.1

**RPL FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>Note:</p> <p>1. Familiarization with the FCC's registration rules is requisite for all parties involved for the determination of the proper jack code for a given registered service. Registered jacks used to terminate category 1 and 3 services begin with the designation "RJ".</p> <p>2. When multiple lines are terminating in one multi-line jack, the IWJK (PRILOC) and IWJQ (PRILOC) fields should only be populated for the first line. Jacks may be ordered on a line by line basis.</p>	
109	IWT					<b>FIELD NOT SUPPORTED</b>	P
110	CKR - Customer Circuit Reference (PRILOC)	Identifies the circuit number or sequential range of circuit numbers assigned by the customer.	AN & ' * ( ) : , \$ - # % + " ; . / Space	1-41		<p>1. If populated and dl &gt; 41, then return error: NWFRPL180 CKR VALID LENGTH = 1-41</p> <p>2. If populated and special characters are not AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT SIGN, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE return error message NWFRPL119 CKR SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT SIGN, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE</p> <p>Note: CKR is used by the customer as a cross reference to the provider circuit ID(s) and in many cases to identify the customer's end-to-end service</p>	O
111	ECCKT - Exchange Company Circuit ID (PRILOC)	Identifies a provider's circuit identification or multiple circuit IDs.	AN & ' * ( ) : , \$ - # % + " ; . / Space	1-41		<p>1. If not populated and LNA = C, D, V, W, then return error: NWFRPL181 ECCKT IS REQUIRED</p> <p>2. If populated and dl &gt; 41, then return error: NWFRPL182 ECCKT VALID LENGTH = 1-41</p> <p>3. If populated and special characters are not AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT SIGN, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE return error message NWFRPL120 ECCKT SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT SIGN, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>Note:  TELEPHONE NUMBER FORMAT:  Prefix/Service Code and modifier/NPA/NXX/XXXX/Terminal Number (if applicable)  This format may be up to 30 characters in length.  EXAMPLE: 20/DINV/425/290/0066/DI001</p> <p>SERIAL NUMBER FORMAT:  Prefix/Service Code and Modifier/Serial Number/Suffix code/AP code/segment name (if applicable) This format may be up to 27 characters in length including space for depicting a range of numbers. EXAMPLE: 43/TXNU/508449//GTEC/</p>	
112	CKLT					<b>FIELD NOT SUPPORTED</b>	P
113	CFA - Connecting Facility Assignment (PRILOC)	Identifies the provider carrier system and channel to be used.	AN - space	1-42		<p>1. If populated and dl &gt; 42, then return error: NWFRPL185 CFA VALID LENGTH = 1-42</p> <p>2. If populated and special characters are not hyphen, period, space return error message NWFRPL131 CFA SPECIAL CHARACTERS MAY ONLY BE HYPHEN, PERIOD OR SPACE</p>	O
114	SCFA - SECLOC Connecting Facility Assignment (PRILOC)	Identifies the carrier system and channel to be used from a Wideband Analog or a High Capacity Facility for a thru-connect configuration.	AN - space	1-42		<p>1. If populated and dl &gt; 42, then return error: NWFRPL186 SCFA VALID LENGTH = 1-42</p> <p>2. If populated and special characters are not hyphen, period, space return error message NWFRPL132 SCFA SPECIAL CHARACTERS MAY ONLY BE HYPHEN, PERIOD OR SPACE</p>	O
115	LEAN					<b>FIELD NOT SUPPORTED</b>	P
116	LEATN					<b>FIELD NOT SUPPORTED</b>	P
117	FA - Feature Activity (PRILOC)	Indicates the activity type for the feature.	A	1-1	<p>N=Add/install  C=Change to feature detail  D=Disconnect  V=Conversion to new LSP as specified  W=Conversion as is</p>	<p>1.If populated and vv not = N, C, D, V, W, then return error: NWFRPL191 FA VALID VALUE = N, C, D, V, W</p> <p>Note:  Valid entry of "C" is only to be used when making a change to a feature detail (e.g., call forward to number, ring cycle, etc.). When requesting a line Service &amp; Equipment change, two iterations of the FA and FEATURE fields must be provided; one iteration will have FA = D to remove the existing line Service &amp; Equipment code and the other iteration will have FA = N to add the new line Service &amp; Equipment code.</p>	O
118	FEATURE - Feature	Identifies the type of feature associated with the line.	AN	1-6		<p>1. If not populated and FA is populated, then return error: NWFRPL192 FEATURE IS REQUIRED</p>	O

**NWF Local Business Rules**  
Version: 9.30.20.1

**RPL FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
	Codes (PRILOC)					<p>2. If populated and FA is not populated, then return error: NWFRPL193 FEATURE IS PROHIBITED</p> <p>3. If populated and dl &gt; 6, then return error: NWFRPL194 FEATURE VALID LENGTH = 1-6</p>	
119	FEATURE DETAIL (PRILOC)	Identifies additional information for the type of feature associated with the line.	AN & ' * ( ) : , \$ - \$ % + " ; . / Space	1-200		<p>1. If populated and FEATURE (PRILOC) is not populated return error message NWFRPL133 FEATURE DETAIL IS PROHIBITED</p> <p>2. If populated and dl &gt; 200 return error message NWFRPL134 FEATURE DETAIL MAY NOT EXCEED 200 CHARACTERS</p> <p>3. If populated and special characters are not AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT SIGN, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE return error message NWFRPL154 FEATURE DETAIL SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT SIGN, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE</p>	O
<b>SECONDARY_LOC</b>							
<b>SECONDARYLOCATIONSERVICEDETAILSECTION</b>							
120	LOCNUM - Location Number (SECLOC)	Identifies this service location number for the service requested.	N	1-3		<p>1. If not populated, then return error: NWFRPL197 LOCNUM (SEC) IS REQUIRED</p> <p>2. If populated and (dl &gt; 3 or dc not = numeric), then return error: NWFRPL198 LOCNUM (SEC) VALID VALUE = 1-3 NUMERIC</p>	R
121	LNUM - Line Number (SECLOC)	Identifies the first line or trunk as a unique number and each additional line or trunk segment as a unique number.	N	1-5		<p>1. If not populated, then return error: NWFRPL199 LNUM (SEC) IS REQUIRED</p> <p>2. If populated and (dl &gt; 5 or dc not = numeric), then return error: NWFRPL200 LNUM (SEC) VALID VALUE = 1-5 NUMERIC</p>	R
122	LEGNUM - Multi-point Leg Number (SECLOC)	Identifies the number assigned by the customer to this leg of a	N	1-3		<p>1. If not populated and NSL is populated, then return error: NWFRPL201 LEGNUM (SEC) IS REQUIRED</p> <p>2. If populated and NSL is not populated, then return error: NWFRPL202 LEGNUM (SEC) IS PROHIBITED</p>	O

**NWF Local Business Rules**  
Version: 9.30.20.1

**RPL FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
		multipoint circuit.				3. If populated and (dl > 3 or dc not = numeric), then return error: NWFRPL203 LEGNUM (SEC) VALID VALUE = 1-3 NUMERIC	
123	LNA - Line Activity (SECLOC)	Identifies the activity involved at the line level.	A	1-1	C= Change an existing account, e.g., rearrangement, partial disconnect or addition  D=Disconnection  N= New installation and/or account  R= Record activity is for ordering administrative changes  V= Conversion of service to new LSP as specified  W= Conversion As Is  X= Telephone number change	1. If not populated, then return error: NWFRPL204 LNA (SEC) IS REQUIRED  2. If populated and vv does not = C, D, N, V, W, X, return error: NWFRPL205 LNA (SEC) VALID VALUE = C, D, N, V, W, X  3.If populated and vv does not = N and ACT = N, T, then return error NWFRPL164 LNA (SEC) MUST = N WHEN ACT = N, T  4.If populated and vv does not = D, N, V, W and ACT = V, then return error NWFRPL165 LNA (SEC) MUST = N, D, V, W WHEN ACT = V  5.If populated and vv does not = C, D, N, X and ACT = C, then return error NWFRPL166 LNA (SEC) MUST = C, D, N, X WHEN ACT = C  6.If populated and vv does not = C, D, N, X and ACT = M, then return error NWFRPL105 LNA (SEC) VALID VALUE = C, D, N, X WHEN ACT = M	R
124	LEGACT - Multi-point Leg Activity (SECLOC)	Identifies the activity that is occurring on this leg per this request.	A	1-1	N=New leg D=Disconnect leg C=Change leg	1. If not populated and NSL is populated, then return error: NWFRPL206 LEGACT (SEC) IS REQUIRED  2. If populated and NSL is not populated, then return error: NWFRPL207 LEGACT (SEC) IS PROHIBITED  3. If populated and vv does not = N, D, C, return error: NWFRPL210 LEGACT (SEC) VALID VALUE = N, D, C	O
125	MST - Master (SECLOC)	Indicator designating a circuit portion as the master leg on a multipoint configuration.	A	1-1	A=This is the master leg  B=This is an alternate to the master leg  C=Remove this as the master leg or alternate master leg	1. If populated and vv = A and PRILOCMST = A, then return error: NWFRPL211 MST (SEC) CAN NOT = A WHEN MST (PRI) = A  2. If populated and vv not = A, B, C, then return error: NWFRPL212 MST (SEC) VALID VALUE = A, B, C  3. If not populated and SECLOC LEGACT = N, return error message NWFRPL214 MST (SEC) IS REQUIRED	O



**NWF Local Business Rules**  
**Version: 9.30.20.1**

**RPL FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						Note: 1. Only the leg on a multipoint circuit can be designated as the master; however, any number of other legs can be designated as an alternate to the master. 2. Legs designated as an alternate master will be designated with the same functionality as the master leg. 3. All multipoint circuit configurations must contain a designated master leg.	
126	JR					<b>FIELD NOT SUPPORTED</b>	P
127	JK_CODE					<b>FIELD NOT SUPPORTED</b>	P
128	JK_NUM					<b>FIELD NOT SUPPORTED</b>	P
129	JK_POS					<b>FIELD NOT SUPPORTED</b>	P
130	IWJQ - Inside Wire Jack Quantity (SECLOC)	Indicates the number of jacks requested for inside wiring.	N	2	01-99	1. If populated and vv is not in range 01-99, return error NWFRL115 IWJQ VALID CONTENT = 01-99  2. If populated and IWJK SECLOC is not populated, return error NWFRL123 IWJQ SECLOC PROHIBITED IF IWJK SECLOC IS NOT POPULATED  Note: When multiple lines are terminating in one multi-line jack, the IWJK (PRILOC) and IWJQ (PRILOC) fields should only be populated for the first line. Jacks may be ordered on a line by line basis.	O
131	IWJK - Inside Wire Jack Code (SECLOC)	Indicates the standard code for the type of jack requested for inside wiring	AN	1-5		1. If populated and dl>5 or dc is not alphanumeric, return error NWFRL116 IWJK VALID CONTENT = 1-5 ALPHANUMERIC  2. If not populated and IWJQ SECLOC is populated, return error NWFRL124 IWJK SECLOC REQUIRED WHEN IWJQ SECLOC IS POPULATED  Note: 1. Familiarization with the FCC's registration rules is requisite for all parties involved for the determination of the proper jack code for a given registered service. Registered jacks used to terminate category 1 and 3 services begin with the designation "RJ". 2. When multiple lines are terminating in one multi-line jack, the IWJK (PRILOC) and IWJQ (PRILOC) fields should only be populated for the first line. Jacks may be ordered on a line by line basis.	O
132	IWT					<b>FIELD NOT SUPPORTED</b>	P
133	CKR - Customer Circuit	Identifies the circuit number or sequential range of circuit numbers	AN & ' * ( ) : , \$ - # %	1-41		1. If populated and dl > 41 , then return error: NWFRL229 CKR (SEC) VALID LENGTH = 1-41	O

**NWF Local Business Rules**

**Version: 9.30.20.1**

**RPL FORM**

**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
	Reference (SECLOC)	assigned by the customer.	+ " ; . / Space			2. If populated and special characters are not AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT SIGN, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE return error message NWFRPL155 CKR SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT SIGN, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE	
134	ECCKT - Exchange Company Circuit ID (SECLOC)	Identifies a provider's circuit identification or multiple circuit IDs.	AN & ' * ( ) : , \$ - # % + " ; . / Space	1-41		1. If populated and dl > 41 , then return error: NWFRPL230 ECCKT (SEC) VALID LENGTH = 1-41  2. If populated and special characters are not AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT SIGN, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE return error message NWFRPL157 ECCKT SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT SIGN, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE  3.If not populated and SECLOC LNA = C,D,R,V, return error NWFRPL135 SECLOC ECCKT REQUIRED	O
135	CKLT					<b>FIELD NOT SUPPORTED</b>	P
136	CFA - Connecting Facility Assignment (SECLOC)	Identifies the provider carrier system and channel to be used.	AN . - space	1-42		1. If populated and dl > 42, then return error: NWFRPL233 CFA (SEC) VALID LENGTH = 1-42  2. If populated and special characters are not hyphen, period, space return error message NWFRPL183 CFA SPECIAL CHARACTERS MAY ONLY BE HYPHEN, PERIOD OR SPACE	O
137	SCFA - SECLOC Connecting Facility Assignment (SECLOC)	Identifies the carrier system and channel to be used from a Wideband Analog or a High Capacity Facility for a	AN . - space	1-42		1. If populated and dl > 42, then return error: NWFRPL234 SCFA (SEC) VALID LENGTH = 1-42  2. If populated and special characters are not hyphen, period, space return error message NWFRPL184 SCFA SPECIAL CHARACTERS MAY ONLY BE HYPHEN, PERIOD OR SPACE	O

# NWF Local Business Rules

Version: 9.30.20.1

# RPL FORM

Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
		thru-connect configuration.					
138	LEAN					<b>FIELD NOT SUPPORTED</b>	P
139	LEATN					<b>FIELD NOT SUPPORTED</b>	P
140	FA - Feature Activity (SECLOC)	Indicates the activity type for the feature.	A	1-1	N=Add/install C=Change to feature detail D=Disconnect V=Conversion to new LSP as specified W=Conversion as is	1.If populated and vv not = N, C, D, V, W, then return error: NWFRPL239 FA (SEC) VALID VALUE = N, C, D, V, W	O
141	FEATURE - Feature Codes (SECLOC)	Identifies the type of feature associated with the line	AN	1-6		1. If not populated and SECLOC FA is populated, then return error: NWFRPL240 FEATURE (SEC) IS REQUIRED  2. If populated and SECLOC FA is not populated, then return error: NWFRPL241 FEATURE (SEC) IS PROHIBITED  3. If populated and dl > 6, then return error: NWFRPL242 FEATURE (SEC) VALID LENGTH = 1-6	O
142	FEATURE_D ETAIL - Feature Detail (SECLOC)	Identifies additional information for the type of feature associated with the line.	AN	1-200		1. If populated and SECLOC FEATURE is not populated, then return error: NWFRPL243 FEATURE DETAIL (SEC) IS PROHIBITED  2. If populated and dl > 200, then return error: NWFRPL244 FEATURE DETAIL (SEC) VALID LENGTH = 1-200	O

## APPENDIX A – ERROR MESSAGE TABLE

Error Message Number	Error Message Text
NWFRPL001	RSQTY IS REQUIRED
NWFRPL002	LEGACT AND LEGNUM ARE REQUIRED IN THE SECLOC SECTION WHEN NSL IS POPULATED
NWFRPL003	RSQTY CAN NOT BE GREATER THAN 1 WHEN NSL IS POPULATED
NWFRPL004	RSQTY VALID VALUE = 1-5 NUMERIC
NWFRPL005	NSL VALID VALUE = 1-2 NUMERIC
NWFRPL006	PRILOC REQUIRED
NWFRPL007	SATH VALID VALUE = 1-7 UPPER CASE ALPHA, NUMERIC
NWFRPL008	RLSO REQUIRED FIELD

**NWF Local Business Rules****Version: 9.30.20.1****RPL FORM****Effective: 05/01/2020**

<b>Error Message Number</b>	<b>Error Message Text</b>
NWFRPL009	LIT IS REQUIRED
NWFRPL010	LIT VALID VALUE = C, E
NWFRPL011	LOCNUM IS REQUIRED
NWFRPL012	LOCNUM VALID VALUE = 1-3 NUMERIC
NWFRPL013	LEGNUM IS REQUIRED
NWFRPL014	LEGNUM IS PROHIBITED
NWFRPL015	LEGNUM VALID VALUE = 1-3 NUMERIC
NWFRPL016	PRILOC VALID LENGTH = 1-25
NWFRPL017	AFT VALID VALUES = C OR N
NWFRPL018	SAPR VALID LENGTH = 1-6
NWFRPL019	SANO IS REQUIRED
NWFRPL020	SANO VALID LENGTH = 1-10
NWFRPL021	SASF IS PROHIBITED
NWFRPL022	SASF VALID LENGTH = 1-4
NWFRPL023	SASD VALID VALUE = N, S, E, W, NE, NW, SE, SW
NWFRPL024	SASN IS REQUIRED
NWFRPL025	SASN VALID LENGTH = 1-50
NWFRPL026	SATH IS INVALID
NWFRPL027	SASS VALID VALUE = N, S, E, W, NE, NW, SE, SW
NWFRPL028	LD1 VALID VALUES ARE BLDG, WNG OR PIER
NWFRPL029	LV1 IS PROHIBITED
NWFRPL030	LV1 VALID LENGTH = 1-10
NWFRPL031	LD2 MUST BE FL
NWFRPL032	LV2 IS PROHIBITED
NWFRPL033	LV2 MUST BE MAIN, ATTIC, PENTHOUSE, TOWNHOUSE, GROUND, BASEMENT, UPPERLEVEL, LOWERLEVEL, MEZZANINE, TERRACE, BOTTOM, REARLEFT, REARRIGHT, FRONTLEFT, FRONTRIGHT, MIDDLE, LEFTREAR, RIGHTREAR, LEFTFRONT, RIGHTFRONT, GARDEN, GARAGE, SUPERINTEN, STORE, WALK-IN, LOBBY ,A NUMBER FROM 1 TO 999, LBBY, FRONT, SIDE, STOP
NWFRPL034	LD3 MUST BE APT, SUIT, SLIP, RM, LOT, UNIT, SPC, BLDG, OFC, FL, DEPT, STE, PH
NWFRPL035	LV3 IS PROHIBITED
NWFRPL036	LV3 VALID LENGTH = 1-10
NWFRPL037	AAI VALID LENGTH = 1-100
NWFRPL038	RLSO VALID VALUE = 6 NUMERIC
NWFRPL039	CITY IS REQUIRED
NWFRPL040	CITY VALID LENGTH = 1-32
NWFRPL041	STATE IS REQUIRED
NWFRPL042	LCON SPECIAL CHARACTERS ARE APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
NWFRPL043	ACTEL NO SPECIAL CHARACTER IS HYPHEN
NWFRPL044	ZIP VALID LENGTH = 5-12

**NWF Local Business Rules****Version: 9.30.20.1****RPL FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFRPL045	ALOC SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE
NWFRPL046	ALOC VALID LENGTH = 1-106
NWFRPL047	LCON VALID LENGTH = 1-15
NWFRPL048	ACTEL NO VALID VALUE = 10-14 NUMERIC
NWFRPL049	ALCON VALID LENGTH = 1-15
NWFRPL050	AACTEL VALID VALUE = 10-14 NUMERIC
NWFRPL051	RLSO MUST BE =VALID NPA NXX
NWFRPL052	NOT A VALID STATE
NWFRPL053	LCON REQUIRED
NWFRPL054	
NWFRPL055	
NWFRPL056	
NWFRPL057	ACTEL NO REQUIRED
NWFRPL058	ACC VALID LENGTH = 1-45
NWFRPL059	SECLOC REQUIRED
NWFRPL060	DISC ECCKT MUST BE ALPHA NUMERIC AND CANNOT EXCEED 36 CHARACTERS
NWFRPL061	LNA VALID VALUE = C, D, N, X WHEN ACT = M
NWFRPL062	LOCNUM MUST EQUAL PRILOC LOCNUM
NWFRPL063	LIT (SEC) IS REQUIRED
NWFRPL064	LIT (SEC) VALID VALUE = C, E
NWFRPL065	LOCNUM (SEC) IS REQUIRED
NWFRPL066	LOCNUM (SEC) VALID VALUE = 1-3 NUMERIC
NWFRPL067	LEGNUM (SEC) IS REQUIRED
NWFRPL068	LEGNUM (SEC) IS PROHIBITED
NWFRPL069	LEGNUM (SEC) VALID VALUE = 1-3 NUMERIC
NWFRPL070	SECLOC VALID LENGTH = 1-25
NWFRPL090	
NWFRPL091	
NWFRPL092	
NWFRPL093	
NWFRPL094	TSP IS PROHIBITED
NWFRPL095	TSP VALID FORMAT = XXXXXXXXX-XX
NWFRPL096	TSP VALID VALUE FOR POSITION 11 MUST = E, 0, 1, 2, 3, 4, 5
NWFRPL097	
NWFRPL098	
NWFRPL099	
NWFRPL100	
NWFRPL101	

# NWF Local Business Rules

Version: 9.30.20.1

RPL FORM

Effective: 05/01/2020

Error Message Number	Error Message Text
NWFRPL102	
NWFRPL103	
NWFRPL104	
NWFRPL105	LNA (SEC) VALID VALUE = C, D, N, X WHEN ACT = M
NWFRPL106	
NWFRPL107	
NWFRPL108	
NWFRPL109	TSP VALID VALUE FOR POSITION 12 MUST = 0, 1, 2, 3, 4, 5
NWFRPL110	
NWFRPL111	
NWFRPL112	
NWFRPL113	IWJQ VALID CONTENT = 01-99
NWFRPL114	IWJK VALID CONTENT = 1-5 ALPHANUMERIC
NWFRPL115	IWJQ VALID CONTENT = 01-99
NWFRPL116	IWJK VALID CONTENT = 1-5 ALPHANUMERIC
NWFRPL117	MST IS REQUIRED
NWFRPL118	MST PRILOC MAY NOT BE A IF MST (SECLOC) IS A
NWFRPL119	CKR SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT SIGN, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE
NWFRPL120	ECCKT SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT SIGN, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE
NWFRPL121	IWJQ PRILOC PROHIBITED IF IWJK PRILOC IS NOT POPULATED
NWFRPL122	IWJK PRILOC IS REQUIRED WHEN IWJQ PRILOC IS POPULATED
NWFRPL123	IWJQ SECLOC PROHIBITED IF IWJK SECLOC IS NOT POPULATED
NWFRPL124	IWJK SECLOC REQUIRED WHEN IWJQ SECLOC IS POPULATED
NWFRPL125	
NWFRPL126	
NWFRPL127	
NWFRPL128	
NWFRPL129	
NWFRPL130	
NWFRPL131	CFA SPECIAL CHARACTERS MAY ONLY BE HYPHEN, PERIOD OR SPACE
NWFRPL132	SCFA SPECIAL CHARACTERS MAY ONLY BE HYPHEN, PERIOD OR SPACE
NWFRPL133	FEATURE DETAIL IS PROHIBITED
NWFRPL134	FEATURE DETAIL MAY NOT EXCEED 200 CHARACTERS
NWFRPL135	SECLOC ECCKT REQUIRED
NWFRPL136	LOCNUM IS REQUIRED
NWFRPL137	LOCNUM VALID VALUE = 1-3 NUMERIC
NWFRPL138	LNA MUST = N WHEN ACT = N, T

**NWF Local Business Rules****Version: 9.30.20.1****RPL FORM****Effective: 05/01/2020**

<b>Error Message Number</b>	<b>Error Message Text</b>
NWFRPL139	LNA MUST = N, D, V, W WHEN ACT = V
NWFRPL140	LNA MUST = C, D, N, X WHEN ACT = C
NWFRPL141	
NWFRPL142	
NWFRPL143	LOCNUM IS REQUIRED
NWFRPL144	LOCNUM VALID VALUE = 1-3 NUMERIC
NWFRPL145	LNUM IS REQUIRED
NWFRPL146	LNUM VALID VALUE = 1-5 NUMERIC
NWFRPL147	LEGNUM IS REQUIRED
NWFRPL148	LEGNUM IS PROHIBITED
NWFRPL149	LEGNUM VALID VALUE = 1-3 NUMERIC
NWFRPL150	LNA IS REQUIRED
NWFRPL151	LNA VALID VALUE = C, D, N, V, W, X
NWFRPL152	LEGACT IS REQUIRED
NWFRPL153	LEGACT IS PROHIBITED
NWFRPL154	FEATURE DETAIL SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT SIGN, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE
NWFRPL155	CKR SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT SIGN, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE
NWFRPL156	LEGACT VALID VALUE = N, D, C
NWFRPL157	ECCKT SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT SIGN, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE
NWFRPL158	SR VALID LENGTH = 3
NWFRPL159	SR FIRST CHARACTER VALID VALUE = A, B, C, D, F
NWFRPL160	SR SECOND CHARACTER VALID VALUE = 2, 3, 6
NWFRPL161	SR THIRD CHARACTER VALID VALUE = A, B, C, D, F
NWFRPL162	TLV VALID LENGTH = 1-12
NWFRPL163	MST VALID VALUE = A, B, C
NWFRPL164	LNA (SEC) MUST = N WHEN ACT = N, T
NWFRPL165	LNA (SEC) MUST = N, D, V, W WHEN ACT = V
NWFRPL166	LNA (SEC) MUST = C, D, N, X WHEN ACT = C
NWFRPL167	
NWFRPL168	
NWFRPL169	
NWFRPL170	
NWFRPL171	
NWFRPL172	
NWFRPL173	
NWFRPL174	

**NWF Local Business Rules****Version: 9.30.20.1****RPL FORM****Effective: 05/01/2020**

<b>Error Message Number</b>	<b>Error Message Text</b>
NWFRPL175	
NWFRPL176	
NWFRPL177	
NWFRPL178	
NWFRPL179	
NWFRPL180	CKR VALID LENGTH = 1-41
NWFRPL181	ECCKT IS REQUIRED
NWFRPL182	ECCKT VALID LENGTH = 1-41
NWFRPL183	CFA SPECIAL CHARACTERS MAY ONLY BE HYPHEN, PERIOD OR SPACE
NWFRPL184	SCFA SPECIAL CHARACTERS MAY ONLY BE HYPHEN, PERIOD OR SPACE
NWFRPL185	CFA VALID LENGTH = 1-42
NWFRPL186	SCFA VALID LENGTH = 1-42
NWFRPL187	
NWFRPL188	
NWFRPL189	
NWFRPL190	
NWFRPL191	FA VALID VALUE = N, C, D, V, W
NWFRPL192	FEATURE IS REQUIRED
NWFRPL193	FEATURE IS PROHIBITED
NWFRPL194	FEATURE VALID LENGTH = 1-6
NWFRPL195	
NWFRPL196	
NWFRPL197	LOCNUM (SEC) IS REQUIRED
NWFRPL198	LOCNUM (SEC) VALID VALUE = 1-3 NUMERIC
NWFRPL199	LNUM (SEC) IS REQUIRED
NWFRPL200	LNUM (SEC) VALID VALUE = 1-5 NUMERIC
NWFRPL201	LEGNUM (SEC) IS REQUIRED
NWFRPL202	LEGNUM (SEC) IS PROHIBITED
NWFRPL203	LEGNUM (SEC) VALID VALUE = 1-3 NUMERIC
NWFRPL204	LNA (SEC) IS REQUIRED
NWFRPL205	LNA (SEC) VALID VALUE = C, D, N, V, W, X
NWFRPL206	LEGACT (SEC) IS REQUIRED
NWFRPL207	LEGACT (SEC) IS PROHIBITED
NWFRPL208	
NWFRPL209	
NWFRPL210	LEGACT (SEC) VALID VALUE = N, D, C
NWFRPL211	MST (SEC) CAN NOT = A WHEN MST (PRI) = A
NWFRPL212	MST (SEC) VALID VALUE = A, B, C
NWFRPL213	



**NWF Local Business Rules****Version: 9.30.20.1****RPL FORM****Effective: 05/01/2020**

<b>Error Message Number</b>	<b>Error Message Text</b>
NWFRPL214	MST (SEC) IS REQUIRED
NWFRPL215	
NWFRPL216	
NWFRPL217	
NWFRPL218	
NWFRPL219	
NWFRPL220	
NWFRPL221	
NWFRPL222	
NWFRPL223	
NWFRPL224	
NWFRPL225	
NWFRPL226	
NWFRPL227	
NWFRPL228	
NWFRPL229	CKR (SEC) VALID LENGTH = 1-41
NWFRPL230	ECCKT (SEC) VALID LENGTH = 1-41
NWFRPL231	
NWFRPL232	
NWFRPL233	CFA (SEC) VALID LENGTH = 1-42
NWFRPL234	SCFA (SEC) VALID LENGTH = 1-42
NWFRPL235	ROUTE IS REQUIRED
NWFRPL236	BOX IS PROHIBITED
NWFRPL237	BOX IS REQUIRED
NWFRPL238	BOX MAY NOT EXCEED 9 CHARACTERS
NWFRPL239	FA (SEC) VALID VALUE = N, C, D, V, W
NWFRPL240	FEATURE (SEC) IS REQUIRED
NWFRPL241	FEATURE (SEC) IS PROHIBITED
NWFRPL242	FEATURE (SEC) VALID LENGTH = 1-6
NWFRPL243	FEATURE DETAIL (SEC) IS PROHIBITED
NWFRPL244	FEATURE DETAIL (SEC) VALID LENGTH = 1-200
NWFRPL245	ONLY SPECIAL CHARACTERS ALLOWED FOR PRILOC ARE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESIS, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE OR VIRGULE
NWFRPL246	PRILOC IS REQUIRED
NWFRPL247	AFT IS REQUIRED
NWFRPL248	AFT IS PROHIBITED
NWFRPL249	LV1 SPECIAL CHARACTERS MAY ONLY BE APOSTROPHE, HYPHEN OR SPACE
NWFRPL250	ROUTE IS NOT ALLOWED
NWFRPL251	ROUTE MAY NOT EXCEED 6 CHARACTERS

**NWF Local Business Rules****Version: 9.30.20.1****RPL FORM****Effective: 05/01/2020**

<b>Error Message Number</b>	<b>Error Message Text</b>
NWFRPL252	SANO SPECIAL CHARACTERS MAY ONLY BE HYPHEN OR SPACE
NWFRPL253	SANO IS PROHIBITED
NWFRPL254	SASF SPECIAL CHARACTERS MAY ONLY BE HYPHEN, SPACE OR VIRGULE
NWFRPL255	SASD IS PROHIBITED
NWFRPL256	SASN IS REQUIRED
NWFRPL257	SASN IS PROHIBITED
NWFRPL258	SASN SPECIAL CHARACTERS ARE AMPERSAND, APOSTROPHE, ASTERISK, HYPHEN, NUMBER SIGN, PARENTHESES, SPACE
NWFRPL259	SATH IS PROHIBITED
NWFRPL260	SASS IS PROHIBITED
NWFRPL261	LD1 IS PROHIBITED
NWFRPL262	LV1 SPECIAL CHARACTERS MAY ONLY BE APOSTROPHE, HYPHEN OR SPACE
NWFRPL263	LD2 IS PROHIBITED
NWFRPL264	LD3 IS PROHIBITED
NWFRPL265	AAI IS PROHIBITED
NWFRPL266	AAI SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE
NWFRPL267	CITY IS PROHIBITED
NWFRPL268	CITY SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, SPACE, NUMBER SIGN, PARENTHESES
NWFRPL269	ALCON SPECIAL CHARACTERS ARE APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
NWFRPL270	AACTEL VALID SPECIAL CHARACTER IS HYPHEN
NWFRPL271	ACC SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE
NWFRPL272	SECLOC SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE
NWFRPL273	LD2 MUST BE FL
NWFRPL274	LD2 IS PROHIBITED
NWFRPL275	AFT VALID VALUES = C OR N
NWFRPL276	AFT IS REQUIRED
NWFRPL277	
NWFRPL278	AFT IS PROHIBITED
NWFRPL279	ROUTE IS REQUIRED
NWFRPL280	ROUTE IS NOT ALLOWED
NWFRPL281	ROUTE MAY NOT EXCEED 6 CHARACTERS
NWFRPL282	BOX IS REQUIRED
NWFRPL283	BOX IS PROHIBITED
NWFRPL284	BOX MAY NOT EXCEED 9 CHARACTERS
NWFRPL285	SANO IS REQUIRED
NWFRPL286	SANO VALID LENGTH = 1-10
NWFRPL287	SANO SPECIAL CHARACTERS MAY ONLY BE HYPHEN OR SPACE

**NWF Local Business Rules****Version: 9.30.20.1****RPL FORM****Effective: 05/01/2020**

<b>Error Message Number</b>	<b>Error Message Text</b>
NWFRPL288	SANO IS PROHIBITED
NWFRPL289	SASF IS PROHIBITED
NWFRPL290	SASF SPECIAL CHARACTERS MAY ONLY BE HYPHEN, SPACE OR VIRGULE
NWFRPL291	SASD IS PROHIBITED
NWFRPL292	SASN VALID LENGTH = 1-50
NWFRPL293	SASN IS REQUIRED
NWFRPL294	SASN IS PROHIBITED
NWFRPL295	SASN SPECIAL CHARACTERS ARE AMPERSAND, APOSTROPHE, ASTERISK, HYPHEN, NUMBER SIGN, PARENTHESES, SPACE
NWFRPL296	SATH IS PROHIBITED
NWFRPL297	SASS IS PROHIBITED
NWFRPL298	LD1 VALID VALUES ARE BLDG, WNG OR PIER
NWFRPL299	LD1 IS PROHIBITED
NWFRPL300	SATH IS INVALID
NWFRPL301	SASD VALID VALUE = N, S, E, W, NE, NW, SE, SW
NWFRPL302	SASF VALID LENGTH = 1-4
NWFRPL303	SASN IS REQUIRED
NWFRPL304	SASS VALID VALUE = N, S, E, W, NE, NW, SE, SW
NWFRPL305	LV1 IS PROHIBITED
NWFRPL306	LV1 VALID LENGTH = 1-10
NWFRPL307	LV2 IS PROHIBITED
NWFRPL308	LV2 MUST BE MAIN, ATTIC, PENTHOUSE, TOWNHOUSE, GROUND, BASEMENT, UPPERLEVEL, LOWERLEVEL, MEZZANINE, TERRACE, BOTTOM, REARLEFT, REARRIGHT, FRONTLEFT, FRONTRIGHT, MIDDLE, LEFTREAR, RIGHTREAR, LEFTFRONT, RIGHTFRONT, GARDEN, GARAGE, SUPERINTEN, STORE, WALK-IN, LOBBY OR A NUMBER FROM 1 TO 999
NWFRPL309	LD3 MUST BE APT, SUIT, SLIP, RM, LOT, UNIT
NWFRPL310	LD3 IS PROHIBITED
NWFRPL311	LV3 IS PROHIBITED
NWFRPL312	LV3 VALID LENGTH = 1-10
NWFRPL313	AAI VALID LENGTH = 1-100
NWFRPL314	AAI IS PROHIBITED
NWFRPL315	AAI SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE
NWFRPL316	RLSO VALID VALUE = 6 NUMERIC
NWFRPL317	CITY IS REQUIRED
NWFRPL318	CITY VALID LENGTH = 1-32
NWFRPL319	CITY IS PROHIBITED
NWFRPL320	CITY SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, SPACE, NUMBER SIGN, PARENTHESES
NWFRPL321	STATE IS REQUIRED
NWFRPL322	ZIP VALID LENGTH = 5-12

**NWF Local Business Rules****Version: 9.30.20.1****RPL FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFRPL323	ALOC SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE
NWFRPL324	ALOC VALID LENGTH = 1-106
NWFRPL325	LCON VALID LENGTH = 1-15
NWFRPL326	LCON SPECIAL CHARACTERS ARE APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
NWFRPL327	ACTEL NO VALID VALUE = 10-14 NUMERIC
NWFRPL328	ACTEL NO SPECIAL CHARACTER IS HYPHEN
NWFRPL329	ALCON VALID LENGTH = 1-15
NWFRPL330	ALCON SPECIAL CHARACTERS ARE APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
NWFRPL331	AACTEL VALID VALUE = 10-14 NUMERIC
NWFRPL332	AACTEL VALID SPECIAL CHARACTER IS HYPHEN
NWFRPL333	ACC VALID LENGTH = 1-45
NWFRPL334	ACC SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, PARENTHESES, HYPHEN, NUMBER SIGN, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTE, SEMICOLON, SPACE, VIRGULE

**APPENDIX B – CHANGE CONTROL LOG**

DATE	REVISION NUMBER	FIELD	CHANGE
12/01/2019	N/A	All	Initial Version 9.30.20.1 – NWF Local Business Rules
02/20/2020	N/A	All	Add Production Effective Date to Header
03/16/2020	n/a	n/a	Rebranded as Ziplly Fiber