



## Carrier Customer Bulletin

**Notice Number:** NWFZF-22-0070  
**Subject:** Public Notice of Copper Retirement Under Rule 51.333  
**Effective Date:** Upon FCC Approval

---

### Description of Network Change:

ZiPLY Fiber announces that it that it intends to retire copper facilities serving from the following wire center located in the state of Oregon.

Wire Center	Address	CLLI
Aloha, OR	19555 SW Kinnaman Rd Beaverton, OR 97007	ALOHORXX

The specific serving locations are listed in **Attachment A**. Due to a Washington County right-of-way improvement project, ZiPLY Fiber is required to remove and relocate its facilities and equipment located within the project area impacting serving locations shown in Attachment A. ZiPLY Fiber plans to deploy a fiber network infrastructure to serve all future customers. There are no existing customers connected to existing copper facilities at these locations. All copper facilities are to be retired and removed from the records. Implementation to begin within 30 days of being deemed final pursuant to the FCC notice.

### Description of Reasonably Foreseeable Impact of the Changes:

For the locations reflected in **Attachment A**, ZiPLY Fiber will (1) no longer offer services over copper facilities; and (2) cease maintaining the copper facilities. There are presently 0 total working services.

For technical issues, please contact:

Project Engineer: John Bielec

Project Engineer Email: [john.bielec@ziPLY.com](mailto:john.bielec@ziPLY.com)

Project Engineer Address: 4155 SW Cedar Hills Blvd

Project Engineer City/State/Zip: Beaverton OR 97005

Project Engineer Phone: (503) 626-2386

For further assistance, please contact your ZiPLY Fiber Account Manager. Public Notice Available on our website at: <https://wholesale.ziPLYfiber.com/wholesale/carrier-services>. If you have questions regarding the information provided in this notice, please email [wholesale@ziPLYfiber.com](mailto:wholesale@ziPLYfiber.com).

