



Northwest Four States (NWF)
Version 9.30.20.1
CRS FORM

Contents

Section: ADMINISTRATIVE 5

- RSQTY - Resale Quantity 5
- CB – Common Block..... 5

Section: Common Block Details..... 5

- SN – Station Numbers 5
- APS – Attendant Position 5
- SDD – Station digit Dialing..... 6
- SMDR –Station Message Detail Recording 6
- SMDRAC – SMDR Account Code 6
- CPIC – Common Block InterLATA Presubscription Indicator Code 7
- CLPIC – Common Block IntraLATA Presubscription Indicator code..... 7
- OAR – Operator Assisted Reading..... 7
- TA –Treatment Activity..... 8
- TMTC – Treatment Code..... 8
- CBA – Centrex Blocking Activity 8
- CBLOCK – CENTREX Block Restrictions 9
- DIALING –Dialing..... 9
- CPATH – CENTREX Access Paths 9
- CPATHA – CENTREX Access Paths Additional 9
- CFPI – CENTREX Common Block Freeze PIC Indicator 10
- CBFA – Common Block Feature Activity..... 10
- CB FEATURE – Common Block Feature Codes..... 10
- CB FEATURE DETAIL – Common Block Feature Detail..... 11

SECTION: Station Details 11

- LOCNUM – Location Number 11

NWF Local Business Rules

Version: 9.30.20.1

CRS FORM

Effective: 05/01/2020

LNUM – Line Number 11

NPI – Number Portability Indicator..... 11

LNA – Line Activity..... 12

NOTYP – Number Type..... 13

TNS- Telephone Numbers 13

RL – Reuse Loop 14

OECCKT – Out Exchange Company Circuit ID 14

TERS – Terminal Numbers 15

API – Attendant Position Indicator..... 15

OTN – Out Telephone Number 15

EXKEY – Exchange Key..... 16

DSN – Dialable Station Number..... 16

CLN – CENTREX Line Name 16

PIC – InterLATA Presubscription Indicator Code 16

LPIC – IntraLATA Presubscription Indicator Code 16

LTC – Line Treatment Code..... 17

LSCP – Local Service Provider Change Prohibited 17

BA – Blocking Activity 17

BLOCK – Block Restrictions 18

CKR – Customer Circuit Reference 18

ECCKT – Exchange Company Circuit ID..... 19

TSP – Telecommunications Service Priority 19

SAN – Subscriber Authorization Number 19

TC OPT – Transfer of Call Option 20

TC TO PRI – Transfer of Calls To Primary Number 20

TC TO SEC – Transfer of Calls To Secondary Number 20

NWF Local Business Rules

Version: 9.30.20.1

CRS FORM

Effective: 05/01/2020

TC PER – Transfer of Calls Period..... 20

TCID – Transfer of Calls To Identifier..... 20

TC NAME – Transfer of Calls To Name..... 21

TCID 2 – Transfer of Calls To Identifier 2..... 21

TCNAME 2 – Transfer of Calls To Name 2..... 21

FPI – Freeze PIC Indicator 22

SSIG – Start Signaling..... 22

PULSE – Type of Pulsing..... 22

IWJK – Inside Wire Jack Code..... 23

IWJQ- Inside Wire Jack Quantity..... 23

FA – Feature Activity 23

FEATURE – Feature Codes..... 24

FEATURE DETAIL – Feature Detail 24

APPENDIX A: ERROR MESSAGE TABLE..... 25

APPENDIX B – CHANGE CONTROL LOG 30

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
Section: ADMINISTRATIVE							
001	PON					FIELD NOT SUPPORTED	P
002	VER					FIELD NOT SUPPORTED	P
003	RSQTY - Resale Quantity	Identifies the quantity of Resale Services (e.g., lines, circuits, trunks, etc.) involved in this service request.	N	1-5		1. If not populated, then return error: NWFCRS001 RSQTY IS REQUIRED 2. If populated and (dl > 5 or dc not numeric), then return error: NWFCRS002 RSQTY VALID VALUE = 1-5 NUMERIC	R
004	ORD					FIELD NOT SUPPORTED	P
005	ATN					FIELD NOT SUPPORTED	P
006	AN					FIELD NOT SUPPORTED	P
007	CB – Common Block	Identifies the name/number of the CENTREX and the name/number of the grouping (customer Common Block).	AN	8		1. If populated and dl > 8 return error message NWFCRS003 CB MAY NOT EXCEED 8 CHARACTERS Note: There can only be one common block per CRS Form.	O
008	PG_of_					FIELD NOT SUPPORTED	P
Section: Common Block Details							
009	SN – Station Numbers	Identifies the station numbers or range of station numbers assigned to the CENTREX Common Block.	AN -	1, 10, 15	N (literal), NNNNNNNNNN, NNNNNNNNNN-NNNN	1. If not populated, and LSR.ADMIN.ACT = V, N, T, and NPA NXX Flag does not = F return error message NWFCRS004 SN IS REQUIRED WHEN ACT IS V, N OR T 2.If populated and vv is not N or data format is not NNNNNNNNNN or NNNNNNNNNN-NNNN return error message NWFCRS005 SN DATA MUST BE N OR IN THE FORMAT OF NNNNNNNNNN OR NNNNNNNNNN-NNNN 3.If populated and NPA NXX Flag = F, return error NWFCRS166 FIELD PROHIBITED FOR SERVICE TERRITORY	O
010	APS – Attendant Position	Identifies the number of attendant positions for the CENTREX common block.	N	1		1. If populated and dl > 1 return error message NWFCRS006 APS MAY ONLY BE ONE CHARACTER 2. If populated and dc is not numeric return error message NWFCRS007 APS MAY ONLY BE NUMERIC	O

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>3.If populated and NPA NXX Flag = F, return error NWFCRS167 FIELD PROHIBITED FOR SERVICE TERRITORY</p> <p>Note: The features associated with the attendant position must be specified in the Station Details section Note: The attendant position is identified in the Station Details section by the API field.</p>	
011	SDD – Station digit Dialing	Identifies the dialing patterns of the CENTREX Common Block.	AN	1-3	<p>Position 1: # of digits = 1-7 D = Disables station-to-station dialing Position 2: Prefix = 1 – 9 N = No prefix (assume dial 9) Position 3: Prefix = 1 – 9 N = No prefix (assume dial 9)</p>	<p>1.If not populated and LSR.ADMIN.ACT = N, V and NPA NXX Flag does not = F, return error message NWFCRS141 SDD IS REQUIRED WHEN ACT IS N OR V</p> <p>2. If populated and dl > 3 return error message NWFCRS008 SDD MAY NOT EXCEED 3 CHARACTERS</p> <p>3.If populated and NPA NXX Flag = F, return error NWFCRS168 FIELD PROHIBITED FOR SERVICE TERRITORY</p> <p>Note: Position 1: The first alpha/numeric character allows terminals to complete calls to other terminals, without the assistance of an attendant, by dialing a one through seven digit number. Position 2: The second alpha/numeric character identifies the prefix for accessing the local network by dialing a single number. If the second character is N, then the third character must also be N. Position 3: The third alpha/numeric character identifies the prefix for accessing a private facility, tie trunk, or DAL by dialing a single number. (If the second character is N, then the third character must be N.)</p>	O
012	SMDR – Station Message Detail Recording	Identifies that the SMDR call detail recording system is actuated on all calls placed by station users.	A	1-1	Y	<p>1.If populated and vv is not Y return error message NWFCRS009 SMDR MAY ONLY BE Y</p> <p>2.If populated and NPA NXX Flag = F, return error NWFCRS169 FIELD PROHIBITED FOR SERVICE TERRITORY</p>	O
013	SMDRAC – SMDR Account Code	Identifies the billing number to put into a Station Message Detail Recording (SMDR) record for charge back purposes for the	AN -	1,12	N (literal), NNN-NNN-NNNN	<p>1.If populated and SMDR is not populated return error message NWFCRS010 SMDRAC IS NOT VALID IF SMDR IS NOT POPULATED</p> <p>2. If populated and dl > 12 return error message NWFCRS011 SMDRAC MAY NOT EXCEED 12 CHARACTERS</p>	O

NWF Local Business Rules
Version: 9.30.20.1

CRS FORM
Effective: 05/01/2020

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
		CENTREX Common Block.				<p>3. If populated and special character is not hyphen return error message NWFCRS012 ONLY VALID SPECIAL CHARACTER FOR SMDRAC IS HYPHEN</p> <p>4.If populated and NPA NXX Flag = F, return error NWFCRS170 FIELD PROHIBITED FOR SERVICE TERRITORY</p>	
014	CPIC – Common Block InterLATA Presubscription Indicator Code	Identifies the Pre-subscription Indicator Code (PIC) of the carrier the customer has selected for all InterLATA traffic from this CENTREX Common Block.	AN	1-4	Valid PIC Code, NONE – Customer does not want to presubscribed, NC – Used in a conversion as is activity scenario or change activity when the CPIC is not impacted,	<p>1.If not populated and LSR.ADMIN.ACT = N, T and NPA NXX Flag does not = F, return error message NWFCRS013 CPIC IS REQUIRED WHEN ACT IS N OR T</p> <p>2. If populated and vv not = NONE, NC and ((dl < 2 or > 4) or (dc not numeric)), then return error: NWFCRS014 CPIC VALID VALUE = NONE, NC OR 2-4 NUMERIC</p> <p>3.If populated and NPA NXX Flag = F, return error NWFCRS171 FIELD PROHIBITED FOR SERVICE TERRITORY</p> <p>4. If populated and vv = 0000, return error NWFCRS154 CPIC 0000 INVALID</p>	O
015	CLPIC – Common Block IntraLATA Presubscription Indicator code	Identifies the Pre-subscription Indicator Code (PIC) of the carrier the customer has selected for all IntraLATA traffic from this CENTREX Common Block.	AN	1-4	Valid PIC Code, NONE – Customer does not want to presubscribed, NC – Used in a conversion as is activity scenario or change activity when the CPIC is not impacted	<p>1.If not populated and LSR.ADMIN.ACT = N, T and NPA NXX Flag does not = F, return error message NWFCRS015 CLPIC IS REQUIRED WHEN ACT IS N OR T</p> <p>2. If populated and vv not = NONE, NC and ((dl < 2 or > 4) or (dc not numeric)), then return error: NWFCRS016 CLPIC VALID VALUE = NONE, NC OR 2-4 NUMERIC</p> <p>3.If populated and NPA NXX Flag = F, return error NWFCRS172 FIELD PROHIBITED FOR SERVICE TERRITORY</p> <p>4.If populated and vv = 6500 or 5448, return error NWFCRS159 INVALID CLPIC</p>	O
016	CIPIC					FIELD NOT SUPPORTED	P
017	OAR – Operator Assisted Reading	Identifies a requirement for custom routing of 0+ local, 0-, 411 or 555-1212 calls.	A	1	Y - Yes	1.If populated and vv is not Y return error message NWFCRS017 OAR MAY ONLY BE Y	O

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						2.If populated and NPA NXX Flag = F, return error NWFCRS173 FIELD PROHIBITED FOR SERVICE TERRITORY	
018	TA – Treatment Activity	Indicates the activity type for the treatment code associated with the CENTREX Common Block.	A	1	N=Add/Install D=Disconnect	<p>1.If populated and vv is not N, D return error message NWFCRS018 TA MAY ONLY BE N OR D</p> <p>2. If populated and TMTC is not populated return error message NWFCRS019 TA IS PROHIBITED IF TMTC IS NOT POPULATED</p> <p>3. If not populated and TMTC is populated return error message NWFCRS020 TA IS REQUIRED IF TMTC IS POPULATED</p> <p>4.If populated and NPA NXX Flag = F, return error NWFCRS174 FIELD PROHIBITED FOR SERVICE TERRITORY</p> <p>Note: When changing treatment codes, first disconnect the old one, then add/install the new one.</p>	O
019	TMTC – Treatment Code	Identifies the unique treatment profile code required for the CENTREX Common Block.	N	2-2		<p>1.If populated and dc is not numeric return error message NWFCRS021 TMTC MUST BE NUMERIC</p> <p>2. If populated and dl is not 2 return error message NWFCRS022 TMTC MUST BE 2 CHARACTERS</p> <p>3.If populated and NPA NXX Flag = F, return error NWFCRS175 FIELD PROHIBITED FOR SERVICE TERRITORY</p>	O
020	CBA – Centrex Blocking Activity	Indicates the activity for the blocking of calls at the CENTREX Common Block.	A	1	A= Add/install D= Disconnect N=No Change	<p>1.If populated and vv is not A, D, N return error message return error message NWFCRS023 CBA MAY ONLY BE A, D OR N</p> <p>2. If populated and CBLOCK is not populated return error message NWFCRS024 CBA IS PROHIBITED WHEN CBLOCK IS NOT POPULATED</p> <p>3.If not populated and CBLOCK is populated return NWFCRS025 CBA IS REQUIRED WHEN CBLOCK IS POPULATED</p>	O

Flid Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						4.If populated and NPA NXX Flag = F, return error NWFCRS176 FIELD PROHIBITED FOR SERVICE TERRITORY	
021	CBLOCK – CENTREX Block Restrictions	Identifies the type of blocking on the CENTREX Common Block.	A	1	A=No collect and third party B=No third party C=No collect call	1.If populated and vv is not A, B, C return error message NWFCRS026 CBLOCK MAY ONLY BE A, B OR C 2.If populated and NPA NXX Flag = F, return error NWFCRS177 FIELD PROHIBITED FOR SERVICE TERRITORY Note: If individual line restrictions are allowed in the CENTREX Common Block, they must be specified in the BLOCK field in the Station Details section.	O
022	DIALING – Dialing	Identifies CENTREX dialing capability.	A	1	A= DID – Direct inward dialing B= DOD – Direct outward dialing C= AIOD – Automatic inward/outward dialing D= DISA – Direct inward station access E= Combination of A and B F= Combination of B and D	1.If populated and vv is not A, B, C, D, E, F return error message NWFCRS027 DIALING MAY ONLY A, B, C, D, E OR F 2. If not populated and LSR.ADMIN.ACT is N, T, V and NPA NXX Flag does not = F, return error message NWFCRS028 DIALING IS REQUIRED WHEN ACT IS N, T OR V 3.If populated and NPA NXX Flag = F, return error NWFCRS178 FIELD PROHIBITED FOR SERVICE TERRITORY	O
023	CPATH – CENTREX Access Paths	Identifies the quantity of access paths associated with the CENTREX Common Block.	N	1-5		1.If populated and dl > than 5 return error message NWFCRS029 CPATH MAY NOT EXCEED 5 CHARACTERS 2.If populated and dc is not numeric return error message NWFCRS030 CPATH MUST BE NUMERIC 3.If populated and NPA NXX Flag = F, return error NWFCRS179 FIELD PROHIBITED FOR SERVICE TERRITORY	O
024	CPATHA – CENTREX Access Paths Additional	Identifies the additional quantity of access paths associated with the CENTREX Common Block.	N	1-5		1.If populated and dl > than 5 return error message NWFCRS031 CPATHA MAY NOT EXCEED 5 CHARACTERS 2. If populated and dc is not numeric return error message NWFCRS032 CPATHA MUST BE NUMERIC	O

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>3. If populated and CPATH is not populated return error message NWFCRS033 CPATHA IS PROHIBITED IF CPATH IS NOT POPULATED</p> <p>4.If populated and NPA NXX Flag = F, return error NWFCRS180 FIELD PROHIBITED FOR SERVICE TERRITORY</p> <p>Note: This quantity is in addition to the CPATH quantities provided, based on the line size.</p>	
025	CFPI – CENTREX Common Block Freeze PIC Indicator	Identifies a request that PIC activity on the Working Telephone Number (WTN) be restricted.	A	1	A= Freeze IntraLATA PIC B= Freeze Inter & IntraLATA PIC E= Freeze InterLATA PIC R= Remove InterLATA freeze S= Remove IntraLATA freeze T= Remove Inter & IntraLATA freezes	<p>1.If populated and vv is not A, B, E, R S, T return error message NWFCRS034 CFPI VALID VALUES ARE A, B, E, R, S OR T</p> <p>2.If populated and NPA NXX Flag = F, return error NWFCRS181 FIELD PROHIBITED FOR SERVICE TERRITORY</p>	O
026	LSCP					FIELD NOT SUPPORTED	P
027	CBFA – Common Block Feature Activity	Identifies the activity type for the feature, or package of features, associated with the CENTREX Common Block.	A	1	N= Add/install C= Change to feature detail D= Disconnect V= Conversion to new LSP as specified	<p>1.If populated and vv is not N, C, D, V return error message NWFCRS039 CBFA VALID VALUES ARE N, C, D OR V</p> <p>2.If populated and NPA NXX Flag = F, return error NWFCRS182 FIELD PROHIBITED FOR SERVICE TERRITORY</p>	O
028	CB FEATURE – Common Block Feature Codes	Identifies the type of feature, or package of features, associated with the CENTREX Common Block.	AN	1-6		<p>1.If populated and dl > 6 return error message NWFCRS035 CB FEATURE MAY NOT EXCEED 6 CHARACTERS</p> <p>2. If not populated and CBFA is populated return error message NWFCRS036 CB FEATURE IS REQUIRED WHEN CBFA IS POPULATED</p> <p>3. If populated and CBFA is not populated return error message NWFCRS037 CB FEATURE IS NOT ALLOWED WHEN CBFA IS NOT POPULATED</p> <p>4.If populated and NPA NXX Flag = F, return error NWFCRS183 FIELD PROHIBITED FOR SERVICE TERRITORY</p>	O

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						Note: Codes for feature identification may include company provided codes or TCIF maintained EDI codes.	
029	CB FEATURE DETAIL – Common Block Feature Detail	Identifies additional information for the type of feature, or package of features, associated with the CENTREX Common Block.	AN	1-24		1.If populated and dl> 24 return error message NWFCRS038 CB FEATURE DETAIL MAY NOT EXCEED 24 CHARACTERS 2.If populated and NPA NXX Flag = F, return error NWFCRS184 FIELD PROHIBITED FOR SERVICE TERRITORY	O
SECTION: Station Details							
030	LOCNUM – Location Number	Identifies the service location number for the service requested.	N	1-3		1.If not populated return error message NWFCRS040 LOCNUM IS REQUIRED 2. If populated and dl > than 3 return error message NWFCRS041 LOCNUM MAY NOT EXCEED 3 CHARACTERS 3. If populated and dc is not numeric return error message NWFCRS042 LOCNUM MUST BE NUMERIC Note: The location number is assigned by the customer and is retained until the service is disconnected.	R
031	LNUM – Line Number	Identifies the line or trunk as a unique number and each additional occurrence as a unique number.	N	1-5		1.If not populated return error message NWFCRS043 LNUM IS REQUIRED 2. If populated and dl > 5 return error message NWFCRS142 LNUM MAY NOT EXCEED 5 CHARACTERS 3. If populated and dc is not numeric return error message NWFCRS044 LNUM MUST BE NUMERIC Note: 1.Centrex sevice must have more than 1 line 2. Once LNUM is generated it cannot be changed and is retained through completion of the request 3. The values are to be assigned consecutively and must be unique throughout the request at the LOCNUM field level.	R
032	NPI – Number Portability Indicator	Identifies the status of the telephone number being ported	A	1	C= Port In Working TN E= Port in wireless TN F=Not Applicable	1.If populated and vv is not C, E, F return error message NWFCRS045 NPI MAY ONLY BE C, E OR F	O

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>2. If not populated and LSR.NPDI is populated return error message NWFCRS046 NPI IS REQUIRED WHEN NPDI IS POPULATED IN THE LSR FORM</p> <p>3. If populated and LSR.NPDI is not populated return error message NWFCRS047 NPI IS PROHIBITED WHEN NPDI IS NOT POPULATED IN THE LSR FORM</p> <p>Note: At least one occurrence of the NPI Valid Entry Value on the service specific form must be a port-in telephone number, either a wireless or wireline as appropriate.</p>	
033	LNA – Line Activity	Identifies the activity involved at the line level.	A	1	<p>C= Change an existing account, e.g., rearrangement, partial disconnect, or addition D= Disconnection, N= New installation and/or account, P= PIC Change, R= Record activity is for ordering administrative changes, T= Outside move, V= Conversion as specified, X= Telephone number change Note: A value of P only allows changes to PIC/LPIC, PIC freezes, all other activity is prohibited.</p>	<p>1.If populated and vv does not = C, D, N, P, R, T, V, X, return error NWFCRS048 LNA VALID VALUE = C, D, N, P, R, T, V, X</p> <p>2.If not populated and CRS TNS is populated, return error NWFCRS140 FIELD IS REQUIRED IF CRS TNS IS POPULATED.</p> <p>3.If populated and vv does not = C, N, D, P, T, X and ACT=C, return error NWFCRS160 LNA VALID VALUE = C, N, D, P, T, X</p> <p>4.If populated and vv does not = N and ACT = N, T and NPA NXX Flag does not = F, then return error NWFCRS161 LNA MUST = N WHEN ACT = N, T</p> <p>5.If populated and vv does not = N, V, D and ACT=V, then return error NWFCRS162 LNA MUST = N, V, D WHEN ACT =V</p> <p>6.If populated and vv = T and ACT does not = T, then return error NWFCRS163 LNA = T ONLY VALID WHEN ACT = T</p> <p>7.If populated and vv does not = N and ACT = N, then return error NWFCRS165 LNA MUST = N WHEN ACT = N</p> <p>8.If populated and vv does not = C, D, N, X and ACT = M, then return error NWFCRS187 LNA VALID VALUE = C, D, N, X WHEN ACT = M</p>	O

Flid Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
034	SOE					FIELD NOT SUPPORTED	P
035	NOTYP – Number Type	Identifies the type of telephone number.	A	1	T=Telephone Number	<p>1. If populated and vv is not T return error message NWFCRS049 NOTYP VALID VALUE IS T</p> <p>2. If not populated and TNS or OTN is populated return error message NWFCRS050 NOTYP IS REQUIRED WHEN TNS OR OTN IS POPULATED</p> <p>3. If populated and TNS and OTN is not populated return error message NWFCRS051 NOTYP IS NOT ALLOWED IF TNS OR OTN IS NOT POPULATED</p> <p>Note: Identifies the type of telephone number entered in the TNS or OTN fields.</p>	O
036	TNS- Telephone Numbers	Identifies the telephone number (TN) or sequential range of TNs for this service request.	AN -	1-15		<p>1.If populated and dl > 15 return error message NWFCRS052 TNS MAY NOT EXCEED 15 CHARACTERS</p> <p>2. If populated and dl = 1 and vv is not N return error message NWFCRS053 TNS MUST BE N WHEN IT IS ONLY ONE CHARACTER</p> <p>3. If populated and special character is not hyphen return error message NWFCRS054 HYPHEN IS THE ONLY VALID SPECIAL CHARACTER FOR TNS</p> <p>4. If not populated and LNA is populated return error message NWFCRS055 TNS IS REQUIRED WHEN LNA IS POPULATED</p> <p>5. If populated and dl = N and ACT = C or V and LNA does not = N, X, T, then return error NWFCRS156 IF ACT=C,V AND LNA DOES NOT=N,X,T THEN TNS CANNOT =N.</p> <p>6. If not populated and REQTYP=PB and ACT=C or V then return error NWFCRS157 REQUIRED IF REQTYP=PB AND ACT=C,V.</p> <p>7. If populated and LNA = T or X and dl is match of OTN field data return error NWFCRS158 IF LNA=X,T THEN TNS MUST BE DIFFERENT FROM OTN.</p>	O

Flid Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>Note: 1. When the LNA field is "X", the entry in this field indicates the new telephone number or request for a new telephone number. The out telephone number is shown in the OTN field. 2. When ranging line numbers, a hyphen must be used as a delimiter. Positions 12 through 15, must be a full line extension number range. The last four numbers in the range (positions 12 through 15) must be greater than positions 7 through 10. The range is only valid for a given NPA-NXX. EXAMPLE: If you had 3067818000 and wanted an additional 4000 numbers, which would put you into another NPA-NXX, this should be shown as two separate ranges, i.e. 3067818000-9999 and another as 4807820000-9999.</p>	
037	RL – Reuse Loop	Identifies the desire to reuse the loop from an existing service arrangement for this request.	1	A	Y - Yes	<p>1. If populated and vv is not Y return error message NWFCRS056 RL MAY ONLY BE Y</p> <p>2. If not populated and LSR.ADMIN.REQTYP = PB and LNA = V and OECCKT is populated return error message NWFCRS057 RL IS REQUIRED FOR REQ TYP PB WHEN LNA IS V AND OECCKT IS POPULATED</p> <p>3. If populated and LSR.ADMIN.REQTYP = PB and LNA is not V and OECCKT is not populated return error message NWFCRS058 RL IS PROHIBITED</p> <p>Note: 1. This field may be used to notify the NSP-loop of the LSP's desire to reuse the loop(s) for this service request. 2. When this field is populated, no local service request is required from the old LSP/NSP-switch and the NSP-loop for disconnect of the unbundled loop.</p>	O
038	OECCKT – Out Exchange Company Circuit ID	Identifies the circuit identification that was previously provided to the old LSP/NSP-Switch by the NSP-Loop	AN /	1-41	<p>TELEPHONE NUMBER FORMAT: NPANXXXXXX</p> <p>SERIAL NUMBER FORMAT: Prefix/service code and modifier/serial number/suffix code/AP code/segment name (if applicable).</p>	<p>1. If populated and dl > 41 return error message NWFCRS059 OECCKT DATA LENGTH MAY NOT EXCEED 41 CHARACTERS</p> <p>2. If populated and special characters are not virgules return error message NWFCRS060 ONLY SPECIAL CHARACTER ALLOWED FOR OECCKT IS VIRGULE (FORWARD SLASH)</p> <p>3. If not populated and RL is populated return error message NWFCRS061 OECCKT IS REQUIRED WHEN RL IS POPULATED</p>	O

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>4. If populated and RL is not populated return error message NWFCRS062 OECKKT NOT ALLOWED IF RL IS NOT POPULATED</p> <p>Note: 1. The format of the field is defined by the provider. 2. The layout of the field may be defined by the COMMON LANGUAGE standards 3. When a component of CLT or CLS is purposely omitted, the component should still be delimited 4. If all positions in a component of CLT, CLS and CLF are not populated, the component should be compressed to eliminate any spaces 5. All components within the ID should be delimited by either virgules or periods, except when the ID is in Telephone Number Format (10 Numeric characters).</p>	
039	TERS – Terminal Numbers	Identifies the number for a non-lead line in a multi-line hunt group or consecutive range of terminal numbers.	AN ; - space	1-10	N, Terminal Number(s)	<p>1. If populated and dl > 10 return error message NWFCRS063 TERS MAY NOT EXCEED 10 CHARACTERS</p> <p>2. If populated and special characters are not hyphen, space, semi colon, comma return error message NWFCRS064 SPECIAL CHARACTERS FOR TERS MAY ONLY BE HYPHEN, SPACE, SEMI COLON OR COMMA</p> <p>Note: 1. A pilot (lead) telephone number in the TNS field must accompany this field. 2. When this field is populated, the TNS field must not be ranged 3. The first position is reserved for a terminal number indicator.</p>	O
040	API – Attendant Position Indicator	Indicates if this line is an attendant position	N	1-1	1,2,3,4,5,6,7,8,9	<p>1. If populated and vv is not 1,2,3,4,5,6,7,8,9, return error message NWFCRS065 API MUST BE 1,2,3,4,5,6,7,8 OR 9</p>	O
041	OTN – Out Telephone Number	Identifies the existing telephone number that is being changed	N	10-10		<p>1. If populated and dl is not 10 return error message NWFCRS107 OTN MUST BE 10 NUMERIC CHARACTERS</p> <p>2. If populated and dc is not numeric return error message NWFCRS066 OTN MUST BE 10 NUMERIC CHARACTERS</p> <p>3. If populated and LNA does not = C, X, return error NWFCRS067 PRESENCE OF OTN IS ONLY VALID IF LNA = C, X</p>	O

Flid Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
041 a	EXKEY – Exchange Key	Identifies the Exchange Key of the new switch for Location Portability	AN	1-6		1.If populated and dl >6 or dc is not numeric, return error NWFCRS164 EXKEY MUST BE 6 NUMERIC Note: Field is populated when: Port-In situation.	O
042	DSN – Dialable Station Number	Identifies the dialable one to seven (1-7) digit station digit dialing number.	N	1-7		1.If populated and dl > 7 return error message NWFCRS069 DSN MAY NOT EXCEED 7 CHARACTERS 2. If populated and dc is not numeric return error message NWFCRS070 DSN MUST BE NUMERIC 3. If not populated and LNA is N return error message NWFCRS071 DSN IS REQUIRED WHEN LNA IS N	O
043	CLN – CENTREX Line Name	Identifies the name associated with the CENTREX line for optional display associated with CENTREX station to station dialing	AN & ' \$ - # () % . " space	1-25		1.If populated and dl > 25 return error message NWFCRS072 CLN MAY NOT EXCEED 25 CHARACTERS 2. If populated and special characters are not ampersand, apostrophe, dollar sign, hyphen, number sign, double parenthesis, percent sign, period, quotation marks, space return error message NWFCRS073 VALID SPECIAL CHARACTERS FOR CLN MAY ONLY BE AMPERSAND, APOSTROPHE, DOLLAR SIGN, HYPHEN, NUMBER SIGN, DOUBLE PARENTHESIS, PERCENT SIGN, PERIOD, QUOTATION MARKS OR SPACE	O
044	PIC – InterLATA Presubscription Indicator Code	Identifies the Pre-subscription Indicator Code (PIC) of the carrier the customer has selected for InterLATA traffic, if different from that indicated at the CENTREX Common Block level.	AN	1-4	Valid PIC Code NONE – Customer does not want to presubscribed NC – Used in a conversion as is activity scenario or change activity when the PIC is not impacted	1.If populated and vv not = NONE, NC and ((dl < 2 or > 4) or (dc not numeric)), then return error: NWFCRS074 PIC VALID VALUE = NONE, NC OR 2-4 NUMERIC 2. If not populated and LNA is N, P return error message NWFCRS075 PIC IS REQUIRED WHEN LNA IS N or P 3. If populated and vv = 0000, return error NWFCRSxxx PIC 0000 INVALID Note: This field would be populated if the PIC is different from that indicated at the CENTREX common block level.	O
045	LPIC – IntraLATA Presubscription	Identifies the Presubscription Indicator Code (PIC) of the carrier the customer has	AN	1-4	Valid PIC Code NONE – Customer does not want to presubscribed	1.If populated and vv not = NONE, NC and ((dl < 2 or > 4) or (dc not numeric)), then return error: NWFCRS076 LPIC VALID VALUE = NONE, NC OR 2-4 NUMERIC	O

Flid Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
	n Indicator Code	selected for IntraLATA traffic, if different from that indicated at the CENTREX Common Block level.			NC – Used in a conversion as is activity scenario or change activity when the LPIC is not impacted	2. If not populated and LNA is N, P return error message NWFCRS077 LPIC IS REQUIRED WHEN LNA IS N or P 3.If populated and vv = 6500 or 5448, return error NWFCRS146 INVALID LPIC Note: This field would be populated if the PIC is different from that indicated at the CENTREX common block level.	
046	IPIC					FIELD NOT SUPPORTED	P
047	LTC – Line Treatment Code	Identifies the unique treatment profile code required for this line when the CENTREX Common Block contains more than one treatment code.	N	1-2		1.If populated and dl > 2 return error message NWFCRS078 LTC MAY NOT EXCEED 2 CHARACTERS 2. If populated and dc is not numeric return error message NWFCRS079 LTC MUST BE NUMERIC Note: 1.Code is for associating profiles with lines.	O
048	LSCP – Local Service Provider Change Prohibited	Identifies that the end user has requested the option of prohibiting the change of their current service provider or removing the option.	A	1	A= Prohibit a change of current local service provider B= Remove the prohibition	1.If populated and vv is not A, B return error message NWFCRS080 LSCP MAY ONLY BE A OR B 2. If populated and LNA is D return error message NWFCRS081 LSCP IS NOT ALLOWED WITH LNA OF D 3. If populated and vv is B and LNA is not C return error message NWFCRS082 LSCP VALUE OF B IS ONLY ALLOWED WITH LNA OF C Note: 1.Invoking this option may require additional authorization or written permission. 2.This field is used to freeze this line only	O
049	BA – Blocking Activity	Indicates the activity for the blocking of calls.	A	1-1	A=Add, D=Delete, N=No Change, E=End State, Z=Remove all blocking	1.If populated vv is not A and LNA = N then return error: NWFCRS108 BA VALID VALUE = A WHEN LNA = N 2. If not populated and LNA = N, V then return error: NWFCRS083 BA IS REQUIRED WHEN LNA IS N OR V 3. If populated and LNA IS NOT N, V, C then return error: NWFCRS084 BA IS PROHIBITED WHEN LNA IS NOT N, V OR C	O

NWF Local Business Rules
Version: 9.30.20.1

CRS FORM
Effective: 05/01/2020

Flid Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						4. If populated and vv IS NOT A, D, N, E, then return error: NWFCRS085 BA VALID VALUE = A, D, N, E, Z	
050	BLOCK – Block Restrictions	Identifies the type of blocking on the telephone number	AN	1		<p>1.If not populated and BA = A, D, E, then return error: NWFCRS086 BLOCK IS REQUIRED</p> <p>2. If populated and BA is not A, D, E, then return error: NWFCRS087 BLOCK IS PROHIBITED</p> <p>3. If populated and dl > 1 then return error: NWFCRS088 BLOCK VALID VALUE = 1 ALPHA, NUMERIC</p> <p>Note: Block options vary by state and not all blocks are available in every Central Office</p> <p>To request no blocking, populate '1' in this field</p>	O
051	CC-ACT					FIELD NOT SUPPORTED	P
052	CC-NO					FIELD NOT SUPPORTED	P
053	CCT					FIELD NOT SUPPORTED	P
054	FLI					FIELD NOT SUPPORTED	P
055	DI					FIELD NOT SUPPORTED	P
056	CKR – Customer Circuit Reference	Identifies the circuit number or sequential range of circuit numbers assigned by the customer	AN & ' * () : , \$ - # + % “ ; . / space	1-41		<p>1.If populated and dl > 41 return error message NWFCRS089 CKR MAY NOT EXCEED 41 CHARACTERS</p> <p>2. If populated and special characters are not ampersand, apostrophe, asterisk, parenthesis, colon, comma, dollar sign, hyphen, number sign, percent, plus sign, quote, semicolon, space, period, virgule return error message NWFCRS090 SPECIAL CHARACTERS ALLOWED FOR CKR ARE AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD OR VIRGULE</p> <p>3. If populated and data contains a virgule and it is not preceded and followed by a numeric return error message NWFCRS091 VIRGULES IN CKR DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC</p>	O

NWF Local Business Rules
Version: 9.30.20.1

CRS FORM
Effective: 05/01/2020

Flid Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
056 a	ECCKT – Exchange Company Circuit ID	Identifies a provider's circuit identification or multiple circuit IDs.	AN /	1-41		<p>1.If populated and LNA = P, return error message NWFCRS092 ECCKT IS NOT ALLOWED IF LNA IS P</p> <p>2. If populated and special character is not virgule return error message NWFCRS093 SPECIAL CHARACTER ALLOWED FOR ECCKT IS VIRGULE</p> <p>Note: 1.All components within the ID should be delimited by virgules. 2. The format of the field is defined by the provider.</p>	O
057	TSP – Telecommunications Service Priority	Indicates the provisioning and restoration priority as defined under the TSP Service Vendor Handbook	A -	12-12	Format = XXXXXXXXXX-XX (Note – X = alpha/numeric)	<p>1.If populated and position 1 of LSR.TOS = 2, then return error: NWFCRS094 TSP IS PROHIBITED</p> <p>2. If populated and valid format is not XXXXXXXXXX-XX, then return error: NWFCRS095 TSP VALID FORMAT = XXXXXXXXXX-XX</p> <p>3. If populated and position 11 is not E, 0, 1, 2, 3, 4, 5, then return error: NWFCRS096 TSP VALID VALUE FOR POSITION 11 MUST = E, 0, 1, 2, 3, 4, 5</p> <p>4. If populated and position 12 is not 0, 1, 2, 3, 4, 5, then return error: NWFCRS109 TSP VALID VALUE FOR POSITION 12 MUST = 0, 1, 2, 3, 4, 5</p>	O
058	SAN – Subscriber Authorization Number	Identifies a number equivalent to the end user Purchase Order Number	AN & ' * : , \$ - # () . " space	1-30		<p>1.If populated and dl > 30 return error message NWFCRS097 SAN MAY NOT EXCEED 30 CHARACTERS</p> <p>2. If populated and special character is not ampersand, apostrophe, asterisk, colon, comma, dollar sign, hyphen, number sign, parenthesis, period, space, quotation mark return error message NWFCRS098 SAN SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESIS, PERIOD, SPACE OR QUOTATION MARK</p> <p>Note: This may, at the option of the customer, be a requirement when providing service to some governmental agencies.</p>	O
059	LEAN					FIELD NOT SUPPORTED	P
060	LEATN					FIELD NOT SUPPORTED	P

Flid Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
060 a	TC OPT – Transfer of Call Option	Identifies the type of transfer of call option the end user has requested.	A	1	N=None S=Standard T=Split Transfer of Calls	1.If not populated and LNA = D, then return error: NWFCRS099 TC OPT IS REQUIRED 2 If populated and LNA is not C, D then return error: NWFCRS100 TC OPT IS PROHIBITED 3.If populated and vv does not = N, S, T, return error NWFCRS101 TC OPT VALID VALUE = N, S, T	O
060 b	TC TO PRI – Transfer of Calls To Primary Number	Identifies the telephone number to which calls are to be referred.	N	10-10		1.If not populated and TC OPT = S, T, return error NWFCRS102 TC TO PRI IS REQUIRED 2. If populated and (dl is not 10 or dc is not numeric), then return error: NWFCRS103 TC TO PRI VALID VALUE = 10 NUMERIC	O
060 c	TC TO SEC – Transfer of Calls To Secondary Number	Identifies the secondary telephone number to which calls are to be referred.	N	10-10		1.If not populated and TC OPT = T, return error NWFCRS104 TC TO SEC IS REQUIRED 2.If populated and TC OPT does not = T, return error NWFCRS105 TC TO SEC IS PROHIBITED 3. If populated and (dl is not 10 or dc is not numeric), then return error: NWFCRS106 TC TO SEC VALID VALUE = 10 NUMERIC	O
060 d	TC PER – Transfer of Calls Period	Indicates the requested date that the transfer of calls, specified in the TC TO PRI field, is to be removed and the standard recorded announcement is to be provided.	N	8-8	CCYYMMDD CC – 00-99 YY – 00-99 MM – 01-12 DD – 01-31	1.If populated and vv < = LSR.DDD, then return error: NWFCRS110 TC PER MUST BE GREATER THAN DESIRED DUE DATE 2. If populated and TC TO PRI is not populated, then return error: NWFCRS111 TC PER IS PROHIBITED 3. If populated and valid format is not CCYYMMDD, then return error: NWFCRS112 TC PER VALID FORMAT = CCYYMMDD	O
060 e	TCID – Transfer of Calls To Identifier	Identifies the sequence of telephone numbers and names associated with the Primary Number (TC TO PRI) of split transfer of calls.	N	1-2		1.If not populated and TC OPT = T, return error NWFCRS113 TCID IS REQUIRED 2.If populated and TC OPT does not = T, return error NWFCRS114 TCID IS PROHIBITED	O

NWF Local Business Rules
Version: 9.30.20.1

CRS FORM
Effective: 05/01/2020

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						3. If populated and vv is not 1, then return error: NWFCRS115 TCID VALID VALUE FOR INITIAL OCCURRENCE = 1	
060f	TC NAME – Transfer of Calls To Name	Identifies the name(s) associated with TC TO PRI field to which calls are referred when split transfer of calls is requested.	AN , - . space	1-35		1.If not populated and TC OPT = T, return error NWFCRS116 TC NAME IS REQUIRED 2.If populated and TC OPT does not = T, return error NWFCRS117 TC NAME IS PROHIBITED 3. If populated and dl > 35 return error message NWFCRS118 TC NAME MAY NOT EXCEED 35 CHARACTERS 4. If populated and special characters are not alpha, numeric, apostrophe, comma, hyphen, period, space), then return error: NWFCRS119 TC NAME SPECIAL CHARACTERS = APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE	O
060g	TCID 2 – Transfer of Calls To Identifier 2	Identifies the sequence of telephone numbers and name associated with the Secondary Number (TC TO SEC) of split transfer of calls.	N	1-2		1.If not populated and TC OPT = T, return error NWFCRS120 TCID 2 IS REQUIRED 2.If populated and TC OPT does not = T, return error NWFCRS121 TCID 2 IS PROHIBITED 3. If populated and (dl > 2 or dc not numeric), then return error: NWFCRS122 TCID 2 VALID VALUE = 1-2 NUMERIC 4. If populated and all occurrences of data are not sequential, then return error: NWFCRS123 TCID 2 MUST BE SEQUENTIAL Note: The TCID 2 field is associated with the TC TO SEC field and the TC NAME 2 field.	O
060h	TCNAME 2 – Transfer of Calls To Name 2	Identifies the name or special instructions associated with the TC TO SEC field to which calls are to be referred when	AN , - . space	1-35		1.If not populated and TC OPT = T, return error NWFCRS124 TC NAME2 IS REQUIRED 2.If populated and TC OPT does not = T, return error NWFCRS125 TC NAME2 IS PROHIBITED	O

NWF Local Business Rules
Version: 9.30.20.1

CRS FORM
Effective: 05/01/2020

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
		split transfer of calls is requested.				3. If populated and dl > 35 return error message NWFCRS126 TC NAME2 MAY NOT EXCEED 35 CHARACTERS 4. If populated and special characters are not alpha, numeric, apostrophe, comma, hyphen, period, space), then return error: NWFCRS127 TC NAME2 SPECIAL CHARACTERS = APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE	
061	FPI – Freeze PIC Indicator	Identifies a request that PIC activity on the Working Telephone Number (WTN) be restricted	A	1	A= Freeze IntraLATA PIC B= Freeze Inter & IntraLATA PIC E= Freeze InterLATA PIC R= Remove InterLATA freeze S= Remove IntraLATA freeze T= Remove Inter & IntraLATA freezes	1.If populated and vv is not A, B, E, R, S, T return error message NWFCRS128 FPI MAY ONLY BE A, B, E, R, S OR T 2. If populated and LNA is d return error message NWFCRS129 FPI PROHIBITED WHEN LNA IS D 3. If populated and vv is R, S, T and LNA is N return error message NWFCRS130 FPI VALUE OF R, S OR T IS NOT ALLOWED WHEN LNA IS N Note: This instance of the FPI field identifies the LSP end user's freeze option for the PIC and LPIC fields.	O
062	BSPRAO					FIELD NOT SUPPORTED	P
063	SGNL					FIELD NOT SUPPORTED	P
064	SSIG – Start Signaling	Identifies the type of start signaling requested	A	2-2	LS= Loop start GS=Ground start WS=Wink start DD=Delayed dial IM=Immediate dial	1.If populated and LSR.ACT = D, then return error: NWFCRS131 SSIG IS PROHIBITED 2. If populated and vv is not LS, GS, WS, DD, IM then return error: NWFCRS132 SSIG VALID VALUE = LS, GS, WS, DD OR IM Note: 1.Only entries of "LS" or "GS" are allowed when the SGNL field is "LP".	O
065	PULSE – Type of Pulsing	Identifies the type of pulsing requested for this service	A	2, 4	DP=Dial Pulse MF=Multi-frequency DTMF=Dual-tone multi-frequency	1.If populated and vv is not DP, MFDTMF return error message NWFCRS133 PULSE VALID VALUES ARE DP, MF OR DTMF Note: Default = DTMF (Dual-tone multi-frequency – no entry required).	O
066	JR					FIELD NOT SUPPORTED	P

NWF Local Business Rules
Version: 9.30.20.1

CRS FORM
Effective: 05/01/2020

Flid Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
067	JK CODE					FIELD NOT SUPPORTED	P
068	JK NUM					FIELD NOT SUPPORTED	P
069	JK POS					FIELD NOT SUPPORTED	P
070	IWJK – Inside Wire Jack Code	Indicates the standard code for the type of jack requested for inside wiring.	AN	1-5		<p>1.If populated and dl > 5 return error message NWFCRS134 IWJK MAY NOT EXCEED 5 CHARACTERS AND SHOULD BE A VALID JACK CODE</p> <p>2. If populated and LNA is not N, T, V , C return error message NWFCRS135 IWJK IS PROHIBITED</p> <p>Note: 1.Familiarization with the FCC's registration rules is requisite for all parties involved for the determination of the proper jack code for a given registered service. Registered jacks used to terminate category 1 and 3 services begin with the designation "RJ". 2.When multiple lines are terminating in one multiline jack, the IWJK and IWJQ field should only be populated for the first line. Jacks may be ordered on a line by line basis.</p>	O
071	IWT					FIELD NOT SUPPORTED	P
072	IWJQ- Inside Wire Jack Quantity	Indicates the number of jacks requested for inside wiring	N	1-2		<p>1.If populated and IWJK is not populated return error message NWFCRS136 IWJQ PROHIBIED IF IWJK IS NOT POPULATED</p> <p>2. If not populated and IWJK is populated return error NWFCRS137 IWJQ IS REQUIRED</p> <p>3. If populated and dl > 2 return error message NWFCRS138 IWJQ MAY NOT EXCEED 2 NUMERIC CHARACTERS</p> <p>4. If populated and dc is not numeric return error message NWFCRS139 IWJQ MUST BE NUMERIC</p> <p>Note: When multiple lines are terminating in one multiline jack, the IWJK and IWJQ field should only be populated for the first line.</p>	O
073	FA – Feature Activity	Identifies the activity type for the line feature	A	1-1	<p>N=Add/Install</p> <p>C=Change to feature detail</p> <p>D=Disconnect</p> <p>V=Conversion to new LSP as specified</p>	<p>1.If populated and vv not = N, C, D and LNA = C, then return error: NWFCRS143 FA VALID VALUE = N, C, D WHEN LNA = C</p> <p>2. If populated and vv not = N and LNA = N, then return error: NWFCRS144 FA VALID VALUE = N WHEN LNA = N</p>	O

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>3. If populated and vv not = N, V and LNA = V, then return error: NWFCRS145 FA VALID VALUE = N, V WHEN LNA = V</p> <p>5. If populated and vv not = N, C, D, V, then return error: NWFCRS147 FA VALID VALUE = N, C, D, V</p> <p>Note: 1. Centranet specific features are included with each Centranet package and do not need to be ordered individually. 2. Specialized features are not included in the Centranet package 3. Orders for non Centranet lines must be submitted on a separate LSR and related using the RPON field</p>	
074	FEATURE – Feature Codes	Identifies the type of feature associated with the line	AN	1-6		<p>1. If not populated and FA is populated, then return error: NWFCRS148 FEATURE IS REQUIRED</p> <p>2. If populated and FA is not populated, then return error: NWFCRS149 FEATURE IS PROHIBITED</p> <p>3. If populated and dl > 6, then return error: NWFCRS150 FEATURE VALID LENGTH = 1-6</p> <p>Note: 1. Centrex specific features are included with each Centrex package and do not need to be ordered individually. 2. Specialized features are not included in the Centrex package 3. Orders for non Centrex lines must be submitted on a separate LSR and related using the RPON field</p>	O
075	FEATURE DETAIL – Feature Detail	Identifies additional information for the type of feature associated with the line	AN	1-200		<p>1. If populated and FEATURE is not populated, then return error: NWFCRS151 FEATURE DETAIL IS PROHIBITED</p> <p>2. If populated and dl > 200, then return error: NWFCRS152 FEATURE DETAIL VALID LENGTH = 1-200</p>	O

NWF Local Business Rules
Version: 9.30.20.1
APPENDIX A: ERROR MESSAGE TABLE

CRS FORM
Effective: 05/01/2020

Error Message Number	Error Message Text
NWFCRS001	RSQTY IS REQUIRED
NWFCRS002	RSQTY VALID VALUE = 1-5 NUMERIC
NWFCRS003	CB MAY NOT EXCEED 8 CHARACTERS
NWFCRS004	SN IS REQUIRED WHEN ACT IS V, N OR T
NWFCRS005	SN DATA MUST BE N OR IN THE FORMAT OF NNNNNNNNNN OR NNNNNNNNNN-NNNN
NWFCRS006	APS MAY ONLY BE ONE CHARACTER
NWFCRS007	APS MAY ONLY BE NUMERIC
NWFCRS008	SDD MAY NOT EXCEED 3 CHARACTERS
NWFCRS009	SMDR MAY ONLY BE Y
NWFCRS010	SMDRAC IS NOT VALID IF SMDR IS NOT POPULATED
NWFCRS011	SMDRAC MAY NOT EXCEED 12 CHARACTERS
NWFCRS012	ONLY VALID SPECIAL CHARACTER FOR SMDRAC IS HYPHEN
NWFCRS013	CPIC IS REQUIRED WHEN ACT IS N OR T
NWFCRS014	CPIC VALID VALUE = NONE, NC OR 2-4 NUMERIC
NWFCRS015	CLPIC IS REQUIRED WHEN ACT IS N OR T
NWFCRS016	CLPIC VALID VALUE = NONE, NC OR 2-4 NUMERIC
NWFCRS017	OAR MAY ONLY BE Y
NWFCRS018	TA MAY ONLY BE N OR D
NWFCRS019	TA IS PROHIBITED IF TMTC IS NOT POPULATED
NWFCRS020	TA IS REQUIRED IF TMTC IS POPULATED
NWFCRS021	TMTC MUST BE NUMERIC
NWFCRS022	TMTC MUST BE 2 CHARACTERS
NWFCRS023	CBA MAY ONLY BE A, D OR N
NWFCRS024	CBA IS PROHIBITED WHEN CBLOCK IS NOT POPULATED
NWFCRS025	CBA IS REQUIRED WHEN CBLOCK IS POPULATED
NWFCRS026	CBLOCK MAY ONLY BE A, B OR C
NWFCRS027	DIALING MAY ONLY A, B, C, D, E OR F
NWFCRS028	DIALING IS REQUIRED WHEN ACT IS N, T OR V
NWFCRS029	CPATH MAY NOT EXCEED 5 CHARACTERS
NWFCRS030	CPATH MUST BE NUMERIC
NWFCRS031	CPATHA MAY NOT EXCEED 5 CHARACTERS
NWFCRS032	CPATHA MUST BE NUMERIC
NWFCRS033	CPATHA IS PROHIBITED IF CPATH IS NOT POPULATED
NWFCRS034	CFPI VALID VALUES ARE A, B, E, R, S OR T
NWFCRS035	CB FEATURE MAY NOT EXCEED 6 CHARACTERS
NWFCRS036	CB FEATURE IS REQUIRED WHEN CBFA IS POPULATED
NWFCRS037	CB FEATURE IS NOT ALLOWED WHEN CBFA IS NOT POPULATED

NWF Local Business Rules
Version: 9.30.20.1

CRS FORM
Effective: 05/01/2020

Error Message Number	Error Message Text
NWFCRS038	CB FEATURE DETAIL MAY NOT EXCEED 24 CHARACTERS
NWFCRS039	CBFA VALID VALUES ARE N, C, D OR V
NWFCRS040	LOCNUM IS REQUIRED
NWFCRS041	LOCNUM MAY NOT EXCEED 3 CHARACTERS
NWFCRS042	LOCNUM MUST BE NUMERIC
NWFCRS043	LNUM IS REQUIRED
NWFCRS044	LNUM MUST BE NUMERIC
NWFCRS045	NPI MAY ONLY BE C, E OR F
NWFCRS046	NPI IS REQUIRED WHEN NPDI IS POPULATED IN THE LSR FORM
NWFCRS047	NPI IS PROHIBITED WHEN NPDI IS NOT POPULATED IN THE LSR FORM
NWFCRS048	LNA VALID VALUE = C, D, N, P, R, T, V, X
NWFCRS049	NOTYP VALID VALUE IS T
NWFCRS050	NOTYP IS REQUIRED WHEN TNS OR OTN IS POPULATED
NWFCRS051	NOTYP IS NOT ALLOWED IF TNS OR OTN IS NOT POPULATED
NWFCRS052	TNS MAY NOT EXCEED 15 CHARACTERS
NWFCRS053	TNS MUST BE N WHEN IT IS ONLY ONE CHARACTER
NWFCRS054	HYPHEN IS THE ONLY VALID SPECIAL CHARACTER FOR TNS
NWFCRS055	TNS IS REQUIRED WHEN LNA IS POPULATED
NWFCRS056	RL MAY ONLY BE Y
NWFCRS057	RL IS REQUIRED FOR REQ TYP PB WHEN LNA IS V AND OECCKT IS POPULATED
NWFCRS058	RL IS PROHIBITED
NWFCRS059	OECCKT DATA LENGTH MAY NOT EXCEED 41 CHARACTERS
NWFCRS060	ONLY SPECIAL CHARACTER ALLOWED FOR OECCKT IS VIRGULE (FORWARD SLASH)
NWFCRS061	OECCKT IS REQUIRED WHEN RL IS POPULATED
NWFCRS062	OECCKT NOT ALLOWED IF RL IS NOT POPULATED
NWFCRS063	TERS MAY NOT EXCEED 10 CHARACTERS
NWFCRS064	SPECIAL CHARACTERS FOR TERS MAY ONLY BE HYPHEN, SPACE, SEMI COLON OR COMMA
NWFCRS065	API MUST BE 1,2,3,4,5,6,7,8 OR 9
NWFCRS066	OTN MUST BE 10 NUMERIC CHARACTERS
NWFCRS067	PRESENCE OF OTN IS ONLY VALID IF LNA = C, X
NWFCRS068	
NWFCRS069	DSN MAY NOT EXCEED 7 CHARACTERS
NWFCRS070	DSN MUST BE NUMERIC
NWFCRS071	DSN IS REQUIRED WHEN LNA IS N
NWFCRS072	CLN MAY NOT EXCEED 25 CHARACTERS
NWFCRS073	VALID SPECIAL CHARACTERS FOR CLN MAY ONLY BE AMPERSAND, APOSTROPHE, DOLLAR SIGN, HYPHEN, NUMBER SIGN, DOUBLE PARENTHESIS, PERCENT SIGN, PERIOD, QUOTATION MARKS OR SPACE
NWFCRS074	PIC VALID VALUE = NONE, NC OR 2-4 NUMERIC
NWFCRS075	PIC IS REQUIRED WHEN LNA IS N or P

NWF Local Business Rules
Version: 9.30.20.1

CRS FORM
Effective: 05/01/2020

Error Message Number	Error Message Text
NWFCRS076	LPIC VALID VALUE = NONE, NC OR 2-4 NUMERIC
NWFCRS077	LPIC IS REQUIRED WHEN LNA IS N or P
NWFCRS078	LTC MAY NOT EXCEED 2 CHARACTERS
NWFCRS079	LTC MUST BE NUMERIC
NWFCRS080	LSCP MAY ONLY BE A OR B
NWFCRS081	LSCP IS NOT ALLOWED WITH LNA OF D
NWFCRS082	LSCP VALUE OF B IS ONLY ALLOWED WITH LNA OF C
NWFCRS083	BA IS REQUIRED WHEN LNA IS N OR V
NWFCRS084	BA IS PROHIBITED WHEN LNA IS NOT N, V OR C
NWFCRS085	BA VALID VALUE = A, D, N, E, Z
NWFCRS086	BLOCK IS REQUIRED
NWFCRS087	BLOCK IS PROHIBITED
NWFCRS088	BLOCK VALID VALUE = 1 ALPHA, NUMERIC
NWFCRS089	CKR MAY NOT EXCEED 41 CHARACTERS
NWFCRS090	SPECIAL CHARACTERS ALLOWED FOR CKR ARE AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD OR VIRGULE
NWFCRS091	VIRGULES IN CKR DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC
NWFCRS092	ECCKT IS NOT ALLOWED IF LNA IS P
NWFCRS093	SPECIAL CHARACTER ALLOWED FOR ECCKT IS VIRGULE
NWFCRS094	TSP IS PROHIBITED
NWFCRS095	TSP VALID FORMAT = XXXXXXXXXX-XX
NWFCRS096	TSP VALID VALUE FOR POSITION 11 MUST = E, 0, 1, 2, 3, 4, 5
NWFCRS097	SAN MAY NOT EXCEED 30 CHARACTERS
NWFCRS098	SAN SPECIAL CHARACTERS MAY ONLY BE AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESIS, PERIOD, SPACE OR QUOTATION MARK
NWFCRS099	TC OPT IS REQUIRED
NWFCRS100	TC OPT IS PROHIBITED
NWFCRS101	TC OPT VALID VALUE = N, S, T
NWFCRS102	TC TO PRI IS REQUIRED
NWFCRS103	TC TO PRI VALID VALUE = 10 NUMERIC
NWFCRS104	TC TO SEC IS REQUIRED
NWFCRS105	TC TO SEC IS PROHIBITED
NWFCRS106	TC TO SEC IS PROHIBITED
NWFCRS107	OTN MUST BE 10 NUMERIC CHARACTERS
NWFCRS108	BA VALID VALUE = A WHEN LNA = N
NWFCRS109	TSP VALID VALUE FOR POSITION 12 MUST = 0, 1, 2, 3, 4, 5
NWFCRS110	TC PER MUST BE GREATER THAN DESIRED DUE DATE
NWFCRS111	TC PER IS PROHIBITED

NWF Local Business Rules
Version: 9.30.20.1

CRS FORM
Effective: 05/01/2020

Error Message Number	Error Message Text
NWFCRS112	TC PER VALID FORMAT = CCYYMMDD
NWFCRS113	TCID IS REQUIRED
NWFCRS114	TCID IS PROHIBITED
NWFCRS115	TCID VALID VALUE FOR INITIAL OCCURRENCE = 1
NWFCRS116	TC NAME IS REQUIRED
NWFCRS117	TC NAME IS PROHIBITED
NWFCRS118	TC NAME MAY NOT EXCEED 35 CHARACTERS
NWFCRS119	TC NAME SPECIAL CHARACTERS = APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
NWFCRS120	TCID 2 IS REQUIRED
NWFCRS121	TCID 2 IS PROHIBITED
NWFCRS122	TCID 2 VALID VALUE = 1-2 NUMERIC
NWFCRS123	TCID 2 MUST BE SEQUENTIAL
NWFCRS124	TC NAME2 IS REQUIRED
NWFCRS125	TC NAME2 IS PROHIBITED
NWFCRS126	TC NAME2 MAY NOT EXCEED 35 CHARACTERS
NWFCRS127	TC NAME2 SPECIAL CHARACTERS = APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
NWFCRS128	FPI MAY ONLY BE A, B, E, R, S OR T
NWFCRS129	FPI PROHIBITED WHEN LNA IS D
NWFCRS130	FPI VALUE OF R, S OR T IS NOT ALLOWED WHEN LNA IS N
NWFCRS131	SSIG IS PROHIBITED
NWFCRS132	SSIG VALID VALUE = LS, GS, WS, DD OR IM
NWFCRS133	PULSE VALID VALUES ARE DP, MF OR DTMF
NWFCRS134	IWJK MAY NOT EXCEED 5 CHARACTERS AND SHOULD BE A VALID JACK CODE
NWFCRS135	IWJK IS PROHIBITED
NWFCRS136	IWJQ IS PROHIBITED IF IWJK IS NOT POPULATED
NWFCRS137	IWJQ IS REQUIRED
NWFCRS138	IWJQ MAY NOT EXCEED 2 NUMERIC CHARACTERS
NWFCRS139	IWJQ MUST BE NUMERIC
NWFCRS140	FIELD IS REQUIRED IF CRS TNS IS POPULATED.
NWFCRS141	SDD IS REQUIRED WHEN ACT IS N OR V
NWFCRS142	LNUM MAY NOT EXCEED 5 CHARACTERS
NWFCRS143	FA VALID VALUE = N, C, D WHEN LNA = C
NWFCRS144	FA VALID VALUE = N WHEN LNA = N
NWFCRS145	FA VALID VALUE = N, V WHEN LNA = V
NWFCRS146	INVALID LPIC
NWFCRS147	FA VALID VALUE = N, C, D, V
NWFCRS148	FEATURE IS REQUIRED
NWFCRS149	FEATURE IS PROHIBITED
NWFCRS150	FEATURE VALID LENGTH = 1-6

NWF Local Business Rules
Version: 9.30.20.1

CRS FORM
Effective: 05/01/2020

Error Message Number	Error Message Text
NWFCRS151	FEATURE DETAIL IS PROHIBITED
NWFCRS152	FEATURE DETAIL VALID LENGTH = 1-200
NWFCRS153	PIC 0000 INVALID
NWFCRS154	CPIC 0000 INVALID
NWFCRS155	
NWFCRS156	IF ACT=C,V AND LNA DOES NOT=N,X,T THEN TNS CANNOT =N.
NWFCRS157	REQUIRED IF REQTP=PB AND ACT=C,V.
NWFCRS158	IF LNA=X,T THEN TNS MUST BE DIFFERENT FROM OTN.
NWFCRS159	INVALID CLPIC
NWFCRS160	LNA VALID VALUE = C, N, D, P, T, X
NWFCRS161	LNA MUST = N WHEN ACT = N, T
NWFCRS162	LNA MUST = N, V, D WHEN ACT =V
NWFCRS163	LNA = T ONLY VALID WHEN ACT = T
NWFCRS164	EXKEY MUST BE 6 NUMERIC
NWFCRS165	LNA MUST = N WHEN ACT = N
NWFCRS166	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS167	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS168	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS169	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS170	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS171	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS172	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS173	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS174	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS175	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS176	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS177	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS178	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS179	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS180	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS181	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS182	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS183	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS184	FIELD PROHIBITED FOR SERVICE TERRITORY
NWFCRS185	
NWFCRS186	
NWFCRS187	LNA VALID VALUE = C, D, N, X WHEN ACT = M
NWFCRS188	

APPENDIX B – CHANGE CONTROL LOG

DATE	REVISION NUMBER	FIELD	CHANGE
12/01/2019	N/A	All	Initial Version 9.30.20.1 – NWF Local Business Rules
02/20/2020	N/A	All	Add Production Effective Date to Header
03/16/2020	n/a	n/a	Rebranded to Ziplly Fiber