



Northwest Four States (NWF)  
Version 9.30.20.1  
DDPS FORM

**Contents**

ADMIN SECTION ..... 5

COMMON SECTION ..... 5

    LOCNUM – Location Number ..... 5

    COMMQ - Common Group Quantity..... 5

    RNUM – Reference Number ..... 5

    AD – Associated Detail ..... 5

    TNSGQ – TNS Group Quantity ..... 6

    TKGQ – Trunk Group Quantity ..... 6

    NPI – Number Portability Indicator..... 6

DID DOD TELEPHONE NUMER SECTION ..... 6

    LOCNUM - Location Number..... 6

    RNUM - Reference Number..... 7

    TNA - Telephone Number Activity..... 7

    QN - Quantity of Numbers ..... 8

    CKR - Customer Circuit Reference ..... 8

    TNS - Telephone Numbers ..... 8

    OTNS - Out Telephone Numbers ..... 9

    TGN - Trunk Group Number..... 9

    RIN - Route Index Number..... 10

    BA - Blocking Activity..... 10

    BLOCK - Block ..... 10

    FA - Feature Activity ..... 10

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**DDPS FORM**  
**Effective: 05/01/2020**

FEATURE - Feature Codes ..... 11

FEATURE DETAIL - Feature Detail ..... 11

TRUNK SERVICE DETAIL SECTION ..... 11

LOCNUM - Location Number ..... 11

RNUM - Reference Number ..... 12

TACT - Trunk Activity ..... 12

TERS - Terminal Numbers ..... 12

TKQ - Trunk Quantity ..... 13

TNS - Telephone Numbers ..... 13

TSP - Telecommunication Service Priority ..... 13

OTN - Out Telephone Number ..... 14

LTLI - Lead Telephone Line Identifier ..... 14

TGN - Trunk Group Number ..... 14

RIN - Route Index Number ..... 14

TKID - Trunk ID ..... 14

DIN - Digits In ..... 14

DO - Digits Out ..... 15

PULSE - Type of Pulsing ..... 15

SSIG - Start Signaling ..... 15

TTP - Trunk Type ..... 15

BA - Blocking Activity ..... 16

BLOCK - Block ..... 16

LSCP - Local Service Provider Change Prohibited ..... 16

IWJK - Inside Wire Jack Code ..... 16

IWJQ - Inside Wire Jack Quantity ..... 17

NIDR - NID Request ..... 17

**NWF Local Business Rules**

**Version: 9.30.20.1**

**DDPS FORM**

**Effective: 05/01/2020**

ECCKT - Exchange Company Circuit ID ..... 17

RL - Reuse Loop..... 18

OECCKT - Out Exchange Company Circuit ID..... 18

CKR - Customer Circuit Reference ..... 18

FPI - Freeze PIC Indicator ..... 19

PIC - InterLATA Pre-subscription Indicator Code..... 19

LPIC - IntraLATA Pre-subscription Indicator Code ..... 19

FEATURE SECTION..... 19

LOCNUM - Location Number..... 19

FA - Feature Activity ..... 20

FEATURE - Feature Codes ..... 20

FEATURE\_DETAIL - Feature Detail ..... 20

TRANSFER OF CALLS DETAIL SECTION ..... 21

LOCNUM - Location Number..... 21

TC OPT - Transfer of Call Options ..... 21

TC TO PRI - Transfer of Calls To Primary Number ..... 21

TC TO SEC - Transfer of Calls To Secondary Number..... 22

TC PER - Transfer of Calls Period ..... 22

TCID - Transfer of Calls To Identifier ..... 22

TCID 2 - Transfer of Calls To Identifier 2 ..... 22

TC NAME - Transfer of Calls To Name ..... 23

TC NAME 2 - Transfer of Calls To Name 2 ..... 23

APPENDIX A – ERROR MESSAGE TABLE ..... 24

APPENDIX B – CHANGE CONTROL LOG ..... 28

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
<b>ADMIN SECTION</b>							
001	PON					FIELD NOT SUPPORTED	P
002	VER					FIELD NOT SUPPORTED	P
003	AN					FIELD NOT SUPPORTED	P
004	ATN					FIELD NOT SUPPORTED	P
005	ORD					FIELD NOT SUPPORTED	P
006	PG_of_					FIELD NOT SUPPORTED	P
<b>COMMON SECTION</b>							
007	LOCNUM – Location Number	Identifies the service location number for the service requested.	N	1-3		1. If not populated, then return error: NWFDDPS003 LOCNUM IS REQUIRED  2. If populated and (dl > 3 or dc not numeric), then return error: NWFDDPS004 LOCNUM VALID VALUE = 1-3 NUMERIC	R
007a	COMMQ - Common Group Quantity	Identifies quantity of common groups.	N	2-2	01-99	1. If not populated and LSR.ACT = N, C, V, T, then return error: NWFDDPS001 COMMQ IS REQUIRED FOR ACT  2. If populated and (dl not = 2 or dc not numeric), then return error: NWFDDPS002 COMMQ VALID VALUE = 2 NUMERIC	O
008	RNUM – Reference Number	Identifies each DID and/or each additional DID group as a unique number	N	1-4		1. If not populated and COMMQ is populated, then return error: NWFDDPS005 RNUM IS REQUIRED WHEN COMMQ IS POPULATED  2. If populated and COMMQ is not populated, then return error: NWFDDPS006 RNUM IS PROHIBITED WHEN COMMQ IS NOT POPULATED  3. If populated and (dl > 4 or dc not numeric), then return error: NWFDDPS007 RNUM VALID VALUE = 1-4 NUMERIC	O
009	AD – Associated Detail	Identifies the telephone number and/or trunk section(s) associated with this request.	A	1-1	A= DID/DOD Telephone Number Section only  B= Trunk Service Detail Section only  C= Both	1. If not populated and COMMQ is populated, then return error: NWFDDPS008 AD IS REQUIRED WHEN COMMQ IS POPULATED	O

**NWF Local Business Rules**  
Version: 9.30.20.1

**DDPS FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						2. If populated and vv not = A, B, C, then return error: NWFDDPS009 AD VALID VALUE = A, B, C	
009a	TNSGQ – TNS Group Quantity	Identifies quantity of TNS groups.	N	2-2	01-99	1. If not populated and AD = A, C, then return error: NWFDDPS010 TNSGQ IS REQUIRED FOR AD  2. If populated and AD not = A, C, then return error: NWFDDPS011 TNSGQ IS PROHIBITED FOR AD  3. If populated and (dl not = 2 or dc not numeric), then return error: NWFDDPS012 TNSGQ VALID VALUE = 2 NUMERIC	O
009b	TKGQ – Trunk Group Quantity	Identifies quantity of Trunk Groups.	N	2-2	01-99	1. If not populated and AD = B, C, then return error: NWFDDPS013 TKGQ IS REQUIRED FOR AD  2. If populated and AD not = B, C, then return error: NWFDDPS014 TKGQ IS PROHIBITED FOR AD  3. If populated and (dl not = 2 or dc not = numeric), then return error: NWFDDPS015 TKGQ VALID VALUE = 2 NUMERIC	O
010	NPI – Number Portability Indicator	Identifies the status of the telephone number being ported	A	1-1	C=Port in Working TN, E=Port in Wireless TN, F=Not Applicable	1. If not populated and LSR.NPDI = B, D, then return error: NWFDDPS016 NPI IS REQUIRED FOR NPDI  2. If populated and LSR.NPDI not = B, D, then return error: NWFDDPS017 NPI IS PROHIBITED FOR NPDI  3. If populated and vv not = E and LSR.NPDI = B, then return error: NWFDDPS018 NPI VALID VALUE = E FOR NPDI  4. If populated and vv not = C, E, F, then return error: NWFDDPS019 NPI VALID VALUE = C, E, F	O
011	LEAN					<b>FIELD NOT SUPPORTED</b>	P
012	LEATN					<b>FIELD NOT SUPPORTED</b>	P
013	BSPRAO					<b>FIELD NOT SUPPORTED</b>	P
<b>DID DOD TELEPHONE NUMER SECTION</b>							
014	LOCNUM - Location Number	Identifies the service location number for the	N	3		1.If not populated and the AD = A or C, return error NWFDDPS157 FIELD IS REQUIRED WHEN THE AD FIELD IS A OR C	O

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
		service requested				2.If populated and vv does not equal numeric, return error NWFDDPS158 ENTRY MUST BE NUMERIC	
015	RNUM - Reference Number	Identifies each DID and/or each additional DID group as a unique number	N	1-4		1. If not populated and AD = A, C, then return error: NWFDDPS044 RNUM IS REQUIRED FOR AD  2. If populated and AD not = A, C, then return error: NWFDDPS045 RNUM IS PROHIBITED FOR AD  3. If populated and (dl > 4 or dc not numeric), then return error: NWFDDPS046 RNUM VALID VALUE = 1-4 NUMERIC	O
016	TNA - Telephone Number Activity	Identifies the activity involved at the DID telephone number (TN) level.	A	1-1	C= Change an existing account, e.g., rearrangement, feature activity,  D= Remove TN or blocks of TNs,  M= Inside move of the physical termination within a building,  N= Add new TN or blocks of TNs,  P= PIC change,  R= Record activity is for ordering administrative changes,  T= Outside move of end user location,  V= Outside move of end user location,  W=, Migration as is,  X= Telephone number change	1. If not populated and AD = A, C, then return error: NWFDDPS047 TNA IS REQUIRED FOR AD  2. If populated and AD not = A, C, then return error: NWFDDPS048 TNA IS PROHIBITED FOR AD  3.If populated and vv does not = C, N, D, X, P, and LSR.ACT=C, return error NWFDDPS049 TNA VALID VALUE = C, N, D, X, P  4. If populated and vv not = N and LSR.ACT = N, T, then return error: NWFDDPS050 TNA VALID VALUE = N FOR ACT  6. If populated and vv not = N, V, D and LSR.ACT = V, then return error: NWFDDPS052 TNA VALID VALUE = N, V, D FOR ACT  7.If populated and vv does not = C, D, M, N, P, T, V, W, X, return error NWFDDPS053 TNA VALID VALUE = C, D, M, N, P, T, V, W, X  8. If not populated and QN is populated, return error NWFDDPS159 FIELD REQUIRED IS QN IS POPULATED	O

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						9.If populated and vv does not = C, D, M, N, X and ACT = M, then return error NWFDDPS170 TNA VALID VALUE = C, D, M, N, X WHEN ACT = M	
017	QN - Quantity of Numbers	Identifies the quantity of DID telephone numbers requested	N	1-4	1-9999	<p>1. If not populated and TNA is populated, then return error: NWFDDPS054 QN IS REQUIRED WHEN TNA IS POPULATED</p> <p>2. If populated and TNA is not populated, then return error: NWFDDPS055 QN IS PROHIBITED WHEN TNA IS NOT POPULATED</p> <p>3. If populated and (dl &gt; 4 or dc not numeric), then return error: NWFDDPS056 QN VALID VALUE = 1-4 NUMERIC</p>	O
018	CKR - Customer Circuit Reference	Identifies the circuit number or sequential range of circuit numbers assigned by the customer	AN & ' * ( ) : , \$ - # % + " ; . / space	1-41		<p>1. If populated and dc = virgule and (preceding position not numeric or following position not numeric), then return error: NWFDDPS057 CKR VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC</p> <p>2. If populated and (dl &gt; 41 or dc not alpha, numeric, Ampersand, Apostrophe, Asterisk, Parenthesis, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Percent, Plus Sign, Quote, Semicolon, Space, Period, Virgule), then return error: NWFDDPS058 CKR VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE</p>	O
019	TNS - Telephone Numbers	Identifies the range of DID telephone numbers within the same switch.	AN ; - , space	1-15		<p>1. If not populated and TNA is populated and ACT does not = W, then return error: NWFDDPS059 TNS IS REQUIRED WHEN TNA IS POPULATED AND ACT IS NOT W</p> <p>2. If populated and TNA is not populated, then return error: NWFDDPS060 TNS IS PROHIBITED WHEN TNA IS NOT POPULATED</p>	O



**NWF Local Business Rules**  
Version: 9.30.20.1

**DDPS FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>3. If populated and (dl &gt; 15 or dc not alpha, numeric, hyphen, space, semi colon, comma), then return error: NWFDDPS061 TNS VALID VALUE = 1-15 ALPHA, NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA</p> <p>Note: 1. When the TNA field is "X", the entry in this field indicates the new telephone number or request for a new telephone number. The out telephone number is shown in the OTNS field. 2. When ordering a conversion AS IS, the TNA or QN does not need to be populated. The range of telephone numbers to be converted is identified in the TNS field.</p>	
020	OTNS - Out Telephone Numbers	Identifies the existing telephone number or range of numbers that is being changed	AN ; - , space	1-15		<p>1. If not populated and TNA = X, then return error: NWFDDPS062 OTNS IS REQUIRED FOR TNA</p> <p>2. If populated and TNA not = X, T, then return error: NWFDDPS063 OTNS IS PROHIBITED FOR TNA</p> <p>3. If populated and (dl &gt; 15 or dc no = alpha, numeric, hyphen, space, semi colon, comma), then return error: NWFDDPS064 OTNS VALID VALUE = 1-15 ALPHA, NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA</p> <p>Note: 1. All telephone numbers associated with a range must have the same NPA/NXX. 2. If the blocks of DID numbers are not consecutive, additional appearances of TNS must be populated</p>	O
021	DA					<b>FIELD NOT SUPPORTED</b>	P
022	DSTNQ					<b>FIELD NOT SUPPORTED</b>	P
023	DTNT					<b>FIELD NOT SUPPORTED</b>	P
024	DSTN					<b>FIELD NOT SUPPORTED</b>	P
025	ECCKT					<b>FIELD NOT SUPPORTED</b>	P
026	TGN - Trunk Group Number	Identifies the trunk group number, which has been assigned by the provider	N	3-4		1. If populated and (dl not = 3, 4 or dc not = numeric), then return error: NWFDDPS065 TGN VALID VALUE = 3-4 NUMERIC	O

**NWF Local Business Rules**  
Version: 9.30.20.1

**DDPS FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
027	RIN - Route Index Number	Identifies the Route Index Number assigned to the DID Trunk Group	N	3-10		1. If populated and ((dl < 3 or > 10) or (dc not numeric)), then return error: NWFDDPS066 RIN VALID VALUE = 3-10 NUMERIC	O
028	BA - Blocking Activity	Identifies the activity for the blocking of calls	A	1-1	A=Add, D=Delete, E=Endstate, Z=Remove all Blocks N=No Change	1. If populated and vv not = A and TNA = N, then return error: NWFDDPS067 BA VALID VALUE = A FOR TNA  2.If populated and vv does not = A, D, E, N, Z, return error NWFDDPS068 BA VALID VALUE = A, D, E, N, Z	O
029	BLOCK - Block	Identifies the type of blocking on the telephone number.	AN	1		1. If not populated and BA = A, D, E, then return error: NWFDDPS069 BLOCK IS REQUIRED FOR BA  2. If populated and BA not = A, D, E, then return error: NWFDDPS070 BLOCK IS PROHIBITED FOR BA  3. If populated and (dl > 1 or dc not alpha, numeric), then return error: NWFDDPS071 BLOCK VALID VALUE = 1 ALPHA, NUMERIC  <b>Note:</b> Block options vary by state and not all blocks are available in every Central Office  To request no blocking, populate '1' in this field	O
030	CCEA					<b>FIELD NOT SUPPORTED</b>	P
030a	FA - Feature Activity	Indicates the activity type for the feature	A	1-1	N=Add/Install  C=Change to feature detail  D=Disconnect  V=Conversion to New LSP as Specified	1. If populated and TNA not = N, C, V, then return error: NWFDDPS072 FA IS PROHIBITED FOR TNA  2. If populated and vv not = N and TNA = N, then return error: NWFDDPS073 FA VALID VALUE = N FOR TNA  3. If populated and vv not = N, V and TNA = V, then return error: NWFDDPS074 FA VALID VALUE = N, V FOR TNA	O

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						4. If populated and vv not = N, C, D and TNA = C, then return error: NWFDDPS075 FA VALID VALUE = N, C, D FOR TNA	
030b	FEATURE - Feature Codes	Identifies the type of Feature/USOC associated with the line.	AN + - # / *	1-6		1. If populated and FA is not populated, then return error: NWFDDPS076 FEATURE IS PROHIBITED WHEN FA IS NOT POPULATED  2. If not populated and FA is populated, then return error: NWFDDPS077 FEATURE IS REQUIRED WHEN FA IS POPULATED  3.If populated and (dl > 6 or dc not = alpha, numeric, plus sign, hyphen, number sign, virgule, asterick), then return error: NWFDDPS078 FEATURE VALID VALUE 1-6 ALPHA, NUMERIC, PLUS SIGN, HYPHEN, NUMBER SIGN, VIRGULE, ASTERISK	O
030c	FEATURE DETAIL - Feature Detail	Identifies additional information for the type of feature/USOC associated with the line.	AN & ' * ; , \$ - # ( ) % . + " ; / space	1-200		1. If populated and FEATURE is not populated, then return error: NWFDDPS079 FEATURE DETAIL IS PROHIBITED WHEN FEATURE IS NOT POPULATED  2. If populated and (dl > 200 or dc not = alpha, numeric, ampersand, apostrophe, asterisk, colon, comma, dollar sign, hyphen, number sign, parentheses, percent sign, period, plus sign, quotation marks, semicolon, space, virgule, then return error: NWFDDPS080 FEATURE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESSES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS, SEMICOLON, SPACE, VIRGULE	O
<b>TRUNK SERVICE DETAIL SECTION</b>							
031	LOCNUM - Location Number	Identifies the service location number for the service requested	N	3		1.If not populated and AD=B, C, return error NWFDDPS161 REQUIRED IF AD=B OR C	O

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						2.If populated and vv dl does not = 3 and is not numeric, return error NWFDDPS162 LOCNUM VALID VALUE = 3 NUMERIC	
032	RNUM - Reference Number	Identifies each DID and/or each additional DID group as a unique number	N	1-4		<p>1. If not populated and AD = B, C, then return error: NWFDDPS081 RNUM IS REQUIRED FOR AD</p> <p>2. If populated and AD not = B, C, then return error: NWFDDPS082 RNUM IS PROHIBITED FOR AD</p> <p>3. If populated and (dl &gt; 4 or dc not numeric), then return error: NWFDDPS083 RNUM VALID VALUE = 1-4 NUMERIC</p> <p>Note: The values are to be assigned sequentially and must be unique throughout the request at the PON level.</p>	O
033	TACT - Trunk Activity	Identifies the activity involved at the DID trunk level.	A	1-1	<p>C= Change an existing account, e.g., rearrangement, feature activity</p> <p>D= Remove trunks</p> <p>M= Inside move of the physical termination within a building</p> <p>N= Add new trunks</p> <p>P= PIC change</p> <p>T= Outside move of end user location</p> <p>V= Convert or migrate existing trunk(s) as specified</p> <p>W= Migration as is</p> <p>X= Telephone number change</p>	<p>1. If not populated and AD = B, C, then return error: NWFDDPS084 TACT IS REQUIRED FOR AD</p> <p>2. If populated and AD not = B, C, then return error: NWFDDPS085 TACT IS PROHIBITED FOR AD</p> <p>3. If populated and vv not = C, N, D, P, X and LSR.ACT = C, then return error: NWFDDPS086 TACT VALID VALUE = C, N, D, P, X FOR ACT</p> <p>4. If populated and vv does not = N and LSR.ACT = N, T, then return error: NWFDDPS087 TACT VALID VALUE = N FOR ACT</p> <p>5. If populated and vv not = N, V, D and LSR.ACT = V, then return error: NWFDDPS089 TACT VALID VALUE = N, V, D FOR ACT</p> <p>6. If populated and vv not = C, D, N, P, V, W, X, then return error: NWFDDPS090 TACT VALID VALUE = C, D, N, P, V, W, X</p>	O
034	TERS - Terminal Numbers	Identifies the number for a non-lead line in a multiline hunt	AN ; - : , space	1-10		1. If populated and (dl > 10 or dc not = alpha, numeric, hyphen, space, semi colon, comma), then return error: NWFDDPS091 TERS VALID VALUE = 1-10 ALPHA,	O

**NWF Local Business Rules**  
Version: 9.30.20.1

**DDPS FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
		group or consecutive range of terminal numbers				NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA	
035	TKQ - Trunk Quantity	Identifies the quantity of trunks being requested	N	1-4		<p>1. If not populated and TACT is populated, then return error: NWFDDPS092 TKQ IS REQUIRED WHEN TACT IS POPULATED</p> <p>2. If populated and TACT is not populated, then return error: NWFDDPS093 TKQ IS PROHIBITED WHEN TACT IS NOT POPULATED</p> <p>3. If populated and (dl &gt; 4 or dc not = numeric), then return error: NWFDDPS094 TKQ VALID VALUE = 1-4 NUMERIC</p>	O
036	TNS - Telephone Numbers	Identifies the telephone number or consecutive range of telephone numbers for this request	AN ; - , space	1-15		<p>1. If not populated and TTP = A, C, D and LTLI is not populated, then return error: NWFDDPS095 TNS IS REQUIRED FOR TTP</p> <p>2. If populated and TTP = B, E, F, then return error: NWFDDPS096 TNS IS PROHIBITED FOR TTP</p> <p>3. If populated and (dl &gt; 15 or dc not = alpha, numeric, hyphen, space, semi colon, comma), then return error: NWFDDPS097 TNS VALID VALUE = 1-15 ALPHA, NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA</p> <p><b>Note:</b> When the TACT field is "X", the entry in this field indicates the new telephone number or request for a new telephone number. The out telephone number is shown in the OTN field</p>	O
036a	TSP - Telecommunication Service Priority	Indicates the provisioning and restoration priority as defined under the TSP Service Vendor Handbook.	AN Hyphen	12-12	Format = XXXXXXXXXX-XX  (Note - X = alpha/numeric)	<p>1. If populated and format not = XXXXXXXXXX-XX, then return error: NWFDDPS098 TSP VALID FORMAT = XXXXXXXXXX-XX</p> <p>2. If populated and position 11 not = E, 0, 1, 2, 3, 4, 5, then return error: NWFDDPS099 TSP VALID VALUE FOR POSITION 11 MUST = E, 0, 1, 2, 3, 4, 5</p>	O

**NWF Local Business Rules**  
Version: 9.30.20.1

**DDPS FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						3. If populated and position 12 not = 0, 1, 2, 3, 4, 5, then return error: NWFDDPS100 TSP VALID VALUE FOR POSITION 12 MUST = 0, 1, 2, 3, 4, 5	
037	OTN - Out Telephone Number	Identifies the existing telephone number that is being changed.	N	10-10		1. If not populated and TACT = X, then return error: NWFDDPS101 OTN IS REQUIRED FOR TACT  2. If populated and TACT not = X, then return error: NWFDDPS102 OTN IS PROHIBITED FOR TACT  3. If populated and (dl not = 10 or dc not numeric), then return error: NWFDDPS103 OTN VALID VALUE = 10 NUMERIC	O
038	LTLI - Lead Telephone Line Identifier	The lead telephone line identifier assigned to the DID Trunk Group.	A	1, 10		1. If not populated and TTP = B, E, F and TNS is not populated, then return error: NWFDDPS104 LTLI IS REQUIRED FOR TTP  2. If populated and vv does not = N and (dl not = 10 or dc not numeric), then return error: NWFDDPS105 LTLI VALID VALUE = N OR 10 NUMERIC	O
039	TGN - Trunk Group Number	Identifies the trunk group number, which has been assigned by the provider.	N	3-4		1. If populated and (dl not = 3, 4 or dc not numeric), then return error: NWFDDPS106 TGN VALID VALUE = 3-4 NUMERIC	O
040	RIN - Route Index Number	Identifies the route index number assigned to the trunk group by the provider	N	3-10		1. If populated and ((dl < 3 or > 10) or (dc not numeric)), then return error: NWFDDPS107 RIN VALID VALUE = 3-10 NUMERIC	O
041	TKID - Trunk ID	Identifies the trunk ID of the existing DID service	AN	1-10		1.If populated and dl > 10, then return error: NWFDDPS108 TKIND VALID LENGTH = 1-10  2.If not populated and TACT =C, D and LTLI is not populated, return error NWFDDPS163 REQUIRED WHEN TACT =C, D AND LTLI IS NOT POPULATED	O
042	DIN - Digits In	Identifies the number of digits outpulsed from the end user's equipment to	N	2		1.If populated and dl >2 and not numeric, return error NWFDDPS164 DIN VALID VALUE = 2 NUMERIC	O

**NWF Local Business Rules**  
Version: 9.30.20.1

**DDPS FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
		the provider's central office.				2.If populated and TACT is not populated, return error NWFDDPS165 DIN is PROHIBITED WHEN TACT IS NOT POPULATED	
043	DO - Digits Out	Identifies the number of digits out pulsed from the central office to the customer's equipment.	N	2-2	00-99	1. If populated and TACT is not populated, then return error: NWFDDPS109 DO IS PROHIBITED WHEN TACT IS NOT POPULATED  2. If populated and (dl not = 2 or dc not numeric), then return error: NWFDDPS110 DO VALID VALUE = 2 NUMERIC  3.If not populated and TACT = N, V return error NWFDDPS166 DO REQUIRED IF TACT = N OR V	O
044	PULSE - Type of Pulsing	Identifies the type of pulsing requested for the DID service	A	2 or 4	DP=Dial Pulse  MF=Multi frequency  DTMF=Dual-tone multi frequency	1. If not populated and TACT = N, V and TTP = B, then return error: NWFDDPS111 PULSE IS REQUIRED FOR TTP  2. If populated and vv not = DP, MF, DTMF, then return error: NWFDDPS112 PULSE VALID VALUE = DP, MF, DTMF	O
045	PO					<b>FIELD NOT SUPPORTED</b>	P
046	SSIG - Start Signaling	Identifies the type of start signaling requested	A	2-2	LS=Loop start  GS=Ground start  WS=Wink start  DD=Delayed dial  IM=Immediate dial	1. If not populated and TACT = N, V and TTP = C, D, E, F, then return error: NWFDDPS113 SSIG IS REQUIRED FOR TTP  2. If populated and vv not = LS, GS, WS, DD, IM, then return error: NWFDDPS114 SSIG VALID VALUE = LS, GS, WS, DD, IM	O
047	SGNL					<b>FIELD NOT SUPPORTED</b>	P
048	TTP - Trunk Type	Identifies the type of trunk for this request.	A	1-1	A= Inward only (non-DID service)  B= DID service  C= Combination (2 way non-DID service)  D= Outward only (non-DOD service)  E= DOD service	1. If not populated and TACT is populated, then return error: NWFDDPS115 TTP IS REQUIRED WHEN TACT IS POPULATED  2. If populated and TACT is not populated, then return error: NWFDDPS116 TTP IS PROHIBITED WHEN TACT IS NOT POPULATED	O

**NWF Local Business Rules**  
Version: 9.30.20.1

**DDPS FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
					F= Combination (2 way DID and DOD service)	3. If populated and vv not = A, B, C, D, E, F, then return error: NWFDDPS117 TTP VALID VALUE = A, B, C, D, E, F	
049	GL					<b>FIELD NOT SUPPORTED</b>	P
050	CABLE_ID					<b>FIELD NOT SUPPORTED</b>	P
051	CHAN/PAIR					<b>FIELD NOT SUPPORTED</b>	P
052	BA - Blocking Activity	Identifies the activity for the blocking of calls.	A	1-1	A=Add, D=Delete, E=Endstate, N=No change, Z=Remove all blocking	1. If populated and vv not = A and TACT = N, then return error: NWFDDPS118 BA VALID VALUE = A FOR TACT  2. If populated and vv not = A, D, E, N, Z then return error: NWFDDPS119 BA VALID VALUE = A, D, E, N, Z	O
053	BLOCK - Block	Identifies the type of blocking on the telephone number.	AN	1		1. If not populated and BA = A, D, E, then return error: NWFDDPS120 BLOCK IS REQUIRED FOR BA  2. If populated and BA not = A, D, E, then return error: NWFDDPS121 BLOCK IS PROHIBITED FOR BA  3. If populated and (dl > 1 or vv not = alpha, numeric), then return error: NWFDDPS122 BLOCK VALID VALUE = 1 ALPHA, NUMERIC  Note: Block options vary by state and not all blocks are available in every Central Office  To request no blocking, populate '1' in this field	O
054	LSCP - Local Service Provider Change Prohibited	Identifies that the end user has requested the option of prohibiting the change of their current service provider or removing the option.	A	1-1	A= Prohibit a change of current local service provider  B= Remove the prohibition	1. If populated and LSR.P not = A then return error: NWFDDPS123 LSCP IS PROHIBITED  2. If populated and vv not = A, B, then return error: NWFDDPS124 LSCP VALID VALUE = A, B	O
055	IWT					<b>FIELD NOT SUPPORTED</b>	P
056	IWJK - Inside Wire Jack Code	Indicates the standard code for the type of jack requested	AN	1-5		1. If populated and ((LSR.ACT not = C, N, T, V) or (LSR.P not = C) or (TACT not = N, V, C)), then return error: NWFDDPS125 IWJK IS PROHIBITED	O



**NWF Local Business Rules**  
Version: 9.30.20.1

**DDPS FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
		for inside wiring.				2. If populated and (dl > 5 or dc not = alpha, numeric), then return error: NWFDDPS126 IWJK VALID VALUE = 1-5 ALPHA, NUMERIC	
057	IWJQ - Inside Wire Jack Quantity	Indicates the standard code for the particular registered or non	N	2-2	01-99	1. If not populated and IWJK is populated, then return error: NWFDDPS127 IWJQ IS REQUIRED WHEN IWJK IS POPULATED  2. If populated and IWJK is not populated, then return error: NWFDDPS128 IWJQ IS PROHIBITED WHEN IWJK IS NOT POPULATED  3. If populated and (dc not = 2 or dc not = numeric), then return error: NWFDDPS129 IWJQ VALID VALUE = 2 NUMERIC	O
058	JK CODE					<b>FIELD NOT SUPPORTED</b>	P
059	JK NUM					<b>FIELD NOT SUPPORTED</b>	P
060	JK POS					<b>FIELD NOT SUPPORTED</b>	P
061	JR					<b>FIELD NOT SUPPORTED</b>	P
062	NIDR - NID Request	Indicates a request for a new Network Interface Device (NID).	A	1-1	Y, N	1. If populated and TACT not = N, then return error: NWFDDPS130 NIDR IS PROHIBITED FOR TACT  2. If populated and vv not = Y, N, then return error: NWFDDPS131 NIDR VALID VALUE = Y, N	O
063	ECCKT - Exchange Company Circuit ID	Identifies a provider's circuit identification	AN & ' * ( ) : , \$ - # % " ; . / space	1-41	TELEPHONE NUMBER FORMAT: NPANXXXXXX  SERIAL NUMBER FORMAT: Prefix/service code and modifier/serial number/suffix code/AP code/segment name (if applicable).	1. If populated and dc = virgule and (preceding position not = numeric or following position not = numeric), then return error: NWFDDPS132 ECCKT VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC  2. If populated and (dl > 41 or dc not = alpha, numeric, Ampersand, Apostrophe, Asterisk, Parenthesis, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Percent, Plus Sign, Quote, Semicolon, Space, Period, Virgule), then return error: NWFDDPS133 ECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN,	O

**NWF Local Business Rules**  
Version: 9.30.20.1

**DDPS FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE	
064	RL - Reuse Loop	Identifies the desire to reuse the loop from an existing service arrangement for this request	A	1-1	Y - yes	<p>1. If not populated and TACT = V and OECCKT is populated, then return error: NWFDDPS134 RL IS REQUIRED</p> <p>2. If populated and (TACT not = V or OECCKT is not populated), then return error: NWFDDPS135 RL IS PROHIBITED</p> <p>3. If populated and vv not = Y, then return error: NWFDDPS136 RL VALID VALUE = Y</p>	O
065	OECCKT - Out Exchange Company Circuit ID	Identifies the circuit identification that was previously provided to the old LSP/NSP-Switch by the NSP-Loop	AN	10-41	<p>TELEPHONE NUMBER FORMAT: NPANXXXXXX</p> <p>SERIAL NUMBER FORMAT: Prefix/service code and modifier/serial number/suffix code/AP code/segment name (if applicable).</p>	<p>1. If not populated and RL is populated, then return error: NWFDDPS137 OECCKT IS REQUIRED WHEN RL IS POPULATED</p> <p>2. If populated and RL is not populated, then return error: NWFDDPS138 OECCKT IS PROHIBITED WHEN RL IS NOT POPULATED</p> <p>3. If populated and (dl &lt; 10 or &gt; 41), then return error: NWFDDPS139 OECCKT VALID LENGTH = 10-41</p>	O
066	CKR - Customer Circuit Reference	Identifies the circuit number or sequential range of circuit numbers assigned by the customer	AN & ' * ( ) : , \$ - # % + " ; . / space	1-41		<p>1. If populated and dc = virgule and (preceding position does not = numeric or following position not = numeric), then return error: NWFDDPS140 CKR VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC</p> <p>2. If populated and (dl &gt; 41 or dc not = alpha, numeric, Ampersand, Apostrophe, Asterisk, Parenthesis, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Percent, Plus Sign, Quote, Semicolon, Space, Period, Virgule), then return error: NWFDDPS141 CKR VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE</p>	O
067	CFA					<b>FIELD NOT SUPPORTED</b>	P
068	CCEA					<b>FIELD NOT SUPPORTED</b>	P

**NWF Local Business Rules**  
Version: 9.30.20.1

**DDPS FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
069	FPI - Freeze PIC Indicator	Identifies a request that PIC activity on the Working Telephone Number (WTN) be restricted	A	1-1	A= Freeze IntraLATA PIC B= Freeze Inter & IntraLATA PIC E= Freeze InterLATA PIC R= Remove InterLATA freeze S= Remove IntraLATA freeze T= Remove Inter & IntraLATA freezes	1. If populated and vv = R, S, T and (TACT or TNA = N), then return error: NWFDDPS142 FPI VALID VALUE = A, B, E WHEN TACT OR TNA = N  2. If populated and vv not = A, B, E, R, S, T, then return error: NWFDDPS143 FPI VALID VALUE = A, B, E, R, S, T	O
070	PIC - InterLATA Pre-subscription Indicator Code	Identifies the Pre-subscription Indicator Code (PIC) of the carrier the customer has selected for InterLATA traffic	AN	2-4	NNNN = Valid PIC Code NONE – None Selected NA – Not Applicable NC=No Change	1. If not populated and TACT = N, P, V and TTP = C, D, E, F, then return error: NWFDDPS144 PIC IS REQUIRED  2. If populated and vv not = NONE, NC, NA and (dl does not = 4 or dc does not = numeric), then return error: NWFDDPS145 PIC VALID VALUE = NONE, NC, NA OR 4 NUMERIC  3. If populated and vv = 0000, return error NWFDDPS171 PIC 0000 INVALID  Note: NA should be used for DID Trunks	O
071	LPIC - IntraLATA Pre-subscription Indicator Code	Identifies the Pre-subscription Indicator Code (PIC) of the carrier the customer has selected for IntraLATA traffic	AN	2-4	NNNN = Valid LPIC Code NONE – None Selected NA – Not Applicable NC=No Change	1. If not populated and TACT = N, P, V and TTP = C, D, E, F, then return error: NWFDDPS146 LPIC IS REQUIRED  2. If populated and vv not = NONE, NC, NA and (dl not = 4 or dc not numeric), then return error: NWFDDPS147 LPIC VALID VALUE = NONE, NC, NA OR 4 NUMERIC  3.If populated and vv = 6500 or 5448, return error NWFDDPS160 INVALID LPIC  Note: NA should be used for DID Trunks	O
072	IPIC					<b>FIELD NOT SUPPORTED</b>	P
<b>FEATURE SECTION</b>							
073	LOCNUM - Location Number	Identifies the service location number for the	N	3		1.If populated and dl does not = 3 and dc does not = numeric, return error NWFDDPS167 LOCNUM VALID VALUE = 3 NUMERIC	O

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
		service requested					
074	RNUM					<b>FIELD NOT SUPPORTED</b>	P
075	FA - Feature Activity	Indicates the activity type for the feature	A	1-1	N=Add/Install, C=Change to feature detail, D=Disconnect, V=Conversion to new LSP as specified,	<p>1. If populated and TACT not = N, C, V, then return error: NWFDDPS148 FA IS PROHIBITED FOR TACT</p> <p>2. If populated and vv not = N and TACT = N, then return error: NWFDDPS149 FA VALID VALUE = N FOR TACT</p> <p>3. If populated and vv not = N, V and TACT = V, then return error: NWFDDPS150 FA VALID VALUE = N, V FOR TACT</p> <p>4. If populated and vv not = N, C, D and TACT = C, then return error: NWFDDPS151 FA VALID VALUE = N, C, D FOR TACT</p>	O
076	FEATURE - Feature Codes	Identifies the type of feature associated with the line	AN + # / *	1-6		<p>1. If populated and FA is not populated, then return error: NWFDDPS152 FEATURE IS PROHIBITED WHEN FA IS NOT POPULATED</p> <p>2.If populated and (dl &gt; 6 or dc not = alpha, numeric, plus sign, hyphen, number sign, virgule, asterick), then return error: NWFDDPS153 FEATURE VALID VALUE 1-6 ALPHA, NUMERIC, PLUS SIGN, HYPHEN, NUMBER SIGN, VIRGULE, ASTERISK</p>	O
077	FEATURE_DETAIL - Feature Detail	Identifies additional information for the type of feature associated with the line	AN & ' * : , \$ - # ( ) % . + " ; / space	1-200		<p>1. If populated and FEATURE is not populated, then return error: NWFDDPS154 FEATURE DETAIL IS PROHIBITED WHEN FEATURE IS NOT POPULATED</p> <p>2. If populated and dc = virgule and (preceding position does not = numeric or following position not numeric), then return error: NWFDDPS155 FEATURE DETAIL VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC</p> <p>3. If populated and (dl &gt; 200 or dc not alpha, numeric, ampersand, apostrophe, asterisk, colon, comma, dollar sign, hyphen, number sign, parentheses,</p>	O

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						percent sign, period, plus sign, quotation marks, semicolon, space, virgule, then return error: NWFDDPS156 FEATURE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS, SEMICOLON, SPACE, VIRGULE	
<b>TRANSFER OF CALLS DETAIL SECTION</b>							
078	LOCNUM - Location Number	Identifies the service location number for the service requested	N	3		1.If not populated and TC OPT is populated, return error NWFDDPS168 TC LOCNUM IS REQUIRED WHEN TC OPT IS POPULATED  2.If populated and dl does not = 3 and dc does not = numeric, return error NWFDDPS169 LOCNUM VALID VALUE = 3 NUMERIC	O
079	RNUM					<b>FIELD NOT SUPPORTED</b>	P
080	TC OPT - Transfer of Call Options	Identifies the type of transfer of call option the end user has requested.	A	1	N=None S=Standard T=Split Transfer of Calls	1. If not populated and TNA = D, X, then return error: NWFDDPS020 TC OPT IS REQUIRED FOR TNA  2. If populated and TNA not = D, X, then return error: NWFDDPS021 TC OPT IS PROHIBITED FOR TNA  3.If populated and vv does not = N, S, T, return error NWFDDPS022 TC OPT VALID VALUE = N, S, T	
081	TC TO PRI - Transfer of Calls To Primary Number	Identifies the telephone number to which calls are to be referred.	N	10-10		1.If not populated and TC OPT = S, T, return error NWFDDPS023 TC TO PRI IS REQUIRED FOR TC OPT  2.If populated and TC OPT does not = S, T, return error NWFDDPS024 TC TO PRI IS PROHIBITED FOR TC  3. If populated and (dl not = 10 or dc not numeric), then return error: NWFDDPS025 TC TO PRI VALID VALUE = 10 NUMERIC	

**NWF Local Business Rules**  
Version: 9.30.20.1

**DDPS FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
082	TC TO SEC - Transfer of Calls To Secondary Number	Identifies the secondary telephone number to which calls are to be referred.	N	10-10		<p>1.If not populated and TC OPT = T, return error NWFDDPS032 TC TO SEC IS REQUIRED FOR TC OPT</p> <p>2.If populated and TC OPT does not = T, return error NWFDDPS033 TC TO SEC IS PROHIBITED FOR TC OPT</p> <p>3. If populated and (dl not = 10 or dc not numeric), then return error: NWFDDPS034 TC TO SEC VALID VALUE = 10 NUMERIC</p>	
083	TC PER - Transfer of Calls Period	Indicates the requested date that the transfer of calls, specified in the TC TO PRI field, is to be removed and the standard recorded announcement is to be provided.	N	8-8	CCYYMMDD CC – 00-99 YY – 00-99 MM – 01-12 DD – 01-31	<p>1. If populated and TC TO PRI is not populated, then return error: NWFDDPS041 TC PER IS PROHIBITED</p> <p>2. If populated and vv ≤ LSR.DDD, then return error: NWFDDPS042 TC PER MUST BE GREATER THAN DDD</p> <p>3. If populated and format not = CCYYMMDD, then return error: NWFDDPS043 TC PER VALID FORMAT = CCYYMMDD</p>	
084	TCID - Transfer of Calls To Identifier	Identifies the sequence of telephone numbers and names associated with the Primary Number (TC TO PRI) of split transfer of calls.	N	1-2		<p>1.If not populated and TC OPT = T, return error NWFDDPS026 TCID IS REQUIRED FOR TC OPT</p> <p>2.If populated and TC OPT does not = T, return error NWFDDPS027 TCID IS PROHIBITED FOR TC OPT</p> <p>3. If populated and (dl &gt; 2 or dc not numeric), then return error: NWFDDPS028 TCID VALID VALUE = 1-2 NUMERIC</p>	
084a	TCID 2 - Transfer of Calls To Identifier 2	Identifies the sequence of telephone numbers and name associated with the Secondary Number (TC TO SEC) of split transfer of calls.	N	1-2		<p>1.If not populated and TC OPT = T, return error NWFDDPS035 TCID 2 IS REQUIRED FOR TC OPT</p> <p>2.If populated and TC OPT does not = T, return error NWFDDPS036 TCID 2 IS PROHIBITED FOR TC OPT</p>	

**NWF Local Business Rules**  
Version: 9.30.20.1

**DDPS FORM**  
Effective: 05/01/2020

Fld Nbr	Field Name	Field Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						3. If populated and (dl > 2 or dc not numeric), then return error: NWFDDPS037 TCID 2 VALID VALUE = 1-2 NUMERIC	
085	TC NAME - Transfer of Calls To Name	Identifies the name(s) associated with TC TO PRI field to which calls are referred when split transfer of calls is requested..	AN ' , - . space	1-35		1.If not populated and TC OPT = T, return error NWFDDPS029 TC NAME IS REQUIRED FOR TC OPT  2.If populated and TC OPT does not = T, return error NWFDDPS030 TC NAME IS PROHIBITED FOR TC OPT  3. If populated and (dl > 35 or dc not alpha, numeric, apostrophe, comma, hyphen, period, space), then return error: NWFDDPS031 TC NAME VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE	
085a	TC NAME 2 - Transfer of Calls To Name 2	Identifies the name or special instructions associated with the TC TO SEC field to which calls are to be referred when split transfer of calls is requested	AN ' , - . space	1-35		1.If not populated and TC OPT = T, return error NWFDDPS038 TC NAME 2 IS REQUIRED FOR TC OPT  2.If populated and TC OPT does not = T, return error NWFDDPS039 TC NAME 2 IS PROHIBITED FOR TC OPT  3. If populated and (dl > 35 or dc not alpha, numeric, apostrophe, comma, hyphen, period, space), then return error: NWFDDPS040 TC NAME 2 VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE	
086	REMARKS					<b>FIELD NOT SUPPORTED</b>	P

**NWF Local Business Rules**  
**Version: 9.30.20.1**  
**APPENDIX A – ERROR MESSAGE TABLE**

**DDPS FORM**  
**Effective: 05/01/2020**

<b>Error Message Number</b>	<b>Error Message Text</b>
NWFDDPS001	COMMQ IS REQUIRED FOR ACT
NWFDDPS002	COMMQ VALID VALUE = 2 NUMERIC
NWFDDPS003	LOCNUM IS REQUIRED
NWFDDPS004	LOCNUM VALID VALUE = 1-3 NUMERIC
NWFDDPS005	RNUM IS REQUIRED WHEN COMMQ IS POPULATED
NWFDDPS006	RNUM IS PROHIBITED WHEN COMMQ IS NOT POPULATED
NWFDDPS007	RNUM VALID VALUE = 1-4 NUMERIC
NWFDDPS008	AD IS REQUIRED WHEN COMMQ IS POPULATED
NWFDDPS009	AD VALID VALUE = A, B, C
NWFDDPS010	TNSGQ IS REQUIRED FOR AD
NWFDDPS011	TNSGQ IS PROHIBITED FOR AD
NWFDDPS012	TNSGQ VALID VALUE = 2 NUMERIC
NWFDDPS013	TKGQ IS REQUIRED FOR AD
NWFDDPS014	TKGQ IS PROHIBITED FOR AD
NWFDDPS015	TKGQ VALID VALUE = 2 NUMERIC
NWFDDPS016	NPI IS REQUIRED FOR NPDI
NWFDDPS017	NPI IS PROHIBITED FOR NPDI
NWFDDPS018	NPI VALID VALUE = E FOR NPDI
NWFDDPS019	NPI VALID VALUE = C, E, F
NWFDDPS020	TC OPT IS REQUIRED FOR TNA
NWFDDPS021	TC OPT IS PROHIBITED FOR TNA
NWFDDPS022	TC OPT VALID VALUE = N, S, T
NWFDDPS023	TC TO PRI IS REQUIRED FOR TC OPT
NWFDDPS024	TC TO PRI IS PROHIBITED FOR TC OPT
NWFDDPS025	TC TO PRI VALID VALUE = 10 NUMERIC
NWFDDPS026	TCID IS REQUIRED FOR TC OPT
NWFDDPS027	TCID IS PROHIBITED FOR TC OPT
NWFDDPS028	TCID VALID VALUE = 1-2 NUMERIC
NWFDDPS029	TC NAME IS REQUIRED FOR TC OPT
NWFDDPS030	TC NAME IS PROHIBITED FOR TC OPT
NWFDDPS031	TC NAME VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
NWFDDPS032	TC TO SEC IS REQUIRED FOR TC OPT
NWFDDPS033	TC TO SEC IS PROHIBITED FOR TC OPT
NWFDDPS034	TC TO SEC VALID VALUE = 10 NUMERIC
NWFDDPS035	TCID 2 IS REQUIRED FOR TC OPT
NWFDDPS036	TCID 2 IS PROHIBITED FOR TC OPT
NWFDDPS037	TCID 2 VALID VALUE = 1-2 NUMERIC



**NWF Local Business Rules**  
**Version: 9.30.20.1**

**DDPS FORM**  
**Effective: 05/01/2020**

NWFDDPS038	TC NAME 2 IS REQUIRED FOR TC OPT
NWFDDPS039	TC NAME 2 IS PROHIBITED FOR TC OPT
NWFDDPS040	TC NAME 2 VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
NWFDDPS041	TC PER IS PROHIBITED
NWFDDPS042	TC PER MUST BE GREATER THAN DDD
NWFDDPS043	TC PER VALID FORMAT = CCYYMMDD
NWFDDPS044	RNUM IS REQUIRED FOR AD
NWFDDPS045	RNUM IS PROHIBITED FOR AD
NWFDDPS046	RNUM VALID VALUE = 1-4 NUMERIC
NWFDDPS047	TNA IS REQUIRED FOR AD
NWFDDPS048	TNA IS PROHIBITED FOR AD
NWFDDPS049	TNA VALID VALUE = C, N, D, X, P
NWFDDPS050	TNA VALID VALUE = N FOR ACT
NWFDDPS051	
NWFDDPS052	TNA VALID VALUE = N, V, D FOR ACT
NWFDDPS053	TNA VALID VALUE = C, D, M, N, P, T, V, W, X
NWFDDPS054	QN IS REQUIRED WHEN TNA IS POPULATED
NWFDDPS055	QN IS PROHIBITED WHEN TNA IS NOT POPULATED
NWFDDPS056	QN VALID VALUE = 1-4 NUMERIC
NWFDDPS057	CKR VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC
NWFDDPS058	CKR VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE
NWFDDPS059	TNS IS REQUIRED WHEN TNA IS POPULATED
NWFDDPS060	TNS IS PROHIBITED WHEN TNA IS NOT POPULATED
NWFDDPS061	TNS VALID VALUE = 1-15 ALPHA, NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA
NWFDDPS062	OTNS IS REQUIRED FOR TNA
NWFDDPS063	OTNS IS PROHIBITED FOR TNA
NWFDDPS064	OTNS VALID VALUE = 1-15 ALPHA, NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA
NWFDDPS065	TGN VALID VALUE = 3-4 NUMERIC
NWFDDPS066	RIN VALID VALUE = 3-10 NUMERIC
NWFDDPS067	BA VALID VALUE = A FOR TNA
NWFDDPS068	BA VALID VALUE = A, D, E, N, Z
NWFDDPS069	BLOCK IS REQUIRED FOR BA
NWFDDPS070	BLOCK IS PROHIBITED FOR BA
NWFDDPS071	BLOCK VALID VALUE = 1 ALPHA, NUMERIC
NWFDDPS072	FA IS PROHIBITED FOR TNA
NWFDDPS073	FA VALID VALUE = N FOR TNA
NWFDDPS074	FA VALID VALUE = N, V FOR TNA
NWFDDPS075	FA VALID VALUE = N, C, D FOR TNA
NWFDDPS076	FEATURE IS PROHIBITED WHEN FA IS NOT POPULATED
NWFDDPS077	FEATURE IS REQUIRED WHEN FA IS POPULATED

**NWF Local Business Rules****Version: 9.30.20.1****DDPS FORM****Effective: 05/01/2020**

NWFDDPS078	FEATURE VALID VALUE 1-6 ALPHA, NUMERIC, PLUS SIGN, HYPHEN, NUMBER SIGN, VIRGULE, ASTERISK
NWFDDPS079	FEATURE DETAIL IS PROHIBITED WHEN FEATURE IS NOT POPULATED
NWFDDPS080	FEATURE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS, SEMICOLON, SPACE, VIRGULE
NWFDDPS081	RNUM IS REQUIRED FOR AD
NWFDDPS082	RNUM IS PROHIBITED FOR AD
NWFDDPS083	RNUM VALID VALUE = 1-4 NUMERIC
NWFDDPS084	TACT IS REQUIRED FOR AD
NWFDDPS085	TACT IS PROHIBITED FOR AD
NWFDDPS086	TACT VALID VALUE = C, N, D, P, X FOR ACT
NWFDDPS087	TACT VALID VALUE = N FOR ACT
NWFDDPS088	
NWFDDPS089	TACT VALID VALUE = N, V, D FOR ACT
NWFDDPS090	TACT VALID VALUE = C, D, N, P, V, W, X
NWFDDPS091	TERS VALID VALUE = 1-10 ALPHA, NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA
NWFDDPS092	TKQ IS REQUIRED WHEN TACT IS POPULATED
NWFDDPS093	TKQ IS PROHIBITED WHEN TACT IS NOT POPULATED
NWFDDPS094	TKQ VALID VALUE = 1-4 NUMERIC
NWFDDPS095	TNS IS REQUIRED FOR TTP
NWFDDPS096	TNS IS PROHIBITED FOR TTP
NWFDDPS097	TNS VALID VALUE = 1-15 ALPHA, NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA
NWFDDPS098	TSP VALID FORMAT = XXXXXXXXX-XX
NWFDDPS099	TSP VALID VALUE FOR POSITION 11 MUST = E, 0, 1, 2, 3, 4, 5
NWFDDPS100	TSP VALID VALUE FOR POSITION 12 MUST = 0, 1, 2, 3, 4, 5
NWFDDPS101	OTN IS REQUIRED FOR TACT
NWFDDPS102	OTN IS PROHIBITED FOR TACT
NWFDDPS103	OTN VALID VALUE = 10 NUMERIC
NWFDDPS104	LTLI IS REQUIRED FOR TTP
NWFDDPS105	LTLI VALID VALUE = N OR 10 NUMERIC
NWFDDPS106	TGN VALID VALUE = 3-4 NUMERIC
NWFDDPS107	RIN VALID VALUE = 3-10 NUMERIC
NWFDDPS108	TKIND VALID LENGTH = 1-10
NWFDDPS109	DO IS PROHIBITED WHEN TACT IS NOT POPULATED
NWFDDPS110	DO VALID VALUE = 2 NUMERIC
NWFDDPS111	PULSE IS REQUIRED FOR TTP
NWFDDPS112	PULSE VALID VALUE = DP, MF, DTMF
NWFDDPS113	SSIG IS REQUIRED FOR TTP
NWFDDPS114	SSIG VALID VALUE = LS, GS, WS, DD, IM
NWFDDPS115	TTP IS REQUIRED WHEN TACT IS POPULATED
NWFDDPS116	TTP IS PROHIBITED WHEN TACT IS NOT POPULATED

**NWF Local Business Rules****Version: 9.30.20.1****DDPS FORM****Effective: 05/01/2020**

NWFDDPS117	TTP VALID VALUE = A, B, C, D, E, F
NWFDDPS118	BA VALID VALUE = A FOR TACT
NWFDDPS119	BA VALID VALUE = A, D, E, N, Z
NWFDDPS120	BLOCK IS REQUIRED FOR BA
NWFDDPS121	BLOCK IS PROHIBITED FOR BA
NWFDDPS122	BLOCK VALID VALUE = 1-16 ALPHA, NUMERIC
NWFDDPS123	LSCP IS PROHIBITED
NWFDDPS124	LSCP VALID VALUE = A, B
NWFDDPS125	IWJK IS PROHIBITED
NWFDDPS126	IWJK VALID VALUE = 1-5 ALPHA, NUMERIC
NWFDDPS127	IWJQ IS REQUIRED WHEN IWJK IS POPULATED
NWFDDPS128	IWJQ IS PROHIBITED WHEN IWJK IS NOT POPULATED
NWFDDPS129	IWJQ VALID VALUE = 2 NUMERIC
NWFDDPS130	NIDR IS PROHIBITED FOR TACT
NWFDDPS131	NIDR VALID VALUE = Y, N
NWFDDPS132	ECCKT VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC
NWFDDPS133	ECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE
NWFDDPS134	RL IS REQUIRED
NWFDDPS135	RL IS PROHIBITED
NWFDDPS136	RL VALID VALUE = Y
NWFDDPS137	OECCKT IS REQUIRED WHEN RL IS POPULATED
NWFDDPS138	OECCKT IS PROHIBITED WHEN RL IS NOT POPULATED
NWFDDPS139	OECCKT VALID LENGTH = 10-41
NWFDDPS140	CKR VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC
NWFDDPS141	CKR VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE
NWFDDPS142	FPI VALID VALUE = A, B, E WHEN TACT OR TNA = N
NWFDDPS143	FPI VALID VALUE = A, B, E, R, S, T
NWFDDPS144	PIC IS REQUIRED
NWFDDPS145	PIC VALID VALUE = NONE, NC, NA OR 4 NUMERIC
NWFDDPS146	LPIC IS REQUIRED
NWFDDPS147	LPIC VALID VALUE = NONE, NC, NA OR 4 NUMERIC
NWFDDPS148	FA IS PROHIBITED FOR TACT
NWFDDPS149	FA VALID VALUE = N FOR TACT
NWFDDPS150	FA VALID VALUE = N, V FOR TACT
NWFDDPS151	FA VALID VALUE = N, C, D FOR TACT
NWFDDPS152	FEATURE IS PROHIBITED WHEN FA IS NOT POPULATED
NWFDDPS153	FEATURE VALID VALUE 1-6 ALPHA, NUMERIC, PLUS SIGN, HYPHEN, NUMBER SIGN, VIRGULE, ASTERISK
NWFDDPS154	FEATURE DETAIL IS PROHIBITED WHEN FEATURE IS NOT POPULATED

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**DDPS FORM**  
**Effective: 05/01/2020**

NWFDDPS155	FEATURE DETAIL VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC
NWFDDPS156	FEATURE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS, SEMICOLON, SPACE, VIRGULE
NWFDDPS157	FIELD IS REQUIRED WHEN THE AD FIELD IS A OR C
NWFDDPS158	ENTRY MUST BE NUMERIC
NWFDDPS159	FIELD REQUIRED IS QN IS POPULATED
NWFDDPS160	INVALID LPIC
NWFDDPS161	REQUIRED IF AD=B OR C
NWFDDPS162	LOCNUM VALID VALUE = 3 NUMERIC
NWFDDPS163	REQUIRED WHEN TACT =C, D AND LTLI IS NOT POPULATED
NWFDDPS164	DIN VALID VALUE = 2 NUMERIC
NWFDDPS165	DIN is PROHIBITED WHEN TACT IS NOT POPULATED
NWFDDPS166	DO REQUIRED IF TACT = N OR V
NWFDDPS167	LOCNUM VALID VALUE = 3 NUMERIC
NWFDDPS168	TC LOCNUM IS REQUIRED WHEN TC OPT IS POPULATED
NWFDDPS169	LOCNUM VALID VALUE = 3 NUMERIC
NWFDDPS170	TNA VALID VALUE = C, D, M, N, X WHEN ACT = M
NWFDDPS171	PIC 0000 INVALID
NWFDDPS172	
NWFDDPS173	
NWFDDPS174	
NWFDDPS175	

**APPENDIX B – CHANGE CONTROL LOG**

DATE	REVISION NUMBER	FIELD	CHANGE
12/01/2019	N/A	All	Initial Version 9.30.20.1 – NWF Local Business Rules
02/20/2020	N/A	All	Add Production Effective Date to Header
03/16/2020	n/a	n/a	Rebranded as Ziplly Fiber