

Northwest Four States (NWF) Technical Specifications for LSR UOM Web Services Interface

Northwest Four States

Version: 1.1
Revised Date: 12/01/2019

TABLE OF CONTENTS

<i>Introduction</i>	7
<i>Referenced Documents:</i>	7
<i>System requirements</i>	7
<i>Definitions</i>	7
<i>Assumptions and Constraints:</i>	7
<i>LSR UOM Receive Web Service interface architecture</i>	8
<i>WSDLs & LSR Flow</i>	9
<i>LSR Receive WSDLs</i>	9
LSR Request Receive WSDL	9
LSR Response Send WSDL	10
Soap Header and Security Information.....	12
LSR UOM Order Flow.....	13
LSR UOM Preorder Flow	14
<i>Sample LSR tMLs</i>	15
<i>LSR UOM PreOrder Request tML</i>	15
TxType: E- Customer Service Request Inquiry.....	15
TxType: A – Address Validation Inquiry	16
TxType: J – Loop Makeup.....	17
TxType: B - TN Assignment	18
TxType: C – Feature Service Availability	20
TxType: D – Appointment scheduling	21
TxType: G – Reservation Maintenance	22
TxType: H – XDSL Loop Qualification.....	23
TxType: I – Installation Status	25
TxType: K – XDSL Loop Qualification Ext.....	26
TxType: N – Collocation Facility Assignment.....	28
TxType: P – Loop Qualification Extended.....	29
TxType: Q – Loop Qualification Basic	31
TxType: S – Service Order Inquiry	33
TxType: T – Directory Listing.....	34
TxType: W – Fiber Availability	35

TxType: X – Loop Qualification DSL	36
<i>LSR UOM Pre Order Response tML</i>	38
TxType: E – Customer Service Request Response	38
TxType: A – Address Validation Response	53
TxType: J – Loop Makeup Response	55
TxType: D – Appointment Scheduling Response	57
TxType: T – Directory Listing Response	59
TxType: W – Fiber Availability Response	62
TxType: X – Loop Qualification DSL Response	64
TxType: Q – Loop Qualification Basic Response	72
TxType: K – XDSL Loop Qualification EXT Response	79
TxType: S – Service Order Inquiry Response	82
TxType: N – Collocation Facility Assignment Response	84
TxType: I – Installation Status Response	86
TxType: H – XDSL Loop Qualification Response	88
TxType: B – TN Assignment Response	91
TxType: P – Loop Qualification Extended Response	94
TxType: C – Feature or Service Availability Response	96
TxType: G – Reservation Maintenance Response	100
<i>LSR UOM Order Request tML</i>	101
ReqType: AB	101
ReqType: JB	104
ReqType: BB	114
ReqType: CB	116
ReqType: DB	118
ReqType: EB	122
ReqType: FB	125
ReqType: KB	127
ReqType: LB	129
ReqType: NB	131
ReqType: PB	136
ReqType: QB	138
<i>LSR Order Responses</i>	140
<i>Synchronous Response: OK tML</i>	140

<i>Synchronous Response: SOAP Fault</i>	<i>140</i>
<i>Jeopardy Response tML.....</i>	<i>142</i>
<i>LR Response tML.....</i>	<i>146</i>
<i>LSRBCM Response tML.....</i>	<i>150</i>
<i>LSRPCM Response tML.....</i>	<i>153</i>
<i>LSR Error Response tML</i>	<i>154</i>
<i>LSR Provide Notification Response tML.....</i>	<i>155</i>
<i>SOAP Faults and Fault messages</i>	<i>157</i>
<i>tMLHeader Details.....</i>	<i>158</i>
<i>Appendix 1</i>	<i>158</i>
<i>Change Log</i>	<i>159</i>

Introduction

Referenced Documents:

ATIS Documents for UOM LSR

ILEC customers have to purchase/procure above referenced documents from ATIS.

System requirements

Web Services over HTTP/HTTPS

SOAP version 1.2

WSDL 1.1

Definitions

XML – Extensible Markup language

LSR – Local Service Request

LSOG – Local Services Ordering Guideline

WSDL – Web Service Definition Language

RPC – Remote procedure Call

HTTP – Hypertext Transfer protocol

SOAP – Simple Object Access Protocol


tML – Telecommunications Messaging Language

Assumptions and Constraints:

- This LSR UOM receive Web Service component will support order as well as preorder requests and responses.
- While migrating any ebonded customers from EDI receive to XML receive, migration script will be required

LSR UOM Receive Web Service interface architecture

LSR UOM Receive Web Service interfaces follows standard business-to-business integration mode between two trading partner.



- NWF LSR Receive Web Service is implemented in RPC style as per the WSDL published. More details on the LSR WSDLs are provided in the following document.
- NWF customers need to write to the LSR Request-Receive WSDL to send LSR requests to the ILEC.
- NWF customers must implement RPC style Web Service as per the LSR Response-Send WSDL published by the ILEC to receive asynchronous LSR order response notifications.
- NWF customers' LSR send client need to initiate tML request over HTTPS.
- NWF LSR receive Web Service interface extracts the payload, forwards it to back end system and sends back soap response back to their customers.

WSDLs & LSR Flow

LSR Receive WSDLs

LSR Request Receive WSDL

This Web Service must be implemented by the new LSR UOM Receive Web Service component and the carriers sending LSR UOMs must write to this Web Service using WSDL provided by NWF at the time LSR-UOM is requested. The *processAsyncRequest* is for Orders and *processSyncRequest* is for Preorders.

Note: The Web Service server will be deployed on the NWF side and will be able to handle requests coming in and responses going to customers.

Operation and Message names

1. processAsyncRequest – RPC over SOAP HTTP protocol
 - a. request
 - b. response
2. processSyncRequest – RPC over SOAP HTTP protocol
 - a. request
 - b. response

Text version of the WSDL

```
<?xml version="1.0" encoding="UTF-8"?>
<definitions targetNamespace="java:lsr.webservice.wisor.com" xmlns:apachesoap="http://xml.apache.org/xml-soap" xmlns:tns="java:lsr.webservice.wisor.com" xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns="http://schemas.xmlsoap.org/wsdl/" xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <message name="request">
    <part xmlns:partns="http://www.w3.org/2001/XMLSchema" type="partns:string"
name="string"/>
  </message>
  <message name="response">
    <part xmlns:partns="http://www.w3.org/2001/XMLSchema" type="partns:string"
name="response"/>
  </message>
  <portType name="lsrport">
    <operation name="processAsyncRequest">
      <input message="tns:request"/>
      <output message="tns:response"/>
    </operation>
    <operation name="processSyncRequest">
      <input message="tns:request"/>
      <output message="tns:response"/>
    </operation>
  </portType>
  <binding type="tns:lsrport" name="lsrport">
    <soap:binding style="rpc" transport="http://schemas.xmlsoap.org/soap/http"/>
    <operation name="processAsyncRequest">
```

```

                <soap:operation soapAction=""/>
                <input>
                    <soap:body encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
namespace="java:lsr.webservice.wisor.com" use="literal"/>
                </input>
                <output>
                    <soap:body encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
namespace="java:lsr.webservice.wisor.com" use="literal"/>
                </output>
            </operation>
            <operation name="processSyncRequest">
                <soap:operation soapAction=""/>
                <input>
                    <soap:body encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
namespace="java:lsr.webservice.wisor.com" use="literal"/>
                </input>
                <output>
                    <soap:body encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
namespace="java:lsr.webservice.wisor.com" use="literal"/>
                </output>
            </operation>
        </binding>
        <service name="lsrservice">
            <port binding="tns:lsrport" name="lsrport">
                <soap:address location="Wisor_Service_URL"/>
            </port>
        </service>
    </definitions>

```

LSR Response Send WSDL

NWF customers must implement this Web Service and NWF must write to this Web Service hosting the WSDL provided by NWF at the time LSR-UOM is requested. This WSDL is only for Orders as there are no asynchronous responses in case of Preorders.

Operation and Message names:

1. processAsyncResponse – RPC over SOAP HTTP protocol
 - a. response

Text version of the WSDL

```

<?xml version="1.0" encoding="UTF-8"?>
<definitions targetNamespace="java:webservice.lsr.customer.wisor.com"
xmlns:apachesoap="http://xml.apache.org/xml-soap" xmlns:tns="java:webservice.lsr.customer.wisor.com"
xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/" xmlns="http://schemas.xmlsoap.org/wsdl/"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/" xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <message name="response">
        <part xmlns:partns="http://www.w3.org/2001/XMLSchema" type="partns:string"
name="string"/>

```



```

    </message>
    <message name="result">
      <part xmlns:partns="http://www.w3.org/2001/XMLSchema" type="partns:string"
name="result"/>
    </message>
    <portType name="lsrport">
      <operation name="processAsyncResponse">
        <input message="tns:response"/>
        <output message="tns:result"/>
      </operation>
    </portType>
    <binding type="tns:lsrport" name="lsrport">
      <soap:binding style="rpc" transport="http://schemas.xmlsoap.org/soap/http"/>
      <operation name="processAsyncResponse">
        <soap:operation style="rpc" soapAction=""/>
        <input>
          <soap:body namespace="java:webservice.lsr.customer.wisor.com"
encodingStyle="http://schemas.xmlsoap.org/soap/encoding/" use="literal"/>
        </input>
        <output>
          <soap:body namespace="java:webservice.lsr.customer.wisor.com"
encodingStyle="http://schemas.xmlsoap.org/soap/encoding/" use="literal"/>
        </output>
      </operation>
    </binding>
    <service name="lsrservice">
      <port name="lsrport" binding="tns:lsrport">
        <soap:address location="http://clec.com"/>
      </port>
    </service>
  </definitions>

```

Soap Header and Security Information

All LSR-UOM communication between NWF and the external customers will be SOAP over HTTPS. SSL encrypted communication is required. This is through one way SSL, 2 way SSL is currently not supported.

All clients will be issued a unique username and password. These credentials will be used in the SOAP header of every request to identify and authenticate the sender. The username and password will be provided by NWF once approved for LSR UOM.

NWF will also provide a sender id to be used in the "From" field of the soap header. All three values will be used to authenticate the sending customer and service whether order or pre order.

The "To" field in the request message soap header will be a constant value for all customers:

Order:

NWFORD

Pre Order:

NWFPO

```
<soapenv:Header>
  <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext" soapenv:actor=""
    soapenv:mustUnderstand="0">
    <wsse:UsernameToken>
      <wsse:Username>provided by NWF upon requesting LSR XML access</wsse:Username>
      <wsse:Password> provided by NWF upon requesting LSR XML access </wsse:Password>
    </wsse:UsernameToken>
  </wsse:Security>
  <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
    <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-04:00562</ns1:TransportID>
    <ns1:CorrelationID>49689</ns1:CorrelationID>
    <ns1:TrackID>49689</ns1:TrackID>
    <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
    <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
    <ns1:From> provided by NWF upon requesting LSR XML access </ns1:From>
    <ns1:To>FTRPO</ns1:To>
    <ns1:SendTimestamp>2012-09-27T01:20:38.974-04:00</ns1:SendTimestamp>
    <ns1:RetryCount>0</ns1:RetryCount>
  </ns1:tMLHeader>
</soapenv:Header>
```

LSR UOM Order Flow

NWF customers must transmit LSR UOM Order tML as *request* parameter over the operation *processAsyncRequest* with a place holder for the *response* string parameter.

NWF will validate the received UOM message for security header validation, basic tML conformity and XML Schema validation.

- If it fails, a SOAP fault will be sent back on the *response* message of the *processAsyncRequest* operation.
- If successful, OK tML will be sent as the synchronous response attribute of the *processAsyncRequest* web service call.

NWF will then continue validating the XML against the Business Rules.

- If business rules validation fails, NWF sends back a reject xml */localservicerresponse/errorresponse* to ebonded customers.
- If business rules validation is successful, NWF sends a */localresponse* xml back to the ebonded customer.

The LSR request xml has to be inserted into node “string” as a text string. The text string of a given xml is obtained by replacing all the xml special characters <, >, “, ‘, & with <, >, ", ', & respectively. If you are using standard third party api like AXIS as a soap engine, replacing the xml special characters with proper escape sequences will be automatically taken care. If you are using your own soap engine, the explicit conversion of an xml to a text representation is required.

The LSR response xml will be inserted into node “string” as a text string. The text string of a given xml is obtained by replacing all the xml special characters <, >, “, ‘, & with <, >, ", ', & respectively.

LSR UOM Preorder Flow

Ebonded customers must transmit LSR UOM Preorder tML as *request* parameter over the operation *processSyncRequest* with a place holder for the *response* string parameter.

NWF will validate the received UOM message for security header validation, basic tML conformity and XML Schema validation.

- If it fails, a SOAP fault will be sent back on the *response* message of the *processSyncRequest* operation.
- If it succeeds, the request must be translated to XML and transmitted to NWF OSS, wait for synchronous response and send back that response over the same *processSyncRequest* operation as response back to the sender. Exchange Path must persist the request tML & XML as Source & Target in an outbound transaction. It must persist the response XML & tML as Source & Target in an inbound transaction.

The LSR preorder request xml has to be inserted into node "string" as a text string. The text string of a given xml is obtained by replacing all the xml special characters <, >, ", ', & with <, >, ", ', & respectively. If you are using standard third party api like AXIS as a soap engine, replacing the xml special characters with proper escape sequences will be automatically taken care. If you are using your own soap engine, the explicit conversion of an xml to a text representation is required.

The LSR PO response xml will be inserted into node "string" as a text string. The text string of a given xml is obtained by replacing all the xml special characters <, >, ", ', & with <, >, ", ', & respectively

Sample LSR tMLs

LSR UOM PreOrder Request tML

TxType: E- Customer Service Request Inquiry

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">&lt;?xml version="1.0"
encoding="UTF-8" ?>
&lt;localserviceporequest xmlns="http://www.synchronoss.com/lsr/NWF_PO"
xmlns:snrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;customerserviceinquiry
  &lt;ccna>CCNA</ccna>
  &lt;txnum>TXNUM02C</txnum>
  &lt;txtyp>E</txtyp>
  &lt;dtsent>20130221115845</dtsent>
  &lt;cc>1111</cc>
  &lt;ms>A</ms>
  &lt;agauth>Y</agauth>
  &lt;atn>XXXXXXXXXX</atn>
  &lt;state>NY</state>
  &lt;parseind>Y</parseind>
  &lt;/customerserviceinquiry>
&lt;/localserviceporequest></string>
    </processSyncRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

TxType: A – Address Validation Inquiry

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns=""
&lt;?xml version="1.0" encoding="UTF-8"?>
&lt;localserviceporequest
xmlns="http://www.synchronoss.com/lsr/ NWF_PO"
xmlns:sncrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;addressvalidation
&lt;txnum>V0703J6R</txnum>
&lt;dtsent>20130703110900</dtsent>
&lt;txtyp>A</txtyp>
&lt;txact>T</txact>
&lt;cc>CCCC</cc>
&lt;location
&lt;state>ST</state>
&lt;/location>
&lt;qr>
&lt;wtn>5555555555</wtn>
&lt;/addressvalidation>
&lt;/localserviceporequest>
      </string>
    </processSyncRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

TxType: J – Loop Makeup

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
        <?xml version="1.0" encoding="UTF-8"?>
          <localserviceporequest
xmlns="http://www.synchronoss.com/lsr/ NWF_PO"
xmlns:snrBase="http://www.synchronoss.com/base/SNCR_BASE"
          <loopmakeup>
            <txnum>1234</txnum>
            <dtsent>20130711172900</dtsent>
            <init_name>person smith</init_name>
            <init_telnum>555-555-5555</init_telnum>
            <init_email>person@company.net</init_email>
            <txtyp>J</txtyp>
            <txact>A</txact>
            <cc>4321</cc>
            <hour_response_required>Y</hour_response_required>
            <location>
              <aft>N</aft>
              <sano>821</sano>
              <sasd>S</sasd>
              <sasn>MAIN</sasn>
              <sath>ST</sath>
              <city>CITY</city>
              <state>ST</state>
              <zip>99999</zip>
            </location>
          </loopmakeup>
          </localserviceporequest>
        </string>
      </processSyncRequest>
    </soapenv:Body>
  </soapenv:Envelope>
```

TxType: B - TN Assignment

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporequest
xmlns="http://www.synchronoss.com/lsr/ NWF_PO"
xmlns:snrcBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;tassignment&gt;
  &lt;ccna&gt;ccn&lt;/ccna&gt;
  &lt;txnum&gt;txnum2&lt;/txnum&gt;
  &lt;dtsent&gt;dtsent2&lt;/dtsent&gt;
  &lt;ttxtyp&gt;B&lt;/ttxtyp&gt;
  &lt;txact&gt;A&lt;/txact&gt;
  &lt;cc&gt;cc2&lt;/cc&gt;
  &lt;tos&gt;tos1&lt;/tos&gt;
  &lt;ctval&gt;A&lt;/ctval&gt;
  &lt;resid&gt;resid0&lt;/resid&gt;
  &lt;location&gt;
    &lt;route&gt;route1&lt;/route&gt;
    &lt;box&gt;box1&lt;/box&gt;
    &lt;aft&gt;B&lt;/aft&gt;
    &lt;sapr&gt;sapr1&lt;/sapr&gt;
    &lt;sano&gt;sano1&lt;/sano&gt;
    &lt;sasf&gt;sasf&lt;/sasf&gt;
    &lt;sasd&gt;E&lt;/sasd&gt;
    &lt;sasn&gt;sasn1&lt;/sasn&gt;
    &lt;sath&gt;sath1&lt;/sath&gt;
    &lt;sass&gt;E&lt;/sass&gt;
    &lt;ld1&gt;BLDG&lt;/ld1&gt;
    &lt;lv1&gt;lv11&lt;/lv1&gt;
    &lt;ld3&gt;APT&lt;/ld3&gt;
    &lt;lv3&gt;lv31&lt;/lv3&gt;
    &lt;city&gt;city1&lt;/city&gt;
```



```

        <state>AL</state>
        <zip>zip1</zip>
    </location>
    <selexc>selexc</selexc>
    <crossexch>Y</crossexch>
    <tndata>
        <avtn>avtn1</avtn>
        <ttsel>R</tsel>
        <altrcsw>Y</altrcsw>
    </tndata>
    <switchdata>
        <fx>Y</fx>
        <exchsel>R</exchsel>
        <swdesc>swdesc0</swdesc>
        <exchange>exchange0</exchange>
        <lst>lst0</lst>
        <wcn>wcn0</wcn>
    </switchdata>
    <switchdata>
        <fx>Y</fx>
        <exchsel>R</exchsel>
        <swdesc>swdesc1</swdesc>
        <exchange>exchange1</exchange>
        <lst>lst1</lst>
        <wcn>wcn1</wcn>
    </switchdata>
    <tntype>D</tntype>
    <qr>qr1</qr>
    <reservationdata>
        <reqnum>reqnum2</reqnum>
    </reservationdata>
    <reservationdata>
        <reqnum>reqnum3</reqnum>
    </reservationdata>
    <customerdata>
        <atn>atn1</atn>
        <ln>ln0</ln>
        <stat>stat0</stat>
        <cs>cs0</cs>
    </customerdata>
    <customerdata>
        <atn>atn2</atn>
        <ln>ln1</ln>
        <stat>stat1</stat>
        <cs>cs1</cs>
    </customerdata>
    <npanxx>npanxx</npanxx>
    <tax>tax0</tax>
    <extcteffdt>extcteffdt</extcteffdt>
    <cti>Y</cti>
    <cf>cf0</cf>
    <wtn>wtn1</wtn>
    <expind>D</expind>
    </tnassignment>
</localserviceporequest>
</string>
</processSyncRequest>
</soapenv:Body>
</soapenv:Envelope>

```

TxType: C – Feature Service Availability

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns=""
&lt;?xml version="1.0" encoding="UTF-8"?>
&lt;localserviceporequest
xmlns="http://www.synchronoss.com/lsr/ NWF_PO"
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;featureorserviceavailability
&lt;ccna;ccn;/ccna;
&lt;txnum;txnum3;/txnum;
&lt;dtsent;dtsent3;/dtsent;
&lt;ttxyp;C;/ttxyp;
&lt;ttxact;A;/ttxact;
&lt;cc;cc3;/cc;
&lt;tos;tos2;/tos;
&lt;location;
&lt;state;AL;/state;
&lt;/location;
&lt;exkey;exkey0;/exkey;
&lt;npanxx;npanxx;/npanxx;
&lt;line;line;/line;
&lt;/featureorserviceavailability;
&lt;/localserviceporequest;
    </string>
  </processSyncRequest>
</soapenv:Body>
</soapenv:Envelope>
```

TxType: D – Appointment scheduling

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns=""
&lt;?xml version="1.0&quot; encoding="UTF-8&quot;?&gt;
&lt;localserviceporequest
xmlns="http://www.synchronoss.com/lsr/ NWF_PO&quot;
xmlns:sncrBase="http://www.synchronoss.com/base/SNCR_BASE&quot;&gt;
  &lt;appointmentscheduling&gt;
    &lt;ccna&gt;ccn&lt;/ccna&gt;
    &lt;txnum&gt;txnum4&lt;/txnum&gt;
    &lt;dtsent&gt;dtsent4&lt;/dtsent&gt;
    &lt;txtyp&gt;D&lt;/txtyp&gt;
    &lt;txact&gt;A&lt;/txact&gt;
    &lt;cc&gt;cc4&lt;/cc&gt;
    &lt;tos&gt;tos3&lt;/tos&gt;
    &lt;reqtyp&gt;A&lt;/reqtyp&gt;
    &lt;act&gt;N&lt;/act&gt;
    &lt;resid&gt;resid1&lt;/resid&gt;
    &lt;location&gt;
      &lt;state&gt;AL&lt;/state&gt;
    &lt;/location&gt;
    &lt;apprd&gt;apprd0&lt;/apprd&gt;
    &lt;apptime&gt;apptime0&lt;/apptime&gt;
    &lt;qr&gt;qr2&lt;/qr&gt;
    &lt;sli&gt;B&lt;/sli&gt;
    &lt;nc&gt;nc0&lt;/nc&gt;
    &lt;nci&gt;nci0&lt;/nci&gt;
    &lt;secnci&gt;secnci0&lt;/secnci&gt;
  &lt;/appointmentscheduling&gt;
&lt;/localserviceporequest&gt;
    </string>
  </processSyncRequest>
</soapenv:Body>
</soapenv:Envelope>
```

TxType: G – Reservation Maintenance

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns=""
&lt;?xml version="1.0&quot; encoding="UTF-8&quot;?&gt;
&lt;localserviceporequest
xmlns="http://www.synchronoss.com/lsr/ NWF_PO&quot;
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE&quot; &gt;
  &lt;reservationmaintenance&gt;
    &lt;ccna&gt;ccn&lt;/ccna&gt;
    &lt;txnum&gt;txnum5&lt;/txnum&gt;
    &lt;dtsent&gt;dtsent5&lt;/dtsent&gt;
    &lt;txtyp&gt;G&lt;/txtyp&gt;
    &lt;txact&gt;A&lt;/txact&gt;
    &lt;cc&gt;cc5&lt;/cc&gt;
    &lt;location&gt;
      &lt;state&gt;AL&lt;/state&gt;
    &lt;/location&gt;
    &lt;resno&gt;resno0&lt;/resno&gt;
    &lt;reservationdata&gt;
      &lt;reqnum&gt;reqnum4&lt;/reqnum&gt;
      &lt;canceltn&gt;R&lt;/canceltn&gt;
      &lt;exresdt&gt;e&lt;/exresdt&gt;
    &lt;/reservationdata&gt;
    &lt;reservationdata&gt;
      &lt;reqnum&gt;reqnum5&lt;/reqnum&gt;
      &lt;canceltn&gt;R&lt;/canceltn&gt;
      &lt;exresdt&gt;e&lt;/exresdt&gt;
    &lt;/reservationdata&gt;
  &lt;/reservationmaintenance&gt;
&lt;/localserviceporequest&gt;
    </string>
  </processSyncRequest>
</soapenv:Body>
</soapenv:Envelope>
```

TxType: H – XDSL Loop Qualification

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporequest
xmlns="http://www.synchronoss.com/lsr/ NWF_PO"
xmlns:snrcBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;xdslloopqualification&gt;
&lt;ccna&gt;ccn&lt;/ccna&gt;
&lt;txnum&gt;txnum6&lt;/txnum&gt;
&lt;dtsent&gt;dtsent6&lt;/dtsent&gt;
&lt;ttxtyp&gt;H&lt;/ttxtyp&gt;
&lt;txact&gt;A&lt;/txact&gt;
&lt;cc&gt;cc6&lt;/cc&gt;
&lt;resid&gt;resid2&lt;/resid&gt;
&lt;location&gt;
&lt;route&gt;route2&lt;/route&gt;
&lt;box&gt;box2&lt;/box&gt;
&lt;aft&gt;B&lt;/aft&gt;
&lt;sapr&gt;sapr2&lt;/sapr&gt;
&lt;sano&gt;sano2&lt;/sano&gt;
&lt;sasf&gt;sasf&lt;/sasf&gt;
&lt;sasd&gt;E&lt;/sasd&gt;
&lt;sasn&gt;sasn2&lt;/sasn&gt;
&lt;sath&gt;sath2&lt;/sath&gt;
&lt;sass&gt;E&lt;/sass&gt;
&lt;ld1&gt;BLDG&lt;/ld1&gt;
&lt;lv1&gt;lv12&lt;/lv1&gt;
&lt;ld2&gt;ld22&lt;/ld2&gt;
&lt;lv2&gt;lv22&lt;/lv2&gt;
&lt;ld3&gt;APT&lt;/ld3&gt;
&lt;lv3&gt;lv32&lt;/lv3&gt;
&lt;city&gt;city2&lt;/city&gt;
```

```
        &lt;state&gt;AL&lt;/state&gt;
        &lt;zip&gt;zip2&lt;/zip&gt;
    &lt;/location&gt;
    &lt;wtn&gt;wtn2&lt;/wtn&gt;
    &lt;/xdsloopqualification&gt;
    &lt;/localserviceprequest&gt;
    </string>
    </processSyncRequest>
</soapenv:Body>
</soapenv:Envelope>
```

TxType: I – Installation Status

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
        <?xml version="1.0" encoding="UTF-8"?>
          <localserviceporequest
xmlns="http://www.synchronoss.com/lsr/ NWF_PO"
xmlns:snrcBase="http://www.synchronoss.com/base/SNCR_BASE"
          &lt;installationstatus&gt;
            &lt;ccna&gt;ccn&lt;/ccna&gt;
            &lt;txnum&gt;txnum7&lt;/txnum&gt;
            &lt;dtsent&gt;dtsent7&lt;/dtsent&gt;
            &lt;txtyp&gt;I&lt;/txtyp&gt;
            &lt;txact&gt;A&lt;/txact&gt;
            &lt;cc&gt;cc7&lt;/cc&gt;
            &lt;ms&gt;A&lt;/ms&gt;
            &lt;cktype&gt;P&lt;/cktype&gt;
            &lt;location&gt;
              &lt;state&gt;AL&lt;/state&gt;
            &lt;/location&gt;
            &lt;ord&gt;ord0&lt;/ord&gt;
            &lt;ecckt&gt;ecckt1&lt;/ecckt&gt;
          &lt;/installationstatus&gt;
          &lt;/localserviceporequest&gt;
        </string>
      </processSyncRequest>
    </soapenv:Body>
  </soapenv:Envelope>
```

TxType: K – XDSL Loop Qualification Ext.

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporequest
xmlns="http://www.synchronoss.com/lsr/ NWF_PO"
xmlns:snCrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;xdslloopqualificationext
&lt;ccna;ccn;/ccna;
&lt;txnum;txnum9;/txnum;
&lt;dtsent;dtsent9;/dtsent;
&lt;init_name;init_name1;/init_name;
&lt;init_telnum;init_telnum1;/init_telnum;
&lt;init_email;init_email1;/init_email;
&lt;ttxtp;K;/ttxtp;
&lt;txact;A;/txact;
&lt;cc;cc9;/cc;
&lt;resid;resid3;/resid;
&lt;hour_response_required;h;/hour_response_required;
&lt;location;
&lt;route;route4;/route;
&lt;box;box4;/box;
&lt;aft;B;/aft;
&lt;sapr;sapr4;/sapr;
&lt;sano;sano4;/sano;
&lt;sasf;sasf;/sasf;
&lt;sasd;E;/sasd;
&lt;sasn;sasn4;/sasn;
&lt;sath;sath4;/sath;
&lt;sass;E;/sass;
&lt;ld1;BLDG;/ld1;
&lt;lv1;lv14;/lv1;
&lt;ld2;ld24;/ld2;
```



```
        <lv2>lv24</lv2>
        <ld3>APT</ld3>
        <lv3>lv34</lv3>
        <city>city4</city>
        <state>AL</state>
        <zip>zip4</zip>
    </location>
    <wtn>wtn4</wtn>
    </xdsloopqualificationext>
</localserviceporequest>
    </string>
</processSyncRequest>
</soapenv:Body>
</soapenv:Envelope>
```

TxType: N – Collocation Facility Assignment

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns=""
&lt;?xml version="1.0" encoding="UTF-8"?>
&lt;localserviceporequest
xmlns="http://www.synchronoss.com/lsr/ NWF_PO"
xmlns:snrBase="http://www.synchronoss.com/base/SNCR_BASE">
&lt;collocationfacilityassignment>
  &lt;ccna>ccn</ccna>
  &lt;txnum>txnum10</txnum>
  &lt;dtsent>dtsent10</dtsent>
  &lt;txtyp>N</txtyp>
  &lt;catype>C</catype>
  &lt;txact>A</txact>
  &lt;cc>ccl0</cc>
  &lt;ms>A</ms>
  &lt;location>
    &lt;state>AL</state>
  &lt;/location>
  &lt;switchdata>
    &lt;lst>lst3</lst>
  &lt;/switchdata>
  &lt;systemid>system</systemid>
  &lt;shelf>shelf0</shelf>
  &lt;slot>slot0</slot>
  &lt;relayrack>relayrack0</relayrack>
  &lt;cableid>cable</cableid>
  &lt;chanpair>chanpair0</chanpair>
&lt;/collocationfacilityassignment>
&lt;/localserviceporequest>
    </string>
  </processSyncRequest>
</soapenv:Body>
</soapenv:Envelope>
```

TxType: P – Loop Qualification Extended

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporequest
xmlns="http://www.synchronoss.com/lsr/ NWF_PO"
xmlns:snrcBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;loopqualificationextended&gt;
&lt;ccna&gt;ccn&lt;/ccna&gt;
&lt;txnum&gt;txnum11&lt;/txnum&gt;
&lt;dtsent&gt;dtsent11&lt;/dtsent&gt;
&lt;init_name&gt;init_name2&lt;/init_name&gt;
&lt;init_telnum&gt;init_telnum2&lt;/init_telnum&gt;
&lt;init_email&gt;init_email2&lt;/init_email&gt;
&lt;ttxtyp&gt;P&lt;/ttxtyp&gt;
&lt;txact&gt;A&lt;/txact&gt;
&lt;cc&gt;ccl1&lt;/cc&gt;
&lt;ms&gt;A&lt;/ms&gt;
&lt;resid&gt;resid4&lt;/resid&gt;
&lt;hour_response_required&gt;h&lt;/hour_response_required&gt;
&lt;location&gt;
&lt;route&gt;route5&lt;/route&gt;
&lt;box&gt;box5&lt;/box&gt;
&lt;aft&gt;B&lt;/aft&gt;
&lt;sapr&gt;sapr5&lt;/sapr&gt;
&lt;sano&gt;sano5&lt;/sano&gt;
&lt;sasf&gt;sasf&lt;/sasf&gt;
&lt;sasd&gt;E&lt;/sasd&gt;
&lt;sasn&gt;sasn5&lt;/sasn&gt;
&lt;sath&gt;sath5&lt;/sath&gt;
&lt;sass&gt;E&lt;/sass&gt;
&lt;ld1&gt;BLDG&lt;/ld1&gt;
&lt;lv1&gt;lv15&lt;/lv1&gt;
```

```
        <ld2>ld25</ld2>
        <lv2>lv25</lv2>
        <ld3>APT</ld3>
        <lv3>lv35</lv3>
        <city>city5</city>
        <state>AL</state>
        <zip>zip5</zip>
    </location>
    <wtn>wtn5</wtn>
    </loopqualificationextended>
    </localserviceprequest>
    </string>
</processSyncRequest>
</soapenv:Body>
</soapenv:Envelope>
```

TxType: Q – Loop Qualification Basic

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporequest
xmlns="http://www.synchronoss.com/lsr/ NWF_PO"
xmlns:snrcBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;loopqualificationbasic&gt;
      &lt;ccna&gt;ccn&lt;/ccna&gt;
      &lt;txnum&gt;txnum12&lt;/txnum&gt;
      &lt;dtsent&gt;dtsent12&lt;/dtsent&gt;
      &lt;txtyp&gt;Q&lt;/txtyp&gt;
      &lt;catype&gt;C&lt;/catype&gt;
      &lt;txact&gt;A&lt;/txact&gt;
      &lt;cc&gt;cc12&lt;/cc&gt;
      &lt;ms&gt;A&lt;/ms&gt;
      &lt;resid&gt;resid5&lt;/resid&gt;
      &lt;location&gt;
        &lt;route&gt;route6&lt;/route&gt;
        &lt;box&gt;box6&lt;/box&gt;
        &lt;aft&gt;B&lt;/aft&gt;
        &lt;sapr&gt;sapr6&lt;/sapr&gt;
        &lt;sano&gt;sano6&lt;/sano&gt;
        &lt;sasf&gt;sasf&lt;/sasf&gt;
        &lt;sasd&gt;E&lt;/sasd&gt;
        &lt;sasn&gt;sasn6&lt;/sasn&gt;
        &lt;sath&gt;sath6&lt;/sath&gt;
        &lt;sass&gt;E&lt;/sass&gt;
        &lt;ld1&gt;BLDG&lt;/ld1&gt;
        &lt;lv1&gt;lv16&lt;/lv1&gt;
        &lt;ld2&gt;ld26&lt;/ld2&gt;
        &lt;lv2&gt;lv26&lt;/lv2&gt;
        &lt;ld3&gt;APT&lt;/ld3&gt;
```

```
        <lv3>lv36</lv3>
        <city>city6</city>
        <state>AL</state>
        <zip>zip6</zip>
    </location>
    <wtn>wtn6</wtn>
    </loopqualificationbasic>
    </localserviceprequest>
</string>
</processSyncRequest>
</soapenv:Body>
</soapenv:Envelope>
```

TxType: S – Service Order Inquiry

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns=""
&lt;?xml version="1.0" encoding="UTF-8"?>
&lt;localserviceporequest
xmlns="http://www.synchronoss.com/lsr/ NWF _PO"
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;serviceorderinquiry
  &lt;ccna>ccn</ccna>
  &lt;txnum>txnum13</txnum>
  &lt;dtsent>dtsent13</dtsent>
  &lt;txtyp>S</txtyp>
  &lt;txact>A</txact>
  &lt;cc>ccl3</cc>
  &lt;ms>A</ms>
  &lt;location>
    &lt;state>AL</state>
  &lt;/location>
  &lt;icri>A</icri>
  &lt;ival>ival0</ival>
&lt;/serviceorderinquiry
&lt;/localserviceporequest
    </string>
  </processSyncRequest>
</soapenv:Body>
</soapenv:Envelope>
```

TxType: T – Directory Listing

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns=""
&lt;?xml version="1.0&quot; encoding="&quot;UTF-8&quot;?&gt;
&lt;localserviceporequest
xmlns="&quot;http://www.synchronoss.com/lsr/ NWF_PO&quot;
xmlns:snrcBase="&quot;http://www.synchronoss.com/base/SNCR_BASE&quot;&gt;
  &lt;directorylisting&gt;
    &lt;ccna&gt;ccn&lt;/ccna&gt;
    &lt;txnum&gt;txnum14&lt;/txnum&gt;
    &lt;dtsent&gt;dtsent14&lt;/dtsent&gt;
    &lt;ttxyp&gt;T&lt;/ttxyp&gt;
    &lt;txact&gt;A&lt;/txact&gt;
    &lt;cc&gt;cc14&lt;/cc&gt;
    &lt;listid&gt;listid0&lt;/listid&gt;
    &lt;firstlvlsubcap&gt;firstlvlsubcap0&lt;/firstlvlsubcap&gt;
    &lt;ltn&gt;ltn0&lt;/ltn&gt;
    &lt;location&gt;
      &lt;state&gt;AL&lt;/state&gt;
    &lt;/location&gt;
    &lt;ord&gt;ord1&lt;/ord&gt;
    &lt;mdnind&gt;Y&lt;/mdnind&gt;
    &lt;styc&gt;CI&lt;/styc&gt;
    &lt;icri&gt;A&lt;/icri&gt;
    &lt;diridl&gt;diridl&lt;/diridl&gt;
    &lt;pkgid&gt;pkgid0&lt;/pkgid&gt;
    &lt;findingname&gt;findingname0&lt;/findingname&gt;
  &lt;/directorylisting&gt;
  &lt;/localserviceporequest&gt;
    </string>
  </processSyncRequest>
</soapenv:Body>
</soapenv:Envelope>
```


TxType: W – Fiber Availability

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns=""
&lt;?xml version="1.0&quot; encoding="&quot;UTF-8&quot;?&gt;
&lt;localserviceporequest
xmlns="&quot;http://www.synchronoss.com/lsr/ NWF_PO&quot;
xmlns:snrcBase="&quot;http://www.synchronoss.com/base/SNCR_BASE&quot;&gt;
  &lt;fiberavailability&gt;
    &lt;ccna&gt;ccn&lt;/ccna&gt;
    &lt;txnum&gt;txnum15&lt;/txnum&gt;
    &lt;dtsent&gt;dtsent15&lt;/dtsent&gt;
    &lt;txtyp&gt;W&lt;/txtyp&gt;
    &lt;txact&gt;A&lt;/txact&gt;
    &lt;cc&gt;cc15&lt;/cc&gt;
  &lt;/fiberavailability&gt;
&lt;/localserviceporequest&gt;
      </string>
    </processSyncRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

TxType: X – Loop Qualification DSL

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>clecusername</wsse:Username>
        <wsse:Password>clecpassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
      <ns1:CorrelationID>49689</ns1:CorrelationID>
      <ns1:TrackID>49689</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
      <ns1:RetryCount>0</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporequest
xmlns="http://www.synchronoss.com/lsr/ NWF_PO"
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;loopqualificationsdsl
  &lt;ccna&gt;ccn&lt;/ccna&gt;
  &lt;txnum&gt;txnum16&lt;/txnum&gt;
  &lt;dtsent&gt;dtsent16&lt;/dtsent&gt;
  &lt;ttxtyp&gt;X&lt;/ttxtyp&gt;
  &lt;txact&gt;A&lt;/txact&gt;
  &lt;cc&gt;ccl6&lt;/cc&gt;
  &lt;location&gt;
    &lt;route&gt;route7&lt;/route&gt;
    &lt;box&gt;box7&lt;/box&gt;
    &lt;aft&gt;B&lt;/aft&gt;
    &lt;sapr&gt;sapr7&lt;/sapr&gt;
    &lt;sano&gt;sano7&lt;/sano&gt;
    &lt;sasf&gt;sasf&lt;/sasf&gt;
    &lt;sasd&gt;E&lt;/sasd&gt;
    &lt;sasn&gt;sasn7&lt;/sasn&gt;
    &lt;sath&gt;sath7&lt;/sath&gt;
    &lt;sass&gt;E&lt;/sass&gt;
    &lt;ld1&gt;BLDG&lt;/ld1&gt;
    &lt;lv1&gt;lv17&lt;/lv1&gt;
    &lt;ld2&gt;ld27&lt;/ld2&gt;
    &lt;lv2&gt;lv27&lt;/lv2&gt;
    &lt;ld3&gt;APT&lt;/ld3&gt;
    &lt;lv3&gt;lv37&lt;/lv3&gt;
    &lt;city&gt;city7&lt;/city&gt;
    &lt;state&gt;AL&lt;/state&gt;
```

```
        &lt;zip>zip7&lt;/zip>;
    &lt;/location>;
    &lt;wtn>wtn7&lt;/wtn>;
    &lt;dcaddress1>dcaddress10&lt;/dcaddress1>;
    &lt;dcunit>dcun&lt;/dcunit>;
    &lt;dcunitvalue>dcunitvalu&lt;/dcunitvalue>;
    &lt;dccity>dccity0&lt;/dccity>;
    &lt;dcstate>AL&lt;/dcstate>;
    &lt;dczip>dczip0&lt;/dczip>;
    &lt;/loopqualification&lt;/loopqualification>;
    &lt;/localServicePreRequest>;
    &lt;/string>
    &lt;/processSyncRequest>
    &lt;/soapenv:Body>
    &lt;/soapenv:Envelope>
```

LSR UOM Pre Order Response tML

TxType: E – Customer Service Request Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponse xmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">&lt;?xml version="1.0" encoding="UTF-8"?&gt;&lt;localserviceporesponse
        xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
        xmlns:sncrBase="http://www.synchronoss.com/base/SNCR_BASE" &gt;
          &lt;customerserviceinquiryresponse&gt; &lt;ccna&gt;FET&lt;/ccna&gt;
            &lt;txnum&gt;TXNUMVAL&lt;/txnum&gt; &lt;txtyp&gt;E&lt;/txtyp&gt;
            &lt;dtsent&gt;2013022810:38:47&lt;/dtsent&gt;
            &lt;cc&gt;4095&lt;/cc&gt;
            &lt;atn&gt;0000007003&lt;/atn&gt; &lt;accountdata&gt;
            &lt;cs&gt;B1&lt;/cs&gt;
            &lt;swdesc&gt;5ESS&lt;/swdesc&gt; &lt;tos&gt;1---&lt;/tos&gt;
            &lt;ord&gt;030002909&lt;/ord&gt;
            &lt;csrdate&gt;20130228&lt;/csrdate&gt;
            &lt;location&gt; &lt;cai&gt; 900 CASSELLS DR; FREMONT; IN;
            46737&lt;/cai&gt;
            &lt;name&gt;COLD HEADING COMPANY&lt;/name&gt;
            &lt;sano&gt;900&lt;/sano&gt;
            &lt;sasn&gt;CASSELL&lt;/sasn&gt; &lt;sath&gt;DR&lt;/sath&gt;
            &lt;city&gt;FREMONT&lt;/city&gt; &lt;state&gt;IN&lt;/state&gt;
            &lt;zip&gt;46737&lt;/zip&gt; &lt;/location&gt; &lt;billingdata&gt;
            &lt;directoryquantity/&gt; &lt;remarks/&gt; &lt;/accountdata&gt;
            &lt;servicedata&gt;
            &lt;wtn&gt;0000000178&lt;/wtn&gt; &lt;linerrestrictiondata&gt;
            &lt;pic&gt;0288&lt;/pic&gt; &lt;lpic&gt;0288&lt;/lpic&gt;
            &lt;lpcx&gt;XXX
            &lt;/lpcx&gt; &lt;pcx&gt;XXX&lt;/pcx&gt; &lt;/linerrestrictiondata&gt;
            &lt;configurationdata&gt; &lt;features&gt;
            &lt;feature&gt;ARCMB&lt;/feature&gt;
            &lt;fidlist&gt; &lt;feature&gt;NULL&lt;/feature&gt;
            &lt;featuredetail&gt;Acc Rec
            Chrg Multi-Ln Bus&lt;/featuredetail&gt; &lt;/fidlist&gt;
            &lt;featqty&gt;1&lt;/featqty&gt;
            &lt;featurerate&gt;1.00&lt;/featurerate&gt;
            &lt;/features&gt; &lt;features&gt;
            &lt;feature&gt;B0ALL&lt;/feature&gt;
            &lt;fidlist&gt; &lt;feature&gt;NULL&lt;/feature&gt;
            &lt;featuredetail&gt;Block All
            Svc Providers &lt;/featuredetail&gt; &lt;/fidlist&gt;

```

```

        <featqty>1</featqty>;
<featurerate>0.00</featurerate>;
        </features>; <features>; <feature>B1</feature>;
<fidlist>;
Flat Rate        <feature>NULL</feature>; <featuredetail>Business Ln -
        </featuredetail>; </fidlist>;
<featqty>1</featqty>;
        <featurerate>38.99</featurerate>; </features>;
<features>;
        <feature>CP450</feature>; <fidlist>;
        <feature>NULL</feature>; <featuredetail>IN Local
Exchange
Service</featuredetail>; </fidlist>;
<featqty>1</featqty>;
        <featurerate>0.00</featurerate>; </features>;
<features>;
        <feature>CP460</feature>; <fidlist>;
        <feature>NULL</feature>; <featuredetail>IN EAS
Exchange Service
        </featuredetail>; </fidlist>;
<featqty>1</featqty>;
        <featurerate>0.00</featurerate>; </features>;
<features>;
        <feature>EUAMB</feature>; <fidlist>;
        <feature>NULL</feature>; <featuredetail>Interstate
SLC-Mlt Bus
Ln</featuredetail>; </fidlist>;
<featqty>1</featqty>;
        <featurerate>9.20</featurerate>; </features>;
<features>;
        <feature>INDPR</feature>; <fidlist>;
        <feature>NULL</feature>; <featuredetail>Dual Party
Relay Service
        </featuredetail>; </fidlist>;
<featqty>1</featqty>;
        <featurerate>0.03</featurerate>; </features>;
<features>;
        <feature>INXST</feature>; <fidlist>;
        <feature>NULL</feature>; <featuredetail>IN E911
Surcharge-Steuben</featuredetail>; </fidlist>;
        <featqty>1</featqty>;
<featurerate>0.90</featurerate>;
        </features>; <features>;
<feature>OLSBN</feature>;
        <fidlist>; <feature>NULL</feature>;
        <featuredetail>POTS/BUS/RES Default </featuredetail>;
</fidlist>;
        <featqty>1</featqty>;
<featurerate>0.00</featurerate>;
        </features>; <configurationdata>; </servicedata>;
        <servicedata>; <wtn>0000001826</wtn>;
<linerestrictiondata>;
        <pic>0288</pic>; <lpic>0288</lpic>;
<lpcx>XXX
        </lpcx>; <pcx>XXX</pcx>; </linerestrictiondata>;
        <configurationdata>; <features>;
<feature>ARCMB</feature>;
        <fidlist>; <feature>NULL</feature>;
<featuredetail>Acc Rec
Chrg Multi-Ln Bus</featuredetail>; </fidlist>;
        <featqty>1</featqty>;

```

```

<feature><rate>1.00</feature>
  </features> <features>
<feature><BOALL</feature>
  <fidlist> <feature><NULL</feature>
<feature><Block All
  Svc Providers </feature> <fidlist>
  <featqty>1</featqty>
<feature><rate>0.00</feature>
  </features> <features> <feature><Bl</feature>
<fidlist>
  <feature><NULL</feature> <feature><Business Ln -
Flat Rate
  </feature> <fidlist>
<featqty>1</featqty>
  <feature><rate>38.99</feature> </features>
<features>
  <feature><CP450</feature> <fidlist>
  <feature><NULL</feature> <feature><IN Local
Exchange
  Service</feature> <fidlist>
<featqty>1</featqty>
  <feature><rate>0.00</feature> </features>
<features>
  <feature><CP460</feature> <fidlist>
  <feature><NULL</feature> <feature><IN EAS
Exchange Service
  </feature> <fidlist>
<featqty>1</featqty>
  <feature><rate>0.00</feature> </features>
<features>
  <feature><EUAMB</feature> <fidlist>
  <feature><NULL</feature> <feature><Interstate
SLC-Mlt Bus
  Ln</feature> <fidlist>
<featqty>1</featqty>
  <feature><rate>9.20</feature> </features>
<features>
  <feature><INDPR</feature> <fidlist>
  <feature><NULL</feature> <feature><Dual Party
Relay Service
  </feature> <fidlist>
<featqty>1</featqty>
  <feature><rate>0.03</feature> </features>
<features>
  <feature><INXST</feature> <fidlist>
  <feature><NULL</feature> <feature><IN E911
  Surchage-Steuben</feature> <fidlist>
  <featqty>1</featqty>
<feature><rate>0.90</feature>
  </features> <features>
<feature><OLSBN</feature>
  <fidlist> <feature><NULL</feature>
  <feature><POTS/BUS/RES Default </feature>
</fidlist>
  <featqty>1</featqty>
<feature><rate>0.00</feature>
  </features> <configurationdata> </servicedata>
  <servicedata> <wtn>000002071</wtn>
<linerstrictiondata>
  <pic>0288</pic> <lpic>0288</lpic>
<lpcx>XXX
  </lpcx> <pcx>XXX</pcx> </linerstrictiondata>

```

```

        <configurationdata> <features>
<feature>ARCMB</feature>
        <fidlist> <feature>NULL</feature>
<featuredetail>Acc Rec
        Chrg Multi-Ln Bus</featuredetail> </fidlist>
        <featqty>1</featqty>
<featurerate>1.00</featurerate>
        </features> <features>
<feature>B0ALL</feature>
        <fidlist> <feature>NULL</feature>
<featuredetail>Block All
        Svc Providers </featuredetail> </fidlist>
        <featqty>1</featqty>
<featurerate>0.00</featurerate>
        </features> <features> <feature>B1</feature>
<fidlist>
        <feature>NULL</feature> <featuredetail>Business Ln -
Flat Rate
        </featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>38.99</featurerate> </features>
<features>
        <feature>CP450</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>IN Local
Exchange
        Service</featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>0.00</featurerate> </features>
<features>
        <feature>CP460</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>IN EAS
Exchange Service
        </featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>0.00</featurerate> </features>
<features>
        <feature>EUAMB</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>Interstate
SLC-Mlt Bus
        Ln</featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>9.20</featurerate> </features>
<features>
        <feature>INDPR</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>Dual Party
Relay Service
        </featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>0.03</featurerate> </features>
<features>
        <feature>INXST</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>IN E911
Surcharge-Steuben</featuredetail> </fidlist>
        <featqty>1</featqty>
<featurerate>0.90</featurerate>
        </features> <features>
<feature>OLSBN</feature>
        <fidlist> <feature>NULL</feature>
        <featuredetail>POTS/BUS/RES Default </featuredetail>
</fidlist>
        <featqty>1</featqty>
<featurerate>0.00</featurerate>

```

```

        </features> </configurationdata> </servicedata>
        </servicedata> <wtn>000002193</wtn>
<linerstrictiondata>
        <pic>0288</pic> <lpic>0288</lpic>
<lpcx>XXX
        </lpcx> <pcx>XXX</pcx> </linerstrictiondata>
        </configurationdata> </features>
<feature>ARCMB</feature>
        <fidlist> <feature>NULL</feature>
<featuredetail>Acc Rec
        Chrg Multi-Ln Bus</featuredetail> </fidlist>
        <featqty>1</featqty>
<featurerate>1.00</featurerate>
        </features> </features>
<feature>BOALL</feature>
        <fidlist> <feature>NULL</feature>
<featuredetail>Block All
        Svc Providers </featuredetail> </fidlist>
        <featqty>1</featqty>
<featurerate>0.00</featurerate>
        </features> </features> <feature>Bl</feature>
<fidlist>
        <feature>NULL</feature> <featuredetail>Business Ln -
Flat Rate
        </featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>38.99</featurerate> </features>
</features>
        <feature>CP450</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>IN Local
Exchange
        Service</featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>0.00</featurerate> </features>
</features>
        <feature>CP460</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>IN EAS
Exchange Service
        </featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>0.00</featurerate> </features>
</features>
        <feature>EUAMB</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>Interstate
SLC-Mlt Bus
        Ln</featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>9.20</featurerate> </features>
</features>
        <feature>INDPR</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>Dual Party
Relay Service
        </featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>0.03</featurerate> </features>
</features>
        <feature>INXST</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>IN E911
        Surcharge-Steuben</featuredetail> </fidlist>
        <featqty>1</featqty>
<featurerate>0.90</featurerate>
        </features> </features>

```



```

<feature>OLSBN</feature>
  <fidlist> <feature>NULL</feature>
  <featuredetail>POTS/BUS/RES Default </featuredetail>
</fidlist>
  <featqty>1</featqty>
<featurerate>0.00</featurerate>
  </features> </configurationdata> </servicedata>
  <servicedata> <wtn>0000005120</wtn>
<linerstrictiondata>
  <pic>0288</pic> <lpic>0288</lpic>
<lpcx>XXX
  </lpcx> <pcx>XXX</pcx> </linerstrictiondata>
  <configurationdata> <features>
<feature>ARCMB</feature>
  <fidlist> <feature>NULL</feature>
<featuredetail>Acc Rec
  Chrg Multi-Ln Bus</featuredetail> </fidlist>
  <featqty>1</featqty>
<featurerate>1.00</featurerate>
  </features> <features>
<feature>BOALL</feature>
  <fidlist> <feature>NULL</feature>
<featuredetail>Block All
  Svc Providers </featuredetail> </fidlist>
  <featqty>1</featqty>
<featurerate>0.00</featurerate>
  </features> <features> <feature>B1</feature>
<fidlist>
  <feature>NULL</feature> <featuredetail>Business Ln -
Flat Rate
  </featuredetail> </fidlist>
<featqty>1</featqty>
  <featurerate>38.99</featurerate> </features>
<features>
  <feature>CP450</feature> <fidlist>
  <feature>NULL</feature> <featuredetail>IN Local
Exchange
  Service</featuredetail> </fidlist>
<featqty>1</featqty>
  <featurerate>0.00</featurerate> </features>
<features>
  <feature>CP460</feature> <fidlist>
  <feature>NULL</feature> <featuredetail>IN EAS
Exchange Service
  </featuredetail> </fidlist>
<featqty>1</featqty>
  <featurerate>0.00</featurerate> </features>
<features>
  <feature>EUAMB</feature> <fidlist>
  <feature>NULL</feature> <featuredetail>Interstate
SLC-Mlt Bus
  Ln</featuredetail> </fidlist>
<featqty>1</featqty>
  <featurerate>9.20</featurerate> </features>
<features>
  <feature>INDPR</feature> <fidlist>
  <feature>NULL</feature> <featuredetail>Dual Party
Relay Service
  </featuredetail> </fidlist>
<featqty>1</featqty>
  <featurerate>0.03</featurerate> </features>
<features>

```

```

        <feature>INXST</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>IN E911
        Surcharge-Steuben</featuredetail> </fidlist>
        <featqty>1</featqty>
<featurerate>0.90</featurerate>
        </features> <features>
<feature>OLSBN</feature>
        <fidlist> <feature>NULL</feature>
        <featuredetail>POTS/BUS/RES Default </featuredetail>
</fidlist>
        <featqty>1</featqty>
<featurerate>0.00</featurerate>
        </features> </configurationdata> </servicedata>
        <servicedata> <wtn>000005714</wtn>
<linerstrictiondata>
        <pic>0288</pic> <lpic>0288</lpic>
<lpcx>XXX
        </lpcx> <pcx>XXX</pcx> </linerstrictiondata>
        <configurationdata> <features>
<feature>ARCMB</feature>
        <fidlist> <feature>NULL</feature>
<featuredetail>Acc Rec
        Chrg Multi-Ln Bus</featuredetail> </fidlist>
        <featqty>1</featqty>
<featurerate>1.00</featurerate>
        </features> <features> <feature>B1</feature>
<fidlist>
        <feature>NULL</feature> <featuredetail>Business Ln -
Flat Rate
        </featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>38.99</featurerate> </features>
<features>
        <feature>CP450</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>IN Local
Exchange
        Service</featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>0.00</featurerate> </features>
<features>
        <feature>CP460</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>IN EAS
Exchange Service
        </featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>0.00</featurerate> </features>
<features>
        <feature>EUAMB</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>Interstate
SLC-Mlt Bus
        Ln</featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>9.20</featurerate> </features>
<features>
        <feature>INDPR</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>Dual Party
Relay Service
        </featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>0.03</featurerate> </features>
<features>
        <feature>INXST</feature> <fidlist>

```

```

        <feature>NULL</feature> <featuredetail>IN E911
        Surcharge-Steuben</featuredetail> </fidlist>
        <featqty>1</featqty>
<featurerate>0.90</featurerate>
        </features> <features>
<feature>OLSBN</feature>
        <fidlist> <feature>NULL</feature>
        <featuredetail>POTS/BUS/RES Default </featuredetail>
</fidlist>
        <featqty>1</featqty>
<featurerate>0.00</featurerate>
        </features> </configurationdata> </servicedata>
        <servicedata> <wtn>0000007003</wtn>
<linerestrictiondata>
        <pic>0288</pic> <lpic>0288</lpic>
<lpcx>XXX
        </lpcx> <pcx>XXX</pcx> </linerestrictiondata>
        <configurationdata> <features>
<feature>ARCB</feature>
        <fidlist> <feature>NULL</feature>
<featuredetail>Access
        Recovery Chrg-Bus </featuredetail> </fidlist>
        <featqty>1</featqty>
<featurerate>0.50</featurerate>
        </features> <features>
<feature>B0ALL</feature>
        <fidlist> <feature>NULL</feature>
<featuredetail>Block All
        Svc Providers </featuredetail> </fidlist>
        <featqty>1</featqty>
<featurerate>0.00</featurerate>
        </features> <features> <feature>B1</feature>
<fidlist>
        <feature>NULL</feature> <featuredetail>Business Ln -
Flat Rate
        </featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>38.99</featurerate> </features>
<features>
        <feature>CP450</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>IN Local
Exchange
        Service</featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>0.00</featurerate> </features>
<features>
        <feature>CP460</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>IN EAS
Exchange Service
        </featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>0.00</featurerate> </features>
<features>
        <feature>EUAB</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>Sngl-Ln Fed
Sub Ln
        Chrg-B</featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>6.50</featurerate> </features>
<features>
        <feature>HBS3M</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>HSI Static 3M

```

```

Bus
    </featuredetail> </fidlist>;
<featqty>1</featqty>;
    <featurerate>0.00</featurerate> </features>;
<features>;
    <feature>HLSMB</feature> </fidlist>;
    <feature>NULL</feature> <featuredetail>HSI 3/5M
Static Loop-Bus
    </featuredetail> </fidlist>;
<featqty>1</featqty>;
    <featurerate>41.00</featurerate> </features>;
<features>;
    <feature>HSIBP</feature> </fidlist>;
    <feature>NULL</feature> <featuredetail>HSI Surcharge
    </featuredetail> </fidlist>;
<featqty>1</featqty>;
    <featurerate>0.00</featurerate> </features>;
<features>;
    <feature>HUNT0</feature> </fidlist>;
    <feature>NULL</feature> <featuredetail>Line Hunt
Service - $0
    </featuredetail> </fidlist>;
<featqty>1</featqty>;
    <featurerate>0.00</featurerate> </features>;
<features>;
    <feature>H0B</feature> </fidlist>;
    <feature>NULL</feature> <featuredetail>HSI Bus
Package Ind
    </featuredetail> </fidlist>;
<featqty>1</featqty>;
    <featurerate>0.00</featurerate> </features>;
<features>;
    <feature>H3MB</feature> </fidlist>;
    <feature>NULL</feature> <featuredetail>HSI 3M Port -
Bus
    </featuredetail> </fidlist>;
<featqty>1</featqty>;
    <featurerate>39.95</featurerate> </features>;
<features>;
    <feature>INDPR</feature> </fidlist>;
    <feature>NULL</feature> <featuredetail>Dual Party
Relay Service
    </featuredetail> </fidlist>;
<featqty>1</featqty>;
    <featurerate>0.03</featurerate> </features>;
<features>;
    <feature>INXST</feature> </fidlist>;
    <feature>NULL</feature> <featuredetail>IN E911
    Surcharge-Steuben</featuredetail> </fidlist>;
    <featqty>1</featqty>;
<featurerate>0.90</featurerate>;
    </features> <features> <feature>NEWS</feature>;
    <fidlist> <feature>NULL</feature>;
<featuredetail>News
    </featuredetail> </fidlist>;
<featqty>1</featqty>;
    <featurerate>0.00</featurerate> </features>;
<features>;
    <feature>OLSBN</feature> </fidlist>;
    <feature>NULL</feature> <featuredetail>POTS/BUS/RES
Default
    </featuredetail> </fidlist>;

```

```

<featqty>1</featqty>;
    <featurerate>0.00</featurerate>; </features>;
<features>;
    <feature>WBSPC</feature>; <fidlist>;
    <feature>NULL</feature>; <featuredetail>WebSpace
    </featuredetail>; </fidlist>;
<featqty>1</featqty>;
    <featurerate>0.00</featurerate>; </features>;
    </configurationdata>; </servicedata>; <servicedata>;
    <wtn>0000007050</wtn>; <linerrestrictiondata>;
    <pic>0288</pic>; <lpic>0288</lpic>;
<lpcx>XXX
    </lpcx>; <pcx>XXX</pcx>; </linerrestrictiondata>;
    </configurationdata>; </features>;
<feature>ARCMB</feature>;
    <fidlist>; <feature>NULL</feature>;
<featuredetail>Acc Rec
    Chrg Multi-Ln Bus</featuredetail>; </fidlist>;
    <featqty>1</featqty>;
<featurerate>1.00</featurerate>;
    </features>; <features>;
<feature>B0ALL</feature>;
    <fidlist>; <feature>NULL</feature>;
<featuredetail>Block All
    Svc Providers </featuredetail>; </fidlist>;
    <featqty>1</featqty>;
<featurerate>0.00</featurerate>;
    </features>; <features>; <feature>Bl</feature>;
<fidlist>;
    <feature>NULL</feature>; <featuredetail>Business Ln -
Flat Rate
    </featuredetail>; </fidlist>;
<featqty>1</featqty>;
    <featurerate>38.99</featurerate>; </features>;
<features>;
    <feature>CP450</feature>; <fidlist>;
    <feature>NULL</feature>; <featuredetail>IN Local
Exchange
    Service</featuredetail>; </fidlist>;
<featqty>1</featqty>;
    <featurerate>0.00</featurerate>; </features>;
<features>;
    <feature>CP460</feature>; <fidlist>;
    <feature>NULL</feature>; <featuredetail>IN EAS
Exchange Service
    </featuredetail>; </fidlist>;
<featqty>1</featqty>;
    <featurerate>0.00</featurerate>; </features>;
<features>;
    <feature>EUAMB</feature>; <fidlist>;
    <feature>NULL</feature>; <featuredetail>Interstate
SLC-Mlt Bus
    Ln</featuredetail>; </fidlist>;
<featqty>1</featqty>;
    <featurerate>9.20</featurerate>; </features>;
<features>;
    <feature>INDPR</feature>; <fidlist>;
    <feature>NULL</feature>; <featuredetail>Dual Party
Relay Service
    </featuredetail>; </fidlist>;
<featqty>1</featqty>;
    <featurerate>0.03</featurerate>; </features>;

```

```

<features>
  <feature>INXST</feature> <fidlist>
  <feature>NULL</feature> <featuredetail>IN E911
  Surcharge-Steuben</featuredetail> </fidlist>
  <featqty>1</featqty>
<featurerate>0.90</featurerate>
  </features> <features>
<feature>OLSBN</feature>
  <fidlist> <feature>NULL</feature>
  <featuredetail>POTS/BUS/RES Default </featuredetail>
</fidlist>
  <featqty>1</featqty>
<featurerate>0.00</featurerate>
  </features> </configurationdata> </servicedata>
  <servicedata> <wtn>000007230</wtn>
<linerrestrictiondata>
  <pic>0288</pic> <lpic>0288</lpic>
<lpcx>XXX
  </lpcx> <pcx>XXX</pcx> </linerrestrictiondata>
  <configurationdata> <features>
<feature>ARCMB</feature>
  <fidlist> <feature>NULL</feature>
<featuredetail>Acc Rec
  Chrg Multi-Ln Bus</featuredetail> </fidlist>
  <featqty>1</featqty>
<featurerate>1.00</featurerate>
  </features> <features>
<feature>BOALL</feature>
  <fidlist> <feature>NULL</feature>
<featuredetail>Block All
  Svc Providers </featuredetail> </fidlist>
  <featqty>1</featqty>
<featurerate>0.00</featurerate>
  </features> <features> <feature>Bl</feature>
<fidlist>
  <feature>NULL</feature> <featuredetail>Business Ln -
Flat Rate
  </featuredetail> </fidlist>
<featqty>1</featqty>
<featurerate>38.99</featurerate> </features>
<features>
  <feature>CP450</feature> <fidlist>
  <feature>NULL</feature> <featuredetail>IN Local
Exchange
  Service</featuredetail> </fidlist>
<featqty>1</featqty>
<featurerate>0.00</featurerate> </features>
<features>
  <feature>CP460</feature> <fidlist>
  <feature>NULL</feature> <featuredetail>IN EAS
Exchange Service
  </featuredetail> </fidlist>
<featqty>1</featqty>
<featurerate>0.00</featurerate> </features>
<features>
  <feature>EUAMB</feature> <fidlist>
  <feature>NULL</feature> <featuredetail>Interstate
SLC-Mlt Bus
  Ln</featuredetail> </fidlist>
<featqty>1</featqty>
<featurerate>9.20</featurerate> </features>
<features>

```

```

        <feature>HUNTO</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>Line Hunt
Service - $0
        </featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>0.00</featurerate> </features>
<features>
        <feature>INDPR</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>Dual Party
Relay Service
        </featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>0.03</featurerate> </features>
<features>
        <feature>INXST</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>IN E911
        Surchage-Steuben</featuredetail> </fidlist>
        <featqty>1</featqty>
<featurerate>0.90</featurerate>
        </features> <features>
<feature>OLSBN</feature>
        <fidlist> <feature>NULL</feature>
        <featuredetail>POTS/BUS/RES Default </featuredetail>
</fidlist>
        <featqty>1</featqty>
<featurerate>0.00</featurerate>
        </features> </configurationdata> </servicedata>
        <servicedata> <wtn>000009046</wtn>
<linerrestrictiondata>
        <pic>0288</pic> <lpic>0288</lpic>
<lpcx>XXX
        </lpcx> <pcx>XXX</pcx> </linerrestrictiondata>
        <configurationdata> <features>
<feature>ARCMB</feature>
        <fidlist> <feature>NULL</feature>
<featuredetail>Acc Rec
        Chrg Multi-Ln Bus</featuredetail> </fidlist>
        <featqty>1</featqty>
<featurerate>1.00</featurerate>
        </features> <features>
<feature>BOALL</feature>
        <fidlist> <feature>NULL</feature>
<featuredetail>Block All
        Svc Providers </featuredetail> </fidlist>
        <featqty>1</featqty>
<featurerate>0.00</featurerate>
        </features> <features> <feature>B1</feature>
<fidlist>
        <feature>NULL</feature> <featuredetail>Business Ln -
Flat Rate
        </featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>38.99</featurerate> </features>
<features>
        <feature>CP450</feature> <fidlist>
        <feature>NULL</feature> <featuredetail>IN Local
Exchange
        Service</featuredetail> </fidlist>
<featqty>1</featqty>
        <featurerate>0.00</featurerate> </features>
<features>
        <feature>CP460</feature> <fidlist>

```

```

        <feature>NULL</feature> <featuredetail>IN EAS
Exchange Service
        </featuredetail> </fidlist>;
<featqty>1</featqty>;
        <featurerate>0.00</featurerate> </features>;
<features>;
        <feature>EUAMB</feature> <fidlist>;
        <feature>NULL</feature> <featuredetail>Interstate
SLC-Mlt Bus
        Ln</featuredetail> </fidlist>;
<featqty>1</featqty>;
        <featurerate>9.20</featurerate> </features>;
<features>;
        <feature>HUNTO</feature> <fidlist>;
        <feature>NULL</feature> <featuredetail>Line Hunt
Service - $0
        </featuredetail> </fidlist>;
<featqty>1</featqty>;
        <featurerate>0.00</featurerate> </features>;
<features>;
        <feature>INDPR</feature> <fidlist>;
        <feature>NULL</feature> <featuredetail>Dual Party
Relay Service
        </featuredetail> </fidlist>;
<featqty>1</featqty>;
        <featurerate>0.03</featurerate> </features>;
<features>;
        <feature>INXST</feature> <fidlist>;
        <feature>NULL</feature> <featuredetail>IN E911
        Surcharge-Steuben</featuredetail> </fidlist>;
        <featqty>1</featqty>;
<featurerate>0.90</featurerate>;
        </features> <features>;
<feature>OLSBN</feature>;
        <fidlist> <feature>NULL</feature>;
        <featuredetail>POTS/BUS/RES Default </featuredetail>;
</fidlist>;
        <featqty>1</featqty>;
<featurerate>0.00</featurerate>;
        </features> </configurationdata> </servicedata>;
        <servicedata> <wtn>000009821</wtn>;
<linerstrictiondata>;
        <pic>0288</pic> <lpic>0288</lpic>;
<lpcx>XXX
        </lpcx> <pcx>XXX</pcx> </linerstrictiondata>;
        <configurationdata> <features>;
<feature>ARCMB</feature>;
        <fidlist> <feature>NULL</feature>;
<featuredetail>Acc Rec
        Chrg Multi-Ln Bus</featuredetail> </fidlist>;
        <featqty>1</featqty>;
<featurerate>1.00</featurerate>;
        </features> <features>;
<feature>BOALL</feature>;
        <fidlist> <feature>NULL</feature>;
<featuredetail>Block All
        Svc Providers </featuredetail> </fidlist>;
        <featqty>1</featqty>;
<featurerate>0.00</featurerate>;
        </features> <features> <feature>B1</feature>;
<fidlist>;
        <feature>NULL</feature> <featuredetail>Business Ln -

```



```

Flat Rate
    </featuredetail> </fidlist>;
<featqty>1</featqty>;
    <featurerate>38.99</featurerate> </features>;
<features>;
    <feature>CP450</feature> </fidlist>;
    <feature>NULL</feature> <featuredetail>IN Local
Exchange
    Service</featuredetail> </fidlist>;
<featqty>1</featqty>;
    <featurerate>0.00</featurerate> </features>;
<features>;
    <feature>CP460</feature> </fidlist>;
    <feature>NULL</feature> <featuredetail>IN EAS
Exchange Service
    </featuredetail> </fidlist>;
<featqty>1</featqty>;
    <featurerate>0.00</featurerate> </features>;
<features>;
    <feature>EUAMB</feature> </fidlist>;
    <feature>NULL</feature> <featuredetail>Interstate
SLC-Mlt Bus
    Ln</featuredetail> </fidlist>;
<featqty>1</featqty>;
    <featurerate>9.20</featurerate> </features>;
<features>;
    <feature>HUNTO</feature> </fidlist>;
    <feature>NULL</feature> <featuredetail>Line Hunt
Service - $0
    </featuredetail> </fidlist>;
<featqty>1</featqty>;
    <featurerate>0.00</featurerate> </features>;
<features>;
    <feature>INDPR</feature> </fidlist>;
    <feature>NULL</feature> <featuredetail>Dual Party
Relay Service
    </featuredetail> </fidlist>;
<featqty>1</featqty>;
    <featurerate>0.03</featurerate> </features>;
<features>;
    <feature>INXST</feature> </fidlist>;
    <feature>NULL</feature> <featuredetail>IN E911
    Surcharge-Steuben</featuredetail> </fidlist>;
    <featqty>1</featqty>;
<featurerate>0.90</featurerate>;
    </features> <features>;
    <feature>OLSBN</feature>;
    </fidlist> <feature>NULL</feature>;
    <featuredetail>POTS/BUS/RES Default </featuredetail>;
</fidlist>;
    <featqty>1</featqty>;
<featurerate>0.00</featurerate>;
    </features> </configurationdata> </servicedata>;
    <directorylistingdata> <listingcontrol>;
<rty>LML</rty>;
    <lty>1</lty> <styc>SL</styc>;
</listingcontrol>;
    <listingdetail> <ltn>000007003</ltn>;
<listnm>Cold Heading
    Company</listnm> <lano>900</lano>;
<lasd>S</lasd>;
    <lasn>Cassell</lasn> <lath>Dr</lath>;

```

```
        <string><loc>Fremont</loc> <last>IN</last>
        <listingtypedetails/>
    </listingdetail>
    <listingindicators/> <priorlevelindentdetails/>
    <directorylistingdata/> <responsestatus/>
    <customerserviceinquiryresponse/>
</localserviceporesponse></string>
</processSyncRequestResponse>
</soapenv:Body>
</soapenv:Envelope>
```

TxType: A – Address Validation Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponsexmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        <?xml version="1.0" encoding="UTF-8"?>
        <localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;addressvalidationresponse&gt;
  &lt;txnum&gt;V0703J6R&lt;/txnum&gt;
  &lt;dtsent&gt;201307031109&lt;/dtsent&gt;
  &lt;txtyp&gt;A&lt;/txtyp&gt;
  &lt;cc&gt;CCCC&lt;/cc&gt;
  &lt;tax&gt;UAC28&lt;/tax&gt;
  &lt;cf&gt;0&lt;/cf&gt;
  &lt;fci&gt;N&lt;/fci&gt;
  &lt;abrVratecenter&gt;MADISON&lt;/abrVratecenter&gt;
  &lt;location&gt;
    &lt;aft&gt;N&lt;/aft&gt;
    &lt;sano&gt;2496&lt;/sano&gt;
    &lt;lso&gt;555555&lt;/lso&gt;
    &lt;lst&gt;MDSNSTXBRS2&lt;/lst&gt;
    &lt;sasn&gt;FRANKS&lt;/sasn&gt;
    &lt;sath&gt;DR&lt;/sath&gt;
    &lt;city&gt;MADISON&lt;/city&gt;
    &lt;state&gt;ST&lt;/state&gt;
    &lt;zip&gt;99999-9999&lt;/zip&gt;
  &lt;/location&gt;
  &lt;terminationdata&gt;
    &lt;lst/&gt;
    &lt;exkey&gt;000000&lt;/exkey&gt;
    &lt;swdesc&gt;RLCM100&lt;/swdesc&gt;
  &lt;/terminationdata&gt;
  &lt;customerdata&gt;
    &lt;cs&gt;R1&lt;/cs&gt;
    &lt;atn&gt;5555555555&lt;/atn&gt;
    &lt;ln&gt;JOE SMITH&lt;/ln&gt;
    &lt;stat&gt;WORKING 20130131&lt;/stat&gt;
  &lt;/customerdata&gt;
  &lt;customerdata&gt;
    &lt;cs&gt;R1&lt;/cs&gt;
    &lt;atn&gt;5555556666&lt;/atn&gt;
    &lt;ln&gt;JOE SMITH&lt;/ln&gt;

```

```
        &lt;stat&gt;NON-WORK 20130212&lt;/stat&gt;
        &lt;/customerdata&gt;
        &lt;/addressvalidationresponse&gt;
        &lt;/localserviceporeponse&gt;
    </string>
</processSyncRequestResponse>
</soapenv:Body>
</soapenv:Envelope>
```

TxType: J – Loop Makeup Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponsexmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:snrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;loopmakeupresponse
&lt;txnum>1234</txnum>
&lt;dtsent>2013071117:29:38</dtsent>
&lt;txtyp>J</txtyp>
&lt;cc>4321</cc>
&lt;fci>N</fci>
&lt;location
&lt;aft>N</aft>
&lt;sano>821</sano>
&lt;lst>WNTCSTXXCG0</lst>
&lt;sasd>S</sasd>
&lt;sasn>MAIN</sasn>
&lt;sath>ST</sath>
&lt;city>CITY</city>
&lt;state>ST</state>
&lt;zip>99999</zip>
&lt;/location>
&lt;loopdata
&lt;intmsg>
&lt;rtind>N</rtind>
&lt;lpac>ADSLR, IDSL, ADSLC,
SDSL</lpac>
&lt;lsa>6.944M/1152K</lsa>
&lt;bridgetap-data
&lt;btl>2.14</btl>
&lt;btluom>KFT</btluom>
&lt;btlen>0.14</btlen>
&lt;btlanguage>26G</btlanguage>
&lt;btlenum>KFT</btlenum>
&lt;/bridgetap-data>
&lt;bridgetap-data
&lt;btl>2.14</btl>
&lt;btluom>KFT</btluom>
&lt;btlen>0.8</btlen>
```

```

        <btlanguage>24G</btlanguage>
        <btlenum>KFT</btlenum>
    </bridgetap-data>
    <pgpres>N</pgpres>
    <dsscp>N</dsscp>
    <filooplengthbygauge>
        <flsegllg>0.65</flsegllg>
        <flsegllguom>KFT</flsegllguom>
<flsegllggauge>26G</flsegllggauge>
    </filooplengthbygauge>
    <filooplengthbygauge>
        <flsegllg>2.9</flsegllg>
        <flsegllguom>KFT</flsegllguom>
<flsegllggauge>24G</flsegllggauge>
    </filooplengthbygauge>
    <locationdata>
        <lc>WNTCSTXXCG0</lc>
        <lcil>D</lcil>
        <lcal>E4DMS 107P3-S2</lcal>
    </locationdata>
    <llt>A</llt>
    <lcq>0</lcq>
    <fl1pcp>C</fl1pcp>
    <vild>10.744</vild>
    <rsuind>N</rsuind>
    <wcn>E4DMS</wcn>
    </loopdata>
    </loopmakeupresponse>
    </localserviceporesponse>
</string>
</processSyncRequestResponse>
</soapenv:Body>
</soapenv:Envelope>

```

TxType: D – Appointment Scheduling Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponsexmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:snrcBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;appointmentschedulingresponse&gt;
  &lt;ccna&gt;ccn&lt;/ccna&gt;
  &lt;txnum&gt;txnum2&lt;/txnum&gt;
  &lt;dtsent&gt;dtsent2&lt;/dtsent&gt;
  &lt;ttxyp&gt;D&lt;/ttxyp&gt;
  &lt;txact&gt;A&lt;/txact&gt;
  &lt;cc&gt;cc2&lt;/cc&gt;
  &lt;tos&gt;tos3&lt;/tos&gt;
  &lt;reqtyp&gt;A&lt;/reqtyp&gt;
  &lt;act&gt;N&lt;/act&gt;
  &lt;apptime&gt;apptime0&lt;/apptime&gt;
  &lt;aaldata&gt;
    &lt;aal&gt;aal0&lt;/aal&gt;
  &lt;/aaldata&gt;
  &lt;aaldata&gt;
    &lt;aal&gt;aal1&lt;/aal&gt;
  &lt;/aaldata&gt;
  &lt;apptresid&gt;apptresid0&lt;/apptresid&gt;
  &lt;appres&gt;appres0&lt;/appres&gt;
  &lt;qr&gt;qr0&lt;/qr&gt;
  &lt;location&gt;
    &lt;sli&gt;B&lt;/sli&gt;
    &lt;state&gt;AL&lt;/state&gt;
  &lt;/location&gt;
  &lt;location&gt;
    &lt;sli&gt;B&lt;/sli&gt;
    &lt;state&gt;AL&lt;/state&gt;
  &lt;/location&gt;
  &lt;multilinetext&gt;
    &lt;msg&gt;msg2&lt;/msg&gt;
    &lt;state&gt;AL&lt;/state&gt;
  &lt;/multilinetext&gt;
  &lt;multilinetext&gt;
    &lt;msg&gt;msg3&lt;/msg&gt;
  &lt;/multilinetext&gt;
        &lt;/string&gt;
      </processSyncRequestResponse>
    </soapenv:Body>
  </soapenv:Envelope>

```

```

        <state>AL</state>
    </multilinetext>
    <nc>nc2</nc>
    <nci>nci2</nci>
    <secnci>secnci2</secnci>
    <appointmentdetail>
        <appres>appres1</appres>
    </appointmentdetail>
    <appointmentdetail>
        <appres>appres2</appres>
    </appointmentdetail>
    <responsestatus>
        <responsecodes>
            <prespc>prespc4</prespc>
            <prespd>prespd4</prespd>
        </responsecodes>
        <responsecodes>
            <prespc>prespc5</prespc>
            <prespd>prespd5</prespd>
        </responsecodes>
    </responsestatus>
</appointmentschedulingresponse>
    <localserviceporesponse>
        </string>
    </processSyncRequestResponse>
</soapenv:Body>
</soapenv:Envelope>

```


TxType: T – Directory Listing Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponsexmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:sncrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;directorylistingresponse&gt;
  &lt;ccna&gt;ccn&lt;/ccna&gt;
  &lt;txnum&gt;txnum3&lt;/txnum&gt;
  &lt;dtsent&gt;dtsent3&lt;/dtsent&gt;
  &lt;ttxtyp&gt;T&lt;/ttxtyp&gt;
  &lt;cc&gt;cc3&lt;/cc&gt;
  &lt;dtx&gt;dtx0&lt;/dtx&gt;
  &lt;guide&gt;D&lt;/guide&gt;
  &lt;so&gt;A&lt;/so&gt;
  &lt;captionhdr&gt;captionhdr0&lt;/captionhdr&gt;
  &lt;nsloc&gt;nsloc0&lt;/nsloc&gt;
  &lt;dirsast&gt;di&lt;/dirsast&gt;
  &lt;priorlvl&gt;priorlvl0&lt;/priorlvl&gt;
  &lt;spclservphrase&gt;spclservphrase0&lt;/spclservphrase&gt;
  &lt;location&gt;
    &lt;sapr&gt;sapr6&lt;/sapr&gt;
    &lt;sano&gt;sano10&lt;/sano&gt;
    &lt;sasf&gt;sasf&lt;/sasf&gt;
    &lt;sasd&gt;E&lt;/sasd&gt;
    &lt;sasn&gt;sasn10&lt;/sasn&gt;
    &lt;sath&gt;sath10&lt;/sath&gt;
    &lt;sass&gt;E&lt;/sass&gt;
    &lt;ld1&gt;BLDG&lt;/ld1&gt;
    &lt;lv1&gt;lv110&lt;/lv1&gt;
    &lt;ld2&gt;ld210&lt;/ld2&gt;
    &lt;lv2&gt;lv210&lt;/lv2&gt;
    &lt;ld3&gt;APT&lt;/ld3&gt;
    &lt;lv3&gt;lv310&lt;/lv3&gt;
    &lt;aai&gt;aai10&lt;/aai&gt;
    &lt;city&gt;city10&lt;/city&gt;
    &lt;state&gt;AL&lt;/state&gt;
    &lt;zip&gt;zip12&lt;/zip&gt;
    &lt;laloc&gt;laloc6&lt;/laloc&gt;
  &lt;/location&gt;
        &lt;/string&gt;
      &lt;/processSyncRequestResponse&gt;
    &lt;/soapenv:Body&gt;
  &lt;/soapenv:Envelope&gt;

```

```

&lt;/location&gt;
&lt;location&gt;
  &lt;sapr&gt;sapr7&lt;/sapr&gt;
  &lt;sano&gt;sano11&lt;/sano&gt;
  &lt;sasf&gt;sasf&lt;/sasf&gt;
  &lt;sasd&gt;E&lt;/sasd&gt;
  &lt;sasn&gt;sasn11&lt;/sasn&gt;
  &lt;sath&gt;sath11&lt;/sath&gt;
  &lt;sass&gt;E&lt;/sass&gt;
  &lt;ld1&gt;BLDG&lt;/ld1&gt;
  &lt;lv1&gt;lv111&lt;/lv1&gt;
  &lt;ld2&gt;ld211&lt;/ld2&gt;
  &lt;lv2&gt;lv211&lt;/lv2&gt;
  &lt;ld3&gt;APT&lt;/ld3&gt;
  &lt;lv3&gt;lv311&lt;/lv3&gt;
  &lt;aai&gt;aai11&lt;/aai&gt;
  &lt;city&gt;city11&lt;/city&gt;
  &lt;state&gt;AL&lt;/state&gt;
  &lt;zip&gt;zip13&lt;/zip&gt;
  &lt;laloc&gt;laloc7&lt;/laloc&gt;
&lt;/location&gt;
&lt;multilinetext&gt;
  &lt;state&gt;AL&lt;/state&gt;
  &lt;zip&gt;zip14&lt;/zip&gt;
&lt;/multilinetext&gt;
&lt;multilinetext&gt;
  &lt;state&gt;AL&lt;/state&gt;
  &lt;zip&gt;zip15&lt;/zip&gt;
&lt;/multilinetext&gt;
&lt;directorylistingdata&gt;
  &lt;des&gt;des4&lt;/des&gt;
  &lt;lano&gt;lano4&lt;/lano&gt;
  &lt;lasn&gt;lasn4&lt;/lasn&gt;
  &lt;laloc&gt;laloc8&lt;/laloc&gt;
  &lt;last&gt;la&lt;/last&gt;
  &lt;lazc&gt;lazc0&lt;/lazc&gt;
  &lt;sano&gt;sano12&lt;/sano&gt;
  &lt;sasn&gt;sasn12&lt;/sasn&gt;
  &lt;city&gt;city12&lt;/city&gt;
  &lt;zip&gt;zip16&lt;/zip&gt;
  &lt;toa&gt;toa0&lt;/toa&gt;
  &lt;omtn&gt;Y&lt;/omtn&gt;
  &lt;mdnind&gt;Y&lt;/mdnind&gt;
  &lt;findingname&gt;findingname0&lt;/findingname&gt;
  &lt;yphv&gt;yphv0&lt;/yphv&gt;
  &lt;yph&gt;yph0&lt;/yph&gt;
  &lt;listing&gt;
    &lt;dap&gt;dap0&lt;/dap&gt;
    &lt;namedtx&gt;namedtx0&lt;/namedtx&gt;
    &lt;listid&gt;listid0&lt;/listid&gt;
    &lt;firstlvlsubcap&gt;firstlvlsubcap0&lt;/firstlvlsubcap&gt;
&lt;firstlvlsubcapdata&gt;firstlvlsubcapdata0&lt;/firstlvlsubcapdata&gt;
  &lt;doi&gt;4&lt;/doi&gt;
  &lt;nstn&gt;nstn0&lt;/nstn&gt;
  &lt;listnm&gt;listnm4&lt;/listnm&gt;
  &lt;eatn&gt;eatn0&lt;/eatn&gt;
  &lt;ltext&gt;ltext8&lt;/ltext&gt;
  &lt;ltn&gt;50&lt;/ltn&gt;
  &lt;diridl&gt;diridl&lt;/diridl&gt;
  &lt;pkgid&gt;pkgid0&lt;/pkgid&gt;
  &lt;ali&gt;ali2&lt;/ali&gt;

```

```

        <listid>;listidl</listid>;
        <firstlvlsubcap>;firstlvlsubcap1</firstlvlsubcap>;
<firstlvlsubcapdata>;firstlvlsubcapdata1</firstlvlsubcapdata>;
        <doi>;4</doi>;
        <nstn>;nstn1</nstn>;
        <listnm>;listnm5</listnm>;
        <eatn>;eatn1</eatn>;
        <ltext>;ltext9</ltext>;
        <ltn>;50</ltn>;
        <diridl>;diridl1</diridl>;
        <pkgid>;pkgidl1</pkgid>;
        <ali>;ali3</ali>;
        </listing>;
</directorylistingdata>;
<configurationdata>;
        <directorydetail>;
            <dir_name>;dir_name0</dir_name>;
        </directorydetail>;
        <directorydetail>;
            <dir_name>;dir_name1</dir_name>;
        </directorydetail>;
</configurationdata>;
<responsestatus>;
        <responsecodes>;
            <prespc>;prespc6</prespc>;
            <prespd>;prespd6</prespd>;
        </responsecodes>;
        <responsecodes>;
            <prespc>;prespc7</prespc>;
            <prespd>;prespd7</prespd>;
        </responsecodes>;
        </responsestatus>;
</directorylistingresponse>;
        </localserviceporesponse>;
    </string>
</processSyncRequestResponse>
</soapenv:Body>
</soapenv:Envelope>

```

TxType: W – Fiber Availability Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.t1ml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponsexmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:sncrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;fiberavailabilityresponse&gt;
  &lt;ccna&gt;ccn&lt;/ccna&gt;
  &lt;txnum&gt;txnum4&lt;/txnum&gt;
  &lt;dtsent&gt;dtsent4&lt;/dtsent&gt;
  &lt;ttxtyp&gt;W&lt;/ttxtyp&gt;
  &lt;cc&gt;cc4&lt;/cc&gt;
  &lt;location&gt;
    &lt;aft&gt;B&lt;/aft&gt;
    &lt;sano&gt;sano13&lt;/sano&gt;
    &lt;sasf&gt;sasf&lt;/sasf&gt;
    &lt;sasd&gt;E&lt;/sasd&gt;
    &lt;sasn&gt;sasn13&lt;/sasn&gt;
    &lt;sath&gt;sath12&lt;/sath&gt;
    &lt;sass&gt;E&lt;/sass&gt;
    &lt;ld1&gt;BLDG&lt;/ld1&gt;
    &lt;lv1&gt;lv112&lt;/lv1&gt;
    &lt;ld2&gt;ld212&lt;/ld2&gt;
    &lt;lv2&gt;lv212&lt;/lv2&gt;
    &lt;ld3&gt;APT&lt;/ld3&gt;
    &lt;lv3&gt;lv312&lt;/lv3&gt;
    &lt;city&gt;city13&lt;/city&gt;
    &lt;state&gt;AL&lt;/state&gt;
    &lt;zip&gt;zip17&lt;/zip&gt;
    &lt;route&gt;routel&lt;/route&gt;
    &lt;box&gt;box10&lt;/box&gt;
    &lt;fe&gt;A&lt;/fe&gt;
    &lt;fsq&gt;A&lt;/fsq&gt;
    &lt;ontpt&gt;50&lt;/ontpt&gt;
    &lt;ontpa&gt;50&lt;/ontpa&gt;
    &lt;ontpu&gt;50&lt;/ontpu&gt;
  &lt;/location&gt;
  &lt;location&gt;
```

```

    < aft>B< /aft>;
    < sano>sano14< /sano>;
    < sasf>sasf< /sasf>;
    < sasd>E< /sasd>;
    < sasn>sasn14< /sasn>;
    < sath>sath13< /sath>;
    < sass>E< /sass>;
    < ld1>BLDG< /ld1>;
    < lv1>lv113< /lv1>;
    < ld2>ld213< /ld2>;
    < lv2>lv213< /lv2>;
    < ld3>APT< /ld3>;
    < lv3>lv313< /lv3>;
    < city>city14< /city>;
    < state>AL< /state>;
    < zip>zip18< /zip>;
    < route>routel< /route>;
    < box>box11< /box>;
    < fe>A< /fe>;
    < fsq>A< /fsq>;
    < ontpt>50< /ontpt>;
    < ontpa>50< /ontpa>;
    < ontpu>50< /ontpu>;
  < /location>;
  < multilinetext>;
    < state>AL< /state>;
    < zip>zip19< /zip>;
  < /multilinetext>;
  < multilinetext>;
    < state>AL< /state>;
    < zip>zip20< /zip>;
  < /multilinetext>;
  < responsestatus>;
    < responsecodes>;
      < prespc>prespc8< /prespc>;
      < prespd>prespd8< /prespd>;
    < /responsecodes>;
    < responsecodes>;
      < prespc>prespc9< /prespc>;
      < prespd>prespd9< /prespd>;
    < /responsecodes>;
  < /responsestatus>;
  < /fiberavailabilityresponse>;
    < /localserviceporesponse>;
  < /string>
< /processSyncRequestResponse>
< /soapenv:Body>
< /soapenv:Envelope>

```

TxType: X – Loop Qualification DSL Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponsexmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:sncrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;loopqualificationdslresponse&gt;
  &lt;ccna&gt;ccn&lt;/ccna&gt;
  &lt;txnum&gt;txnum6&lt;/txnum&gt;
  &lt;msgid&gt;msgid2&lt;/msgid&gt;
  &lt;dtsent&gt;dtsent6&lt;/dtsent&gt;
  &lt;txtyp&gt;X&lt;/txtyp&gt;
  &lt;txact&gt;A&lt;/txact&gt;
  &lt;cc&gt;cc6&lt;/cc&gt;
  &lt;resid&gt;resid2&lt;/resid&gt;
  &lt;fci&gt;Y&lt;/fci&gt;
  &lt;location&gt;
    &lt;aft&gt;B&lt;/aft&gt;
    &lt;sapr&gt;sapr10&lt;/sapr&gt;
    &lt;sano&gt;sano17&lt;/sano&gt;
    &lt;lst&gt;lst8&lt;/lst&gt;
    &lt;sasf&gt;sasf&lt;/sasf&gt;
    &lt;sasd&gt;E&lt;/sasd&gt;
    &lt;sasn&gt;sasn17&lt;/sasn&gt;
    &lt;sath&gt;sath16&lt;/sath&gt;
    &lt;sass&gt;E&lt;/sass&gt;
    &lt;ld1&gt;BLDG&lt;/ld1&gt;
    &lt;lv1&gt;lv116&lt;/lv1&gt;
    &lt;ld2&gt;ld216&lt;/ld2&gt;
    &lt;lv2&gt;lv216&lt;/lv2&gt;
    &lt;ld3&gt;APT&lt;/ld3&gt;
    &lt;lv3&gt;lv316&lt;/lv3&gt;
    &lt;city&gt;city17&lt;/city&gt;
    &lt;state&gt;AL&lt;/state&gt;
    &lt;zip&gt;zip25&lt;/zip&gt;
    &lt;route&gt;route1&lt;/route&gt;
    &lt;box&gt;box14&lt;/box&gt;
  &lt;/location&gt;
        &lt;/string&gt;
      </processSyncRequestResponse>
    </soapenv:Body>
  </soapenv:Envelope>

```

```

&lt;location&gt;
  &lt;aft&gt;B&lt;/aft&gt;
  &lt;sapr&gt;sapr11&lt;/sapr&gt;
  &lt;sano&gt;sano18&lt;/sano&gt;
  &lt;lst&gt;lst9&lt;/lst&gt;
  &lt;sasf&gt;sasf&lt;/sasf&gt;
  &lt;sasd&gt;E&lt;/sasd&gt;
  &lt;sasn&gt;sasn18&lt;/sasn&gt;
  &lt;sath&gt;sath17&lt;/sath&gt;
  &lt;sass&gt;E&lt;/sass&gt;
  &lt;ld1&gt;BLDG&lt;/ld1&gt;
  &lt;lv1&gt;lv117&lt;/lv1&gt;
  &lt;ld2&gt;ld217&lt;/ld2&gt;
  &lt;lv2&gt;lv217&lt;/lv2&gt;
  &lt;ld3&gt;APT&lt;/ld3&gt;
  &lt;lv3&gt;lv317&lt;/lv3&gt;
  &lt;city&gt;city18&lt;/city&gt;
  &lt;state&gt;AL&lt;/state&gt;
  &lt;zip&gt;zip26&lt;/zip&gt;
  &lt;route&gt;route2&lt;/route&gt;
  &lt;box&gt;box15&lt;/box&gt;
&lt;/location&gt;
&lt;multilinetext&gt;
  &lt;state&gt;AL&lt;/state&gt;
  &lt;zip&gt;zip27&lt;/zip&gt;
  &lt;mltdata&gt;
    &lt;mlt&gt;mlt10&lt;/mlt&gt;
  &lt;/mltdata&gt;
  &lt;mltdata&gt;
    &lt;mlt&gt;mlt11&lt;/mlt&gt;
  &lt;/mltdata&gt;
&lt;/multilinetext&gt;
&lt;multilinetext&gt;
  &lt;state&gt;AL&lt;/state&gt;
  &lt;zip&gt;zip28&lt;/zip&gt;
  &lt;mltdata&gt;
    &lt;mlt&gt;mlt12&lt;/mlt&gt;
  &lt;/mltdata&gt;
  &lt;mltdata&gt;
    &lt;mlt&gt;mlt13&lt;/mlt&gt;
  &lt;/mltdata&gt;
&lt;/multilinetext&gt;
&lt;instcomm&gt;instcomm1&lt;/instcomm&gt;
&lt;directorylistingdata&gt;
  &lt;sano&gt;sano19&lt;/sano&gt;
  &lt;sasn&gt;sasn19&lt;/sasn&gt;
  &lt;city&gt;city19&lt;/city&gt;
  &lt;zip&gt;zip29&lt;/zip&gt;
&lt;/directorylistingdata&gt;
&lt;terminationdata&gt;
  &lt;lst&gt;lst10&lt;/lst&gt;
  &lt;exchangeareadetail&gt;
    &lt;wcn&gt;wcn10&lt;/wcn&gt;
  &lt;/exchangeareadetail&gt;
  &lt;exchangeareadetail&gt;
    &lt;wcn&gt;wcn11&lt;/wcn&gt;
  &lt;/exchangeareadetail&gt;
&lt;/terminationdata&gt;
&lt;terminationdata&gt;
  &lt;lst&gt;lst11&lt;/lst&gt;
  &lt;exchangeareadetail&gt;
    &lt;wcn&gt;wcn12&lt;/wcn&gt;

```

```

&lt;/exchangeareadetail&gt;
&lt;exchangeareadetail&gt;
  &lt;wcn&gt;wcn13&lt;/wcn&gt;
&lt;/exchangeareadetail&gt;
&lt;/terminationdata&gt;
&lt;loopdata&gt;
  &lt;rsnnotqual&gt;rsnnotqual2&lt;/rsnnotqual&gt;
  &lt;loopstat&gt;loopstat2&lt;/loopstat&gt;
  &lt;intmsg&gt;intmsg2&lt;/intmsg&gt;
  &lt;updt&gt;updt2&lt;/updt&gt;
  &lt;addrwithinwcid&gt;a&lt;/addrwithinwcid&gt;
  &lt;pvcindcode&gt;pvcindcode2&lt;/pvcindcode&gt;
  &lt;systype&gt;systype2&lt;/systype&gt;
  &lt;ll&gt;ll2&lt;/ll&gt;
  &lt;wirectrareafacsid&gt;wirect&lt;/wirectrareafacsid&gt;
  &lt;rtind&gt;Y&lt;/rtind&gt;
  &lt;lpac&gt;lpac2&lt;/lpac&gt;
  &lt;lsa&gt;lsa2&lt;/lsa&gt;
  &lt;loadcoildata&gt;
    &lt;lct&gt;lct4&lt;/lct&gt;
    &lt;lcl&gt;lcl4&lt;/lcl&gt;
    &lt;lcluom&gt;lcluom4&lt;/lcluom&gt;
  &lt;/loadcoildata&gt;
  &lt;loadcoildata&gt;
    &lt;lct&gt;lct5&lt;/lct&gt;
    &lt;lcl&gt;lcl5&lt;/lcl&gt;
    &lt;lcluom&gt;lcluom5&lt;/lcluom&gt;
  &lt;/loadcoildata&gt;
  &lt;loopmakeupstatus-data&gt;
    &lt;lmust&gt;A&lt;/lmust&gt;
  &lt;/loopmakeupstatus-data&gt;
  &lt;loopmakeupstatus-data&gt;
    &lt;lmust&gt;A&lt;/lmust&gt;
  &lt;/loopmakeupstatus-data&gt;
  &lt;bridgetap-data&gt;
    &lt;bt1&gt;bt14&lt;/bt1&gt;
    &lt;btluom&gt;btluom4&lt;/btluom&gt;
    &lt;btlen&gt;btlen4&lt;/btlen&gt;
    &lt;btlanguage&gt;A&lt;/btlanguage&gt;
    &lt;btlenuom&gt;btlenuom4&lt;/btlenuom&gt;
  &lt;/bridgetap-data&gt;
  &lt;bridgetap-data&gt;
    &lt;bt1&gt;bt15&lt;/bt1&gt;
    &lt;btluom&gt;btluom5&lt;/btluom&gt;
    &lt;btlen&gt;btlen5&lt;/btlen&gt;
    &lt;btlanguage&gt;A&lt;/btlanguage&gt;
    &lt;btlenuom&gt;btlenuom5&lt;/btlenuom&gt;
  &lt;/bridgetap-data&gt;
  &lt;pgpres&gt;Y&lt;/pgpres&gt;
  &lt;dlctype&gt;dlctype2&lt;/dlctype&gt;
  &lt;dsscp&gt;Y&lt;/dsscp&gt;
  &lt;f1looplengthbygauge&gt;
    &lt;f1segllg&gt;f1segllg4&lt;/f1segllg&gt;
    &lt;f1segllguom&gt;f1segllguom4&lt;/f1segllguom&gt;
    &lt;f1segllggauge&gt;f1segllggauge4&lt;/f1segllggauge&gt;
  &lt;/f1looplengthbygauge&gt;
  &lt;f1looplengthbygauge&gt;
    &lt;f1segllg&gt;f1segllg5&lt;/f1segllg&gt;
    &lt;f1segllguom&gt;f1segllguom5&lt;/f1segllguom&gt;
    &lt;f1segllggauge&gt;f1segllggauge5&lt;/f1segllggauge&gt;
  &lt;/f1looplengthbygauge&gt;
  &lt;f2looplengthbygauge&gt;

```



```

    &lt;f2seg1lg&gt;f2seg1lg4&lt;/f2seg1lg&gt;
    &lt;f2seg1lguom&gt;f2seg1lguom4&lt;/f2seg1lguom&gt;
    &lt;f2seg1lggauge&gt;f2seg1lggauge4&lt;/f2seg1lggauge&gt;
&lt;/f2looplengthbygauge&gt;
&lt;f2looplengthbygauge&gt;
    &lt;f2seg1lg&gt;f2seg1lg5&lt;/f2seg1lg&gt;
    &lt;f2seg1lguom&gt;f2seg1lguom5&lt;/f2seg1lguom&gt;
    &lt;f2seg1lggauge&gt;f2seg1lggauge5&lt;/f2seg1lggauge&gt;
&lt;/f2looplengthbygauge&gt;
&lt;f3looplengthbygauge&gt;
    &lt;f3seg1lg&gt;f3seg1lg4&lt;/f3seg1lg&gt;
    &lt;f3seg1lguom&gt;N&lt;/f3seg1lguom&gt;
    &lt;f3seg1lggauge&gt;N&lt;/f3seg1lggauge&gt;
&lt;/f3looplengthbygauge&gt;
&lt;f3looplengthbygauge&gt;
    &lt;f3seg1lg&gt;f3seg1lg5&lt;/f3seg1lg&gt;
    &lt;f3seg1lguom&gt;N&lt;/f3seg1lguom&gt;
    &lt;f3seg1lggauge&gt;N&lt;/f3seg1lggauge&gt;
&lt;/f3looplengthbygauge&gt;
&lt;f4looplengthbygauge&gt;
    &lt;f4seg1lg&gt;f4seg1lg4&lt;/f4seg1lg&gt;
    &lt;f4seg1lguom&gt;N&lt;/f4seg1lguom&gt;
    &lt;f4seg1lggauge&gt;N&lt;/f4seg1lggauge&gt;
&lt;/f4looplengthbygauge&gt;
&lt;f4looplengthbygauge&gt;
    &lt;f4seg1lg&gt;f4seg1lg5&lt;/f4seg1lg&gt;
    &lt;f4seg1lguom&gt;N&lt;/f4seg1lguom&gt;
    &lt;f4seg1lggauge&gt;N&lt;/f4seg1lggauge&gt;
&lt;/f4looplengthbygauge&gt;
&lt;locationdata&gt;
    &lt;lc&gt;lc4&lt;/lc&gt;
    &lt;lci1&gt;A&lt;/lci1&gt;
    &lt;lca1&gt;lca4&lt;/lca1&gt;
    &lt;lci2&gt;A&lt;/lci2&gt;
    &lt;lca2&gt;lca24&lt;/lca2&gt;
    &lt;lci3&gt;A&lt;/lci3&gt;
    &lt;lca3&gt;lca34&lt;/lca3&gt;
    &lt;lci4&gt;A&lt;/lci4&gt;
    &lt;lca4&gt;lca44&lt;/lca4&gt;
&lt;/locationdata&gt;
&lt;locationdata&gt;
    &lt;lc&gt;lc5&lt;/lc&gt;
    &lt;lci1&gt;A&lt;/lci1&gt;
    &lt;lca1&gt;lca15&lt;/lca1&gt;
    &lt;lci2&gt;A&lt;/lci2&gt;
    &lt;lca2&gt;lca25&lt;/lca2&gt;
    &lt;lci3&gt;A&lt;/lci3&gt;
    &lt;lca3&gt;lca35&lt;/lca3&gt;
    &lt;lci4&gt;A&lt;/lci4&gt;
    &lt;lca4&gt;lca45&lt;/lca4&gt;
&lt;/locationdata&gt;
&lt;llt&gt;A&lt;/llt&gt;
&lt;f1disturbertypesamebinder&gt;
    &lt;f1dtsame&gt;f1dtsame4&lt;/f1dtsame&gt;
&lt;/f1disturbertypesamebinder&gt;
&lt;f1disturbertypesamebinder&gt;
    &lt;f1dtsame&gt;f1dtsame5&lt;/f1dtsame&gt;
&lt;/f1disturbertypesamebinder&gt;
&lt;f1disturbertypeadjbinder&gt;
    &lt;f1dtadj&gt;N&lt;/f1dtadj&gt;
&lt;/f1disturbertypeadjbinder&gt;
&lt;f1disturbertypeadjbinder&gt;

```

```

    &lt;f1dtadj&gt;N&lt;/f1dtadj&gt;
&lt;/f1disturbertypeadjbinder&gt;
&lt;lcq&gt;4&lt;/lcq&gt;
&lt;f2disturbertypesamebinder&gt;
    &lt;f2dtsame&gt;f2dtsame4&lt;/f2dtsame&gt;
&lt;/f2disturbertypesamebinder&gt;
&lt;f2disturbertypesamebinder&gt;
    &lt;f2dtsame&gt;f2dtsame5&lt;/f2dtsame&gt;
&lt;/f2disturbertypesamebinder&gt;
&lt;f2disturbertypeadjbinder&gt;
    &lt;f2dtadj&gt;N&lt;/f2dtadj&gt;
&lt;/f2disturbertypeadjbinder&gt;
&lt;f2disturbertypeadjbinder&gt;
    &lt;f2dtadj&gt;N&lt;/f2dtadj&gt;
&lt;/f2disturbertypeadjbinder&gt;
&lt;f1lpcp&gt;A&lt;/f1lpcp&gt;
&lt;f2lpcp&gt;A&lt;/f2lpcp&gt;
&lt;f3lpcp&gt;P&lt;/f3lpcp&gt;
&lt;f4lpcp&gt;N&lt;/f4lpcp&gt;
&lt;f3disturbertypeadjbinder&gt;
    &lt;f3dtadj&gt;N&lt;/f3dtadj&gt;
&lt;/f3disturbertypeadjbinder&gt;
&lt;f3disturbertypeadjbinder&gt;
    &lt;f3dtadj&gt;N&lt;/f3dtadj&gt;
&lt;/f3disturbertypeadjbinder&gt;
&lt;f3disturbertypesamebinder&gt;
    &lt;f3dtsame&gt;f3dtsame4&lt;/f3dtsame&gt;
&lt;/f3disturbertypesamebinder&gt;
&lt;f3disturbertypesamebinder&gt;
    &lt;f3dtsame&gt;f3dtsame5&lt;/f3dtsame&gt;
&lt;/f3disturbertypesamebinder&gt;
&lt;f4disturbertypesamebinder&gt;
    &lt;f4dtsame&gt;f4dtsame4&lt;/f4dtsame&gt;
&lt;/f4disturbertypesamebinder&gt;
&lt;f4disturbertypesamebinder&gt;
    &lt;f4dtsame&gt;f4dtsame5&lt;/f4dtsame&gt;
&lt;/f4disturbertypesamebinder&gt;
&lt;f4disturbertypeadjbinder&gt;
    &lt;f4dtadj&gt;N&lt;/f4dtadj&gt;
&lt;/f4disturbertypeadjbinder&gt;
&lt;f4disturbertypeadjbinder&gt;
    &lt;f4dtadj&gt;N&lt;/f4dtadj&gt;
&lt;/f4disturbertypeadjbinder&gt;
&lt;vild&gt;vild2&lt;/vild&gt;
&lt;rsuind&gt;Y&lt;/rsuind&gt;
&lt;wcn&gt;wcn14&lt;/wcn&gt;
&lt;/loopdata&gt;
&lt;loopdata&gt;
    &lt;rsnnotqual&gt;rsnnotqual3&lt;/rsnnotqual&gt;
    &lt;loopstat&gt;loopstat3&lt;/loopstat&gt;
    &lt;intmsg&gt;intmsg3&lt;/intmsg&gt;
    &lt;updt&gt;updt3&lt;/updt&gt;
    &lt;addrwithinwcid&gt;a&lt;/addrwithinwcid&gt;
    &lt;pvcindcode&gt;pvcindcode3&lt;/pvcindcode&gt;
    &lt;systype&gt;systype3&lt;/systype&gt;
    &lt;ll&gt;ll3&lt;/ll&gt;
    &lt;wirectrareafacsid&gt;wirect&lt;/wirectrareafacsid&gt;
    &lt;rtind&gt;Y&lt;/rtind&gt;
    &lt;lpac&gt;lpac3&lt;/lpac&gt;
    &lt;lsa&gt;lsa3&lt;/lsa&gt;
    &lt;loadcoildata&gt;
        &lt;lct&gt;lct6&lt;/lct&gt;

```

```

        &lt;lcl&gt;lcl6&lt;/lcl&gt;
        &lt;lcluom&gt;lcluom6&lt;/lcluom&gt;
&lt;/loadcoildata&gt;
&lt;loadcoildata&gt;
        &lt;lct&gt;lct7&lt;/lct&gt;
        &lt;lcl&gt;lcl7&lt;/lcl&gt;
        &lt;lcluom&gt;lcluom7&lt;/lcluom&gt;
&lt;/loadcoildata&gt;
&lt;loopmakeupstatus-data&gt;
        &lt;lmust&gt;A&lt;/lmust&gt;
&lt;/loopmakeupstatus-data&gt;
&lt;loopmakeupstatus-data&gt;
        &lt;lmust&gt;A&lt;/lmust&gt;
&lt;/loopmakeupstatus-data&gt;
&lt;bridgetap-data&gt;
        &lt;btl&gt;btl6&lt;/btl&gt;
        &lt;btluom&gt;btluom6&lt;/btluom&gt;
        &lt;btleng&gt;btleng6&lt;/btleng&gt;
        &lt;btlenguag&gt;A&lt;/btlenguag&gt;
        &lt;btlenuom&gt;btlenuom6&lt;/btlenuom&gt;
&lt;/bridgetap-data&gt;
&lt;bridgetap-data&gt;
        &lt;btl&gt;btl7&lt;/btl&gt;
        &lt;btluom&gt;btluom7&lt;/btluom&gt;
        &lt;btleng&gt;btleng7&lt;/btleng&gt;
        &lt;btlenguag&gt;A&lt;/btlenguag&gt;
        &lt;btlenuom&gt;btlenuom7&lt;/btlenuom&gt;
&lt;/bridgetap-data&gt;
&lt;pgpres&gt;Y&lt;/pgpres&gt;
&lt;dlctype&gt;dlctype3&lt;/dlctype&gt;
&lt;dsscp&gt;Y&lt;/dsscp&gt;
&lt;f1looplengthbygauge&gt;
        &lt;f1segllg&gt;f1segllg6&lt;/f1segllg&gt;
        &lt;f1segllguom&gt;f1segllguom6&lt;/f1segllguom&gt;
        &lt;f1segllggauge&gt;f1segllggauge6&lt;/f1segllggauge&gt;
&lt;/f1looplengthbygauge&gt;
&lt;f1looplengthbygauge&gt;
        &lt;f1segllg&gt;f1segllg7&lt;/f1segllg&gt;
        &lt;f1segllguom&gt;f1segllguom7&lt;/f1segllguom&gt;
        &lt;f1segllggauge&gt;f1segllggauge7&lt;/f1segllggauge&gt;
&lt;/f1looplengthbygauge&gt;
&lt;f2looplengthbygauge&gt;
        &lt;f2segllg&gt;f2segllg6&lt;/f2segllg&gt;
        &lt;f2segllguom&gt;f2segllguom6&lt;/f2segllguom&gt;
        &lt;f2segllggauge&gt;f2segllggauge6&lt;/f2segllggauge&gt;
&lt;/f2looplengthbygauge&gt;
&lt;f2looplengthbygauge&gt;
        &lt;f2segllg&gt;f2segllg7&lt;/f2segllg&gt;
        &lt;f2segllguom&gt;f2segllguom7&lt;/f2segllguom&gt;
        &lt;f2segllggauge&gt;f2segllggauge7&lt;/f2segllggauge&gt;
&lt;/f2looplengthbygauge&gt;
&lt;f3looplengthbygauge&gt;
        &lt;f3segllg&gt;f3segllg6&lt;/f3segllg&gt;
        &lt;f3segllguom&gt;N&lt;/f3segllguom&gt;
        &lt;f3segllggauge&gt;N&lt;/f3segllggauge&gt;
&lt;/f3looplengthbygauge&gt;
&lt;f3looplengthbygauge&gt;
        &lt;f3segllg&gt;f3segllg7&lt;/f3segllg&gt;
        &lt;f3segllguom&gt;N&lt;/f3segllguom&gt;
        &lt;f3segllggauge&gt;N&lt;/f3segllggauge&gt;
&lt;/f3looplengthbygauge&gt;
&lt;f4looplengthbygauge&gt;

```

```

        &lt;f4seg1lg&gt;f4seg1lg6&lt;/f4seg1lg&gt;
        &lt;f4seg1lguom&gt;N&lt;/f4seg1lguom&gt;
        &lt;f4seg1lggauge&gt;N&lt;/f4seg1lggauge&gt;
&lt;/f4looplengthbygauge&gt;
&lt;f4looplengthbygauge&gt;
        &lt;f4seg1lg&gt;f4seg1lg7&lt;/f4seg1lg&gt;
        &lt;f4seg1lguom&gt;N&lt;/f4seg1lguom&gt;
        &lt;f4seg1lggauge&gt;N&lt;/f4seg1lggauge&gt;
&lt;/f4looplengthbygauge&gt;
&lt;locationdata&gt;
        &lt;lc&gt;lc6&lt;/lc&gt;
        &lt;lcil&gt;A&lt;/lcil&gt;
        &lt;lca1&gt;lca16&lt;/lca1&gt;
        &lt;lcil2&gt;A&lt;/lcil2&gt;
        &lt;lca2&gt;lca26&lt;/lca2&gt;
        &lt;lcil3&gt;A&lt;/lcil3&gt;
        &lt;lca3&gt;lca36&lt;/lca3&gt;
        &lt;lcil4&gt;A&lt;/lcil4&gt;
        &lt;lca4&gt;lca46&lt;/lca4&gt;
&lt;/locationdata&gt;
&lt;locationdata&gt;
        &lt;lc&gt;lc7&lt;/lc&gt;
        &lt;lcil&gt;A&lt;/lcil&gt;
        &lt;lca1&gt;lca17&lt;/lca1&gt;
        &lt;lcil2&gt;A&lt;/lcil2&gt;
        &lt;lca2&gt;lca27&lt;/lca2&gt;
        &lt;lcil3&gt;A&lt;/lcil3&gt;
        &lt;lca3&gt;lca37&lt;/lca3&gt;
        &lt;lcil4&gt;A&lt;/lcil4&gt;
        &lt;lca4&gt;lca47&lt;/lca4&gt;
&lt;/locationdata&gt;
&lt;llt&gt;A&lt;/llt&gt;
&lt;f1disturbertypesamebinder&gt;
        &lt;f1dtsame&gt;f1dtsame6&lt;/f1dtsame&gt;
&lt;/f1disturbertypesamebinder&gt;
&lt;f1disturbertypesamebinder&gt;
        &lt;f1dtsame&gt;f1dtsame7&lt;/f1dtsame&gt;
&lt;/f1disturbertypesamebinder&gt;
&lt;f1disturbertypeadjbinder&gt;
        &lt;f1dtadj&gt;N&lt;/f1dtadj&gt;
&lt;/f1disturbertypeadjbinder&gt;
&lt;f1disturbertypeadjbinder&gt;
        &lt;f1dtadj&gt;N&lt;/f1dtadj&gt;
&lt;/f1disturbertypeadjbinder&gt;
&lt;lcq&gt;4&lt;/lcq&gt;
&lt;f2disturbertypesamebinder&gt;
        &lt;f2dtsame&gt;f2dtsame6&lt;/f2dtsame&gt;
&lt;/f2disturbertypesamebinder&gt;
&lt;f2disturbertypesamebinder&gt;
        &lt;f2dtsame&gt;f2dtsame7&lt;/f2dtsame&gt;
&lt;/f2disturbertypesamebinder&gt;
&lt;f2disturbertypeadjbinder&gt;
        &lt;f2dtadj&gt;N&lt;/f2dtadj&gt;
&lt;/f2disturbertypeadjbinder&gt;
&lt;f2disturbertypeadjbinder&gt;
        &lt;f2dtadj&gt;N&lt;/f2dtadj&gt;
&lt;/f2disturbertypeadjbinder&gt;
&lt;f1lpcp&gt;A&lt;/f1lpcp&gt;
&lt;f2lpcp&gt;A&lt;/f2lpcp&gt;
&lt;f3lpcp&gt;P&lt;/f3lpcp&gt;
&lt;f4lpcp&gt;N&lt;/f4lpcp&gt;
&lt;f3disturbertypeadjbinder&gt;

```

```

        <f3dtadj>N</f3dtadj>;
    </f3disturbertypeadjbinder>;
    <f3disturbertypeadjbinder>;
        <f3dtadj>N</f3dtadj>;
    </f3disturbertypeadjbinder>;
    <f3disturbertypesamebinder>;
        <f3dtsame>f3dtsame6</f3dtsame>;
    </f3disturbertypesamebinder>;
    <f3disturbertypesamebinder>;
        <f3dtsame>f3dtsame7</f3dtsame>;
    </f3disturbertypesamebinder>;
    <f4disturbertypesamebinder>;
        <f4dtsame>f4dtsame6</f4dtsame>;
    </f4disturbertypesamebinder>;
    <f4disturbertypesamebinder>;
        <f4dtsame>f4dtsame7</f4dtsame>;
    </f4disturbertypesamebinder>;
    <f4disturbertypeadjbinder>;
        <f4dtadj>N</f4dtadj>;
    </f4disturbertypeadjbinder>;
    <f4disturbertypeadjbinder>;
        <f4dtadj>N</f4dtadj>;
    </f4disturbertypeadjbinder>;
    <vild>vild3</vild>;
    <rsuind>Y</rsuind>;
    <wcn>wcn15</wcn>;
</loopdata>;
<usagedata>;
    <wtn>wtn2</wtn>;
</usagedata>;
<usagedata>;
    <wtn>wtn3</wtn>;
</usagedata>;
<responsestatus>;
    <responsecodes>;
        <respc>respc0</respc>;
        <respd>respd0</respd>;
        <prespc>prespc12</prespc>;
        <prespd>prespd12</prespd>;
    </responsecodes>;
    <responsecodes>;
        <respc>respc1</respc>;
        <respd>respd1</respd>;
        <prespc>prespc13</prespc>;
        <prespd>prespd13</prespd>;
    </responsecodes>;
</responsestatus>;
    <cuscode>cus</cuscode>;
</loopqualificationslresponse>;
    </localserviceporesponse>;
</string>
</processSyncRequestResponse>
</soapenv:Body>
</soapenv:Envelope>

```

TxType: Q – Loop Qualification Basic Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponsexmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:sncrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;loopqualificationbasicresponse&gt;
  &lt;ccna&gt;ccn&lt;/ccna&gt;
  &lt;txnum&gt;txnum7&lt;/txnum&gt;
  &lt;dtsent&gt;dtsent7&lt;/dtsent&gt;
  &lt;ttxtyp&gt;Q&lt;/ttxtyp&gt;
  &lt;txact&gt;A&lt;/txact&gt;
  &lt;cc&gt;cc7&lt;/cc&gt;
  &lt;resid&gt;resid3&lt;/resid&gt;
  &lt;location&gt;
    &lt;state&gt;AL&lt;/state&gt;
    &lt;lstfr&gt;l&lt;/lstfr&gt;
  &lt;/location&gt;
  &lt;location&gt;
    &lt;state&gt;AL&lt;/state&gt;
    &lt;lstfr&gt;l&lt;/lstfr&gt;
  &lt;/location&gt;
  &lt;multilinetext&gt;
    &lt;state&gt;AL&lt;/state&gt;
    &lt;mltdata&gt;
      &lt;mlt&gt;mlt14&lt;/mlt&gt;
    &lt;/mltdata&gt;
    &lt;mltdata&gt;
      &lt;mlt&gt;mlt15&lt;/mlt&gt;
    &lt;/mltdata&gt;
  &lt;/multilinetext&gt;
  &lt;multilinetext&gt;
    &lt;state&gt;AL&lt;/state&gt;
    &lt;mltdata&gt;
      &lt;mlt&gt;mlt16&lt;/mlt&gt;
    &lt;/mltdata&gt;
    &lt;mltdata&gt;
      &lt;mlt&gt;mlt17&lt;/mlt&gt;
    &lt;/mltdata&gt;
  &lt;/multilinetext&gt;
  &lt;/loopqualificationbasicresponse&gt;
&lt;/string&gt;
    </processSyncRequestResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

```

&lt;/mltdata&gt;
&lt;/multilinetext&gt;
&lt;/loopdata&gt;
&lt;/rsnnotqual&gt;rsnnotqual4&lt;/rsnnotqual&gt;
&lt;/loopstat&gt;loopstat4&lt;/loopstat&gt;
&lt;/intmsg&gt;intmsg4&lt;/intmsg&gt;
&lt;/updt&gt;updt4&lt;/updt&gt;
&lt;/addrwithinwcid&gt;a&lt;/addrwithinwcid&gt;
&lt;/pvcindcode&gt;pvcindcode4&lt;/pvcindcode&gt;
&lt;/systype&gt;systype4&lt;/systype&gt;
&lt;/ll&gt;ll4&lt;/ll&gt;
&lt;/wirectrareafacsid&gt;wirect&lt;/wirectrareafacsid&gt;
&lt;/rtind&gt;Y&lt;/rtind&gt;
&lt;/lpac&gt;lpac4&lt;/lpac&gt;
&lt;/lsa&gt;lsa4&lt;/lsa&gt;
&lt;/loadcoildata&gt;
&lt;/lct&gt;lct8&lt;/lct&gt;
&lt;/lcl&gt;lcl8&lt;/lcl&gt;
&lt;/lcluom&gt;lcluom8&lt;/lcluom&gt;
&lt;/loadcoildata&gt;
&lt;/loadcoildata&gt;
&lt;/lct&gt;lct9&lt;/lct&gt;
&lt;/lcl&gt;lcl9&lt;/lcl&gt;
&lt;/lcluom&gt;lcluom9&lt;/lcluom&gt;
&lt;/loadcoildata&gt;
&lt;/loopmakeupstatus-data&gt;
&lt;/lmust&gt;A&lt;/lmust&gt;
&lt;/loopmakeupstatus-data&gt;
&lt;/loopmakeupstatus-data&gt;
&lt;/lmust&gt;A&lt;/lmust&gt;
&lt;/loopmakeupstatus-data&gt;
&lt;/bridgetap-data&gt;
&lt;/btl&gt;btl8&lt;/btl&gt;
&lt;/btluom&gt;btluom8&lt;/btluom&gt;
&lt;/btlen&gt;btlen8&lt;/btlen&gt;
&lt;/btlenguag&gt;A&lt;/btlenguag&gt;
&lt;/btlenuom&gt;btlenuom8&lt;/btlenuom&gt;
&lt;/bridgetap-data&gt;
&lt;/bridgetap-data&gt;
&lt;/btl&gt;btl9&lt;/btl&gt;
&lt;/btluom&gt;btluom9&lt;/btluom&gt;
&lt;/btlen&gt;btlen9&lt;/btlen&gt;
&lt;/btlenguag&gt;A&lt;/btlenguag&gt;
&lt;/btlenuom&gt;btlenuom9&lt;/btlenuom&gt;
&lt;/bridgetap-data&gt;
&lt;/pgpres&gt;Y&lt;/pgpres&gt;
&lt;/dlctype&gt;dlctype4&lt;/dlctype&gt;
&lt;/dsscp&gt;Y&lt;/dsscp&gt;
&lt;/f1looplengthbygauge&gt;
&lt;/f1segllg&gt;f1segllg8&lt;/f1segllg&gt;
&lt;/f1segllguom&gt;f1segllguom8&lt;/f1segllguom&gt;
&lt;/f1segllggauge&gt;f1segllggauge8&lt;/f1segllggauge&gt;
&lt;/f1looplengthbygauge&gt;
&lt;/f1looplengthbygauge&gt;
&lt;/f1segllg&gt;f1segllg9&lt;/f1segllg&gt;
&lt;/f1segllguom&gt;f1segllguom9&lt;/f1segllguom&gt;
&lt;/f1segllggauge&gt;f1segllggauge9&lt;/f1segllggauge&gt;
&lt;/f1looplengthbygauge&gt;
&lt;/f2looplengthbygauge&gt;
&lt;/f2segllg&gt;f2segllg8&lt;/f2segllg&gt;
&lt;/f2segllguom&gt;f2segllguom8&lt;/f2segllguom&gt;
&lt;/f2segllggauge&gt;f2segllggauge8&lt;/f2segllggauge&gt;

```

```

&lt;/f2looplengthbygauge&gt;
&lt;f2looplengthbygauge&gt;
  &lt;f2segllg&gt;f2segllg9&lt;/f2segllg&gt;
  &lt;f2segllguom&gt;f2segllguom9&lt;/f2segllguom&gt;
  &lt;f2segllggauge&gt;f2segllggauge9&lt;/f2segllggauge&gt;
&lt;/f2looplengthbygauge&gt;
&lt;f3looplengthbygauge&gt;
  &lt;f3segllg&gt;f3segllg8&lt;/f3segllg&gt;
  &lt;f3segllguom&gt;N&lt;/f3segllguom&gt;
  &lt;f3segllggauge&gt;N&lt;/f3segllggauge&gt;
&lt;/f3looplengthbygauge&gt;
&lt;f3looplengthbygauge&gt;
  &lt;f3segllg&gt;f3segllg9&lt;/f3segllg&gt;
  &lt;f3segllguom&gt;N&lt;/f3segllguom&gt;
  &lt;f3segllggauge&gt;N&lt;/f3segllggauge&gt;
&lt;/f3looplengthbygauge&gt;
&lt;f4looplengthbygauge&gt;
  &lt;f4segllg&gt;f4segllg8&lt;/f4segllg&gt;
  &lt;f4segllguom&gt;N&lt;/f4segllguom&gt;
  &lt;f4segllggauge&gt;N&lt;/f4segllggauge&gt;
&lt;/f4looplengthbygauge&gt;
&lt;f4looplengthbygauge&gt;
  &lt;f4segllg&gt;f4segllg9&lt;/f4segllg&gt;
  &lt;f4segllguom&gt;N&lt;/f4segllguom&gt;
  &lt;f4segllggauge&gt;N&lt;/f4segllggauge&gt;
&lt;/f4looplengthbygauge&gt;
&lt;locationdata&gt;
  &lt;lc&gt;lc8&lt;/lc&gt;
  &lt;lci1&gt;A&lt;/lci1&gt;
  &lt;lca1&gt;lca18&lt;/lca1&gt;
  &lt;lci2&gt;A&lt;/lci2&gt;
  &lt;lca2&gt;lca28&lt;/lca2&gt;
  &lt;lci3&gt;A&lt;/lci3&gt;
  &lt;lca3&gt;lca38&lt;/lca3&gt;
  &lt;lci4&gt;A&lt;/lci4&gt;
  &lt;lca4&gt;lca48&lt;/lca4&gt;
&lt;/locationdata&gt;
&lt;locationdata&gt;
  &lt;lc&gt;lc9&lt;/lc&gt;
  &lt;lci1&gt;A&lt;/lci1&gt;
  &lt;lca1&gt;lca19&lt;/lca1&gt;
  &lt;lci2&gt;A&lt;/lci2&gt;
  &lt;lca2&gt;lca29&lt;/lca2&gt;
  &lt;lci3&gt;A&lt;/lci3&gt;
  &lt;lca3&gt;lca39&lt;/lca3&gt;
  &lt;lci4&gt;A&lt;/lci4&gt;
  &lt;lca4&gt;lca49&lt;/lca4&gt;
&lt;/locationdata&gt;
&lt;llt&gt;A&lt;/llt&gt;
&lt;f1disturbertypesamebinder&gt;
  &lt;f1dtsame&gt;f1dtsame8&lt;/f1dtsame&gt;
&lt;/f1disturbertypesamebinder&gt;
&lt;f1disturbertypesamebinder&gt;
  &lt;f1dtsame&gt;f1dtsame9&lt;/f1dtsame&gt;
&lt;/f1disturbertypesamebinder&gt;
&lt;f1disturbertypeadjbinder&gt;
  &lt;f1dtadj&gt;N&lt;/f1dtadj&gt;
&lt;/f1disturbertypeadjbinder&gt;
&lt;f1disturbertypeadjbinder&gt;
  &lt;f1dtadj&gt;N&lt;/f1dtadj&gt;
&lt;/f1disturbertypeadjbinder&gt;
&lt;lcq&gt;4&lt;/lcq&gt;

```



```

&lt;f2disturbertypesamebinder&gt;
  &lt;f2dtsame&gt;f2dtsame8&lt;/f2dtsame&gt;
&lt;/f2disturbertypesamebinder&gt;
&lt;f2disturbertypesamebinder&gt;
  &lt;f2dtsame&gt;f2dtsame9&lt;/f2dtsame&gt;
&lt;/f2disturbertypesamebinder&gt;
&lt;f2disturbertypeadjbinder&gt;
  &lt;f2dtadj&gt;N&lt;/f2dtadj&gt;
&lt;/f2disturbertypeadjbinder&gt;
&lt;f2disturbertypeadjbinder&gt;
  &lt;f2dtadj&gt;N&lt;/f2dtadj&gt;
&lt;/f2disturbertypeadjbinder&gt;
&lt;f1lpcp&gt;A&lt;/f1lpcp&gt;
&lt;f2lpcp&gt;A&lt;/f2lpcp&gt;
&lt;f3lpcp&gt;P&lt;/f3lpcp&gt;
&lt;f4lpcp&gt;N&lt;/f4lpcp&gt;
&lt;f3disturbertypeadjbinder&gt;
  &lt;f3dtadj&gt;N&lt;/f3dtadj&gt;
&lt;/f3disturbertypeadjbinder&gt;
&lt;f3disturbertypeadjbinder&gt;
  &lt;f3dtadj&gt;N&lt;/f3dtadj&gt;
&lt;/f3disturbertypeadjbinder&gt;
&lt;f3disturbertypesamebinder&gt;
  &lt;f3dtsame&gt;f3dtsame8&lt;/f3dtsame&gt;
&lt;/f3disturbertypesamebinder&gt;
&lt;f3disturbertypesamebinder&gt;
  &lt;f3dtsame&gt;f3dtsame9&lt;/f3dtsame&gt;
&lt;/f3disturbertypesamebinder&gt;
&lt;f4disturbertypesamebinder&gt;
  &lt;f4dtsame&gt;f4dtsame8&lt;/f4dtsame&gt;
&lt;/f4disturbertypesamebinder&gt;
&lt;f4disturbertypesamebinder&gt;
  &lt;f4dtsame&gt;f4dtsame9&lt;/f4dtsame&gt;
&lt;/f4disturbertypesamebinder&gt;
&lt;f4disturbertypeadjbinder&gt;
  &lt;f4dtadj&gt;N&lt;/f4dtadj&gt;
&lt;/f4disturbertypeadjbinder&gt;
&lt;f4disturbertypeadjbinder&gt;
  &lt;f4dtadj&gt;N&lt;/f4dtadj&gt;
&lt;/f4disturbertypeadjbinder&gt;
&lt;vild&gt;vild4&lt;/vild&gt;
&lt;rsuind&gt;Y&lt;/rsuind&gt;
&lt;wcn&gt;wcn16&lt;/wcn&gt;
&lt;/loopdata&gt;
&lt;loopdata&gt;
  &lt;rsnnotqual&gt;rsnnotqual5&lt;/rsnnotqual&gt;
  &lt;loopstat&gt;loopstat5&lt;/loopstat&gt;
  &lt;intmsg&gt;intmsg5&lt;/intmsg&gt;
  &lt;updt&gt;updt5&lt;/updt&gt;
  &lt;addrwithinwcid&gt;a&lt;/addrwithinwcid&gt;
  &lt;pvcindcode&gt;pvcindcode5&lt;/pvcindcode&gt;
  &lt;systype&gt;systype5&lt;/systype&gt;
  &lt;ll&gt;ll5&lt;/ll&gt;
  &lt;wirectrareafacsid&gt;wirect&lt;/wirectrareafacsid&gt;
  &lt;rtind&gt;Y&lt;/rtind&gt;
  &lt;lpac&gt;lpac5&lt;/lpac&gt;
  &lt;lsa&gt;lsa5&lt;/lsa&gt;
  &lt;loadcoildata&gt;
    &lt;lct&gt;lct10&lt;/lct&gt;
    &lt;lcl&gt;lcl10&lt;/lcl&gt;
    &lt;lcluom&gt;lcluom10&lt;/lcluom&gt;
  &lt;/loadcoildata&gt;

```

```

&lt;loadcoildata&gt;
  &lt;lct&gt;lct11&lt;/lct&gt;
  &lt;lcl&gt;lcl11&lt;/lcl&gt;
  &lt;lcluom&gt;lcluom11&lt;/lcluom&gt;
&lt;/loadcoildata&gt;
&lt;loopmakeupstatus-data&gt;
  &lt;lmust&gt;A&lt;/lmust&gt;
&lt;/loopmakeupstatus-data&gt;
&lt;loopmakeupstatus-data&gt;
  &lt;lmust&gt;A&lt;/lmust&gt;
&lt;/loopmakeupstatus-data&gt;
&lt;bridgetap-data&gt;
  &lt;btl&gt;btl10&lt;/btl&gt;
  &lt;btluom&gt;btluom10&lt;/btluom&gt;
  &lt;btlen&gt;btlen10&lt;/btlen&gt;
  &lt;btlanguage&gt;A&lt;/btlanguage&gt;
  &lt;btlenuom&gt;btlenuom10&lt;/btlenuom&gt;
&lt;/bridgetap-data&gt;
&lt;bridgetap-data&gt;
  &lt;btl&gt;btl11&lt;/btl&gt;
  &lt;btluom&gt;btluom11&lt;/btluom&gt;
  &lt;btlen&gt;btlen11&lt;/btlen&gt;
  &lt;btlanguage&gt;A&lt;/btlanguage&gt;
  &lt;btlenuom&gt;btlenuom11&lt;/btlenuom&gt;
&lt;/bridgetap-data&gt;
&lt;pgpres&gt;Y&lt;/pgpres&gt;
&lt;dlctype&gt;dlctype5&lt;/dlctype&gt;
&lt;dsscp&gt;Y&lt;/dsscp&gt;
&lt;f1looplengthbygauge&gt;
  &lt;f1segllg&gt;f1segllg10&lt;/f1segllg&gt;
  &lt;f1segllguom&gt;f1segllguom10&lt;/f1segllguom&gt;
  &lt;f1segllggauge&gt;f1segllggauge10&lt;/f1segllggauge&gt;
&lt;/f1looplengthbygauge&gt;
&lt;f1looplengthbygauge&gt;
  &lt;f1segllg&gt;f1segllg11&lt;/f1segllg&gt;
  &lt;f1segllguom&gt;f1segllguom11&lt;/f1segllguom&gt;
  &lt;f1segllggauge&gt;f1segllggauge11&lt;/f1segllggauge&gt;
&lt;/f1looplengthbygauge&gt;
&lt;f2looplengthbygauge&gt;
  &lt;f2segllg&gt;f2segllg10&lt;/f2segllg&gt;
  &lt;f2segllguom&gt;f2segllguom10&lt;/f2segllguom&gt;
  &lt;f2segllggauge&gt;f2segllggauge10&lt;/f2segllggauge&gt;
&lt;/f2looplengthbygauge&gt;
&lt;f2looplengthbygauge&gt;
  &lt;f2segllg&gt;f2segllg11&lt;/f2segllg&gt;
  &lt;f2segllguom&gt;f2segllguom11&lt;/f2segllguom&gt;
  &lt;f2segllggauge&gt;f2segllggauge11&lt;/f2segllggauge&gt;
&lt;/f2looplengthbygauge&gt;
&lt;f3looplengthbygauge&gt;
  &lt;f3segllg&gt;f3segllg10&lt;/f3segllg&gt;
  &lt;f3segllguom&gt;N&lt;/f3segllguom&gt;
  &lt;f3segllggauge&gt;N&lt;/f3segllggauge&gt;
&lt;/f3looplengthbygauge&gt;
&lt;f3looplengthbygauge&gt;
  &lt;f3segllg&gt;f3segllg11&lt;/f3segllg&gt;
  &lt;f3segllguom&gt;N&lt;/f3segllguom&gt;
  &lt;f3segllggauge&gt;N&lt;/f3segllggauge&gt;
&lt;/f3looplengthbygauge&gt;
&lt;f4looplengthbygauge&gt;
  &lt;f4segllg&gt;f4segllg10&lt;/f4segllg&gt;
  &lt;f4segllguom&gt;N&lt;/f4segllguom&gt;
  &lt;f4segllggauge&gt;N&lt;/f4segllggauge&gt;

```

```

&lt;/f4looplengthbygauge&gt;
&lt;f4looplengthbygauge&gt;
  &lt;f4segllg&gt;f4segllg1&lt;/f4segllg&gt;
  &lt;f4segllguom&gt;N&lt;/f4segllguom&gt;
  &lt;f4segllggauge&gt;N&lt;/f4segllggauge&gt;
&lt;/f4looplengthbygauge&gt;
&lt;locationdata&gt;
  &lt;lc&gt;lc10&lt;/lc&gt;
  &lt;lci1&gt;A&lt;/lci1&gt;
  &lt;lca1&gt;lca110&lt;/lca1&gt;
  &lt;lci2&gt;A&lt;/lci2&gt;
  &lt;lca2&gt;lca210&lt;/lca2&gt;
  &lt;lci3&gt;A&lt;/lci3&gt;
  &lt;lca3&gt;lca310&lt;/lca3&gt;
  &lt;lci4&gt;A&lt;/lci4&gt;
  &lt;lca4&gt;lca410&lt;/lca4&gt;
&lt;/locationdata&gt;
&lt;locationdata&gt;
  &lt;lc&gt;lc11&lt;/lc&gt;
  &lt;lci1&gt;A&lt;/lci1&gt;
  &lt;lca1&gt;lca111&lt;/lca1&gt;
  &lt;lci2&gt;A&lt;/lci2&gt;
  &lt;lca2&gt;lca211&lt;/lca2&gt;
  &lt;lci3&gt;A&lt;/lci3&gt;
  &lt;lca3&gt;lca311&lt;/lca3&gt;
  &lt;lci4&gt;A&lt;/lci4&gt;
  &lt;lca4&gt;lca411&lt;/lca4&gt;
&lt;/locationdata&gt;
&lt;llt&gt;A&lt;/llt&gt;
&lt;f1disturbertypesamebinder&gt;
  &lt;f1dtsame&gt;f1dtsame10&lt;/f1dtsame&gt;
&lt;/f1disturbertypesamebinder&gt;
&lt;f1disturbertypesamebinder&gt;
  &lt;f1dtsame&gt;f1dtsame11&lt;/f1dtsame&gt;
&lt;/f1disturbertypesamebinder&gt;
&lt;f1disturbertypeadjbinder&gt;
  &lt;f1dtadj&gt;N&lt;/f1dtadj&gt;
&lt;/f1disturbertypeadjbinder&gt;
&lt;f1disturbertypeadjbinder&gt;
  &lt;f1dtadj&gt;N&lt;/f1dtadj&gt;
&lt;/f1disturbertypeadjbinder&gt;
&lt;lcq&gt;4&lt;/lcq&gt;
&lt;f2disturbertypesamebinder&gt;
  &lt;f2dtsame&gt;f2dtsame10&lt;/f2dtsame&gt;
&lt;/f2disturbertypesamebinder&gt;
&lt;f2disturbertypesamebinder&gt;
  &lt;f2dtsame&gt;f2dtsame11&lt;/f2dtsame&gt;
&lt;/f2disturbertypesamebinder&gt;
&lt;f2disturbertypeadjbinder&gt;
  &lt;f2dtadj&gt;N&lt;/f2dtadj&gt;
&lt;/f2disturbertypeadjbinder&gt;
&lt;f2disturbertypeadjbinder&gt;
  &lt;f2dtadj&gt;N&lt;/f2dtadj&gt;
&lt;/f2disturbertypeadjbinder&gt;
&lt;f1lpcp&gt;A&lt;/f1lpcp&gt;
&lt;f2lpcp&gt;A&lt;/f2lpcp&gt;
&lt;f3lpcp&gt;P&lt;/f3lpcp&gt;
&lt;f4lpcp&gt;N&lt;/f4lpcp&gt;
&lt;f3disturbertypeadjbinder&gt;
  &lt;f3dtadj&gt;N&lt;/f3dtadj&gt;
&lt;/f3disturbertypeadjbinder&gt;
&lt;f3disturbertypeadjbinder&gt;

```

```

        <f3dtadj>N</f3dtadj>;
    </f3disturbertypeadjbinder>;
    <f3disturbertypesamebinder>;
        <f3dtsame>f3dtsamel0</f3dtsame>;
    </f3disturbertypesamebinder>;
    <f3disturbertypesamebinder>;
        <f3dtsame>f3dtsamel1</f3dtsame>;
    </f3disturbertypesamebinder>;
    <f4disturbertypesamebinder>;
        <f4dtsame>f4dtsamel0</f4dtsame>;
    </f4disturbertypesamebinder>;
    <f4disturbertypesamebinder>;
        <f4dtsame>f4dtsamel1</f4dtsame>;
    </f4disturbertypesamebinder>;
    <f4disturbertypeadjbinder>;
        <f4dtadj>N</f4dtadj>;
    </f4disturbertypeadjbinder>;
    <f4disturbertypeadjbinder>;
        <f4dtadj>N</f4dtadj>;
    </f4disturbertypeadjbinder>;
    <vild>vild5</vild>;
    <rsuind>Y</rsuind>;
    <wcn>wcn17</wcn>;
    </loopdata>;
    <dcaddress1>dcaddress10</dcaddress1>;
    <dcaddress2>dcaddress20</dcaddress2>;
    <dcunit>dcun</dcunit>;
    <dcunitvalue>dcunitvalu</dcunitvalue>;
    <dccity>dccity0</dccity>;
    <dcstate>NC</dcstate>;
    <dczip>dczip0</dczip>;
    <responsestatus>;
        <responsecodes>;
            <prespc>prespc14</prespc>;
            <prespd>prespd14</prespd>;
        </responsecodes>;
        <responsecodes>;
            <prespc>prespc15</prespc>;
            <prespd>prespd15</prespd>;
        </responsecodes>;
    </responsestatus>;
    </loopqualificationbasicresponse>;
    </localserviceporesponse>;
</string>
</processSyncRequestResponse>
</soapenv:Body>
</soapenv:Envelope>

```

TxType: K – XDSL Loop Qualification EXT Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponsexmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:snrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;xdslloopqualificationextresponse&gt;
  &lt;txnum&gt;txnum8&lt;/txnum&gt;
  &lt;dtsent&gt;dtsent8&lt;/dtsent&gt;
  &lt;ttxtyp&gt;K&lt;/ttxtyp&gt;
  &lt;cc&gt;cc8&lt;/cc&gt;
  &lt;resid&gt;resid4&lt;/resid&gt;
  &lt;location&gt;
    &lt;aft&gt;B&lt;/aft&gt;
    &lt;sapr&gt;sapr12&lt;/sapr&gt;
    &lt;sano&gt;sano20&lt;/sano&gt;
    &lt;lst&gt;lst12&lt;/lst&gt;
    &lt;sasf&gt;sasf&lt;/sasf&gt;
    &lt;sasd&gt;E&lt;/sasd&gt;
    &lt;sasn&gt;sasn20&lt;/sasn&gt;
    &lt;sath&gt;sath18&lt;/sath&gt;
    &lt;sass&gt;E&lt;/sass&gt;
    &lt;ld1&gt;BLDG&lt;/ld1&gt;
    &lt;lv1&gt;lv118&lt;/lv1&gt;
    &lt;ld2&gt;ld218&lt;/ld2&gt;
    &lt;lv2&gt;lv218&lt;/lv2&gt;
    &lt;ld3&gt;APT&lt;/ld3&gt;
    &lt;lv3&gt;lv318&lt;/lv3&gt;
    &lt;city&gt;city20&lt;/city&gt;
    &lt;state&gt;AL&lt;/state&gt;
    &lt;zip&gt;zip30&lt;/zip&gt;
    &lt;route&gt;route2&lt;/route&gt;
    &lt;box&gt;box16&lt;/box&gt;
    &lt;fe&gt;A&lt;/fe&gt;
  &lt;/location&gt;
&lt;/location&gt;
      &lt;/string&gt;
    </processSyncRequestResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

```

&lt;aft&gt;B&lt;/aft&gt;
&lt;sapr&gt;sapr13&lt;/sapr&gt;
&lt;sano&gt;sano21&lt;/sano&gt;
&lt;lst&gt;lst13&lt;/lst&gt;
&lt;sasf&gt;sasf&lt;/sasf&gt;
&lt;sasd&gt;E&lt;/sasd&gt;
&lt;sasn&gt;sasn21&lt;/sasn&gt;
&lt;sath&gt;sath19&lt;/sath&gt;
&lt;sass&gt;E&lt;/sass&gt;
&lt;ld1&gt;BLDG&lt;/ld1&gt;
&lt;lv1&gt;lv119&lt;/lv1&gt;
&lt;ld2&gt;ld219&lt;/ld2&gt;
&lt;lv2&gt;lv219&lt;/lv2&gt;
&lt;ld3&gt;APT&lt;/ld3&gt;
&lt;lv3&gt;lv319&lt;/lv3&gt;
&lt;city&gt;city21&lt;/city&gt;
&lt;state&gt;AL&lt;/state&gt;
&lt;zip&gt;zip31&lt;/zip&gt;
&lt;route&gt;route2&lt;/route&gt;
&lt;box&gt;box17&lt;/box&gt;
&lt;fe&gt;A&lt;/fe&gt;
&lt;/location&gt;
&lt;multilinetext&gt;
  &lt;msg&gt;msg4&lt;/msg&gt;
  &lt;state&gt;AL&lt;/state&gt;
  &lt;zip&gt;zip32&lt;/zip&gt;
  &lt;mltdata&gt;
    &lt;mlt&gt;mlt18&lt;/mlt&gt;
  &lt;/mltdata&gt;
  &lt;mltdata&gt;
    &lt;mlt&gt;mlt19&lt;/mlt&gt;
  &lt;/mltdata&gt;
&lt;/multilinetext&gt;
&lt;multilinetext&gt;
  &lt;msg&gt;msg5&lt;/msg&gt;
  &lt;state&gt;AL&lt;/state&gt;
  &lt;zip&gt;zip33&lt;/zip&gt;
  &lt;mltdata&gt;
    &lt;mlt&gt;mlt20&lt;/mlt&gt;
  &lt;/mltdata&gt;
  &lt;mltdata&gt;
    &lt;mlt&gt;mlt21&lt;/mlt&gt;
  &lt;/mltdata&gt;
&lt;/multilinetext&gt;
&lt;terminationdata&gt;
  &lt;lst&gt;lst14&lt;/lst&gt;
  &lt;exchangeareadetail&gt;
    &lt;wcn&gt;wcn18&lt;/wcn&gt;
  &lt;/exchangeareadetail&gt;
  &lt;exchangeareadetail&gt;
    &lt;wcn&gt;wcn19&lt;/wcn&gt;
  &lt;/exchangeareadetail&gt;
&lt;/terminationdata&gt;
&lt;terminationdata&gt;
  &lt;lst&gt;lst15&lt;/lst&gt;
  &lt;exchangeareadetail&gt;
    &lt;wcn&gt;wcn20&lt;/wcn&gt;
  &lt;/exchangeareadetail&gt;
  &lt;exchangeareadetail&gt;
    &lt;wcn&gt;wcn21&lt;/wcn&gt;
  &lt;/exchangeareadetail&gt;
&lt;/terminationdata&gt;

```

```

&lt;loopdata&gt;
  &lt;rsnnotqual&gt;rsnnotqual6&lt;/rsnnotqual&gt;
  &lt;loopstat&gt;loopstat6&lt;/loopstat&gt;
  &lt;intmsg&gt;intmsg6&lt;/intmsg&gt;
  &lt;updt&gt;updt6&lt;/updt&gt;
  &lt;addrwithinwcid&gt;a&lt;/addrwithinwcid&gt;
  &lt;pvcindcode&gt;pvcindcode6&lt;/pvcindcode&gt;
  &lt;ll&gt;ll6&lt;/ll&gt;
  &lt;wirectrareafacsid&gt;wirect&lt;/wirectrareafacsid&gt;
  &lt;rtind&gt;Y&lt;/rtind&gt;
  &lt;lpac&gt;lpac6&lt;/lpac&gt;
  &lt;locationdata&gt;
    &lt;lc&gt;lc12&lt;/lc&gt;
  &lt;/locationdata&gt;
  &lt;locationdata&gt;
    &lt;lc&gt;lc13&lt;/lc&gt;
  &lt;/locationdata&gt;
  &lt;wcn&gt;wcn22&lt;/wcn&gt;
&lt;/loopdata&gt;
&lt;loopdata&gt;
  &lt;rsnnotqual&gt;rsnnotqual7&lt;/rsnnotqual&gt;
  &lt;loopstat&gt;loopstat7&lt;/loopstat&gt;
  &lt;intmsg&gt;intmsg7&lt;/intmsg&gt;
  &lt;updt&gt;updt7&lt;/updt&gt;
  &lt;addrwithinwcid&gt;a&lt;/addrwithinwcid&gt;
  &lt;pvcindcode&gt;pvcindcode7&lt;/pvcindcode&gt;
  &lt;ll&gt;ll7&lt;/ll&gt;
  &lt;wirectrareafacsid&gt;wirect&lt;/wirectrareafacsid&gt;
  &lt;rtind&gt;Y&lt;/rtind&gt;
  &lt;lpac&gt;lpac7&lt;/lpac&gt;
  &lt;locationdata&gt;
    &lt;lc&gt;lc14&lt;/lc&gt;
  &lt;/locationdata&gt;
  &lt;locationdata&gt;
    &lt;lc&gt;lc15&lt;/lc&gt;
  &lt;/locationdata&gt;
  &lt;wcn&gt;wcn23&lt;/wcn&gt;
&lt;/loopdata&gt;
&lt;responsestatus&gt;
  &lt;responsecodes&gt;
    &lt;prespc&gt;prespc16&lt;/prespc&gt;
    &lt;prespd&gt;prespd16&lt;/prespd&gt;
  &lt;/responsecodes&gt;
  &lt;responsecodes&gt;
    &lt;prespc&gt;prespc17&lt;/prespc&gt;
    &lt;prespd&gt;prespd17&lt;/prespd&gt;
  &lt;/responsecodes&gt;
&lt;/responsestatus&gt;
&lt;/xdsllloopqualificationextresponse&gt;
  &lt;/localserviceporesponse&gt;
&lt;/string&gt;
&lt;/processSyncRequestResponse&gt;
&lt;/soapenv:Body&gt;
&lt;/soapenv:Envelope&gt;

```

TxType: S – Service Order Inquiry Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponse xmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:sncrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;serviceorderinginquiryresponse&gt;
  &lt;txnum&gt;txnum9&lt;/txnum&gt;
  &lt;dtsent&gt;dtsent9&lt;/dtsent&gt;
  &lt;ttxtyp&gt;S&lt;/ttxtyp&gt;
  &lt;cc&gt;cc9&lt;/cc&gt;
  &lt;icri&gt;A&lt;/icri&gt;
  &lt;ival&gt;ival0&lt;/ival&gt;
  &lt;location&gt;
    &lt;state&gt;AL&lt;/state&gt;
  &lt;/location&gt;
  &lt;location&gt;
    &lt;state&gt;AL&lt;/state&gt;
  &lt;/location&gt;
  &lt;multilinetext&gt;
    &lt;mltdata&gt;
      &lt;mlt&gt;mlt22&lt;/mlt&gt;
    &lt;/mltdata&gt;
    &lt;mltdata&gt;
      &lt;mlt&gt;mlt23&lt;/mlt&gt;
    &lt;/mltdata&gt;
  &lt;/multilinetext&gt;
  &lt;multilinetext&gt;
    &lt;mltdata&gt;
      &lt;mlt&gt;mlt24&lt;/mlt&gt;
    &lt;/mltdata&gt;
    &lt;mltdata&gt;
      &lt;mlt&gt;mlt25&lt;/mlt&gt;
    &lt;/mltdata&gt;
  &lt;/multilinetext&gt;

```



```
&lt;responsestatus&gt;
  &lt;responsecodes&gt;
    &lt;prespc&gt;prespc18&lt;/prespc&gt;
    &lt;prespd&gt;prespd18&lt;/prespd&gt;
  &lt;/responsecodes&gt;
  &lt;responsecodes&gt;
    &lt;prespc&gt;prespc19&lt;/prespc&gt;
    &lt;prespd&gt;prespd19&lt;/prespd&gt;
  &lt;/responsecodes&gt;
&lt;/responsestatus&gt;
&lt;/serviceorderinquiryresponse&gt;
  &lt;/localserviceporesponse&gt;
&lt;/string&gt;
&lt;/processSyncRequestResponse&gt;
&lt;/soapenv:Body&gt;
&lt;/soapenv:Envelope&gt;
```

TxType: N – Collocation Facility Assignment Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponse xmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:sncrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;collocationfacilityassignmentresponse
&lt;txnum&gt;txnum10&lt;/txnum&gt;
&lt;dtsent&gt;dtsent10&lt;/dtsent&gt;
&lt;ttxtyp&gt;N&lt;/ttxtyp&gt;
&lt;costat&gt;A&lt;/costat&gt;
&lt;cc&gt;ccl0&lt;/cc&gt;
&lt;ord&gt;ord2&lt;/ord&gt;
&lt;location&gt;
  &lt;state&gt;AL&lt;/state&gt;
&lt;/location&gt;
&lt;location&gt;
  &lt;state&gt;AL&lt;/state&gt;
&lt;/location&gt;
&lt;multilinetext&gt;
  &lt;state&gt;AL&lt;/state&gt;
&lt;mltdata&gt;
  &lt;mlt&gt;mlt26&lt;/mlt&gt;
&lt;/mltdata&gt;
&lt;mltdata&gt;
  &lt;mlt&gt;mlt27&lt;/mlt&gt;
&lt;/mltdata&gt;
&lt;/multilinetext&gt;
&lt;multilinetext&gt;
  &lt;state&gt;AL&lt;/state&gt;
&lt;mltdata&gt;
  &lt;mlt&gt;mlt28&lt;/mlt&gt;
&lt;/mltdata&gt;

```

```

        <mltdata>
            <mlt>mlt29</mlt>
        </mltdata>
    </multilinetext>
    <ecckt>ecckt2</ecckt>
    <responsestatus>
        <responsecodes>
            <prespc>prespc20</prespc>
            <prespd>prespd20</prespd>
        </responsecodes>
        <responsecodes>
            <prespc>prespc21</prespc>
            <prespd>prespd21</prespd>
        </responsecodes>
    </responsestatus>
    <cfa>
        <costat>A</costat>
        <slot>slot0</slot>
        <channel_pair>chann</channel_pair>
        <ecckt>ecckt3</ecckt>
        <ord>ord3</ord>
    </cfa>
    <cfa>
        <costat>A</costat>
        <slot>slot1</slot>
        <channel_pair>chann</channel_pair>
        <ecckt>ecckt4</ecckt>
        <ord>ord4</ord>
    </cfa>
    </collocationfacilityassignmentresponse>
    </localserviceporesponse>
</string>
</processSyncRequestResponse>
</soapenv:Body>
</soapenv:Envelope>

```

TxType: I – Installation Status Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponse xmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE" &gt;
          &lt;installationstatusresponse&gt;
            &lt;txnum&gt;txnum11&lt;/txnum&gt;
            &lt;dtsent&gt;dtsent11&lt;/dtsent&gt;
            &lt;ttxtyp&gt;I&lt;/ttxtyp&gt;
            &lt;cc&gt;cc11&lt;/cc&gt;
            &lt;ord&gt;ord5&lt;/ord&gt;
            &lt;cktype&gt;P&lt;/cktype&gt;
            &lt;location&gt;
              &lt;state&gt;AL&lt;/state&gt;
            &lt;/location&gt;
            &lt;location&gt;
              &lt;state&gt;AL&lt;/state&gt;
            &lt;/location&gt;
            &lt;multilineText&gt;
              &lt;state&gt;AL&lt;/state&gt;
            &lt;/multilineText&gt;
            &lt;multilineText&gt;
              &lt;state&gt;AL&lt;/state&gt;
            &lt;/multilineText&gt;
            &lt;ecckt&gt;ecckt5&lt;/ecckt&gt;
            &lt;inststat&gt;inststat0&lt;/inststat&gt;
            &lt;instcomm&gt;instcomm2&lt;/instcomm&gt;
            &lt;responsestatus&gt;
              &lt;responsecodes&gt;
                &lt;prespc&gt;prespc22&lt;/prespc&gt;
                &lt;prespd&gt;prespd22&lt;/prespd&gt;
              &lt;/responsecodes&gt;
            &lt;/responsestatus&gt;
          &lt;/installationstatusresponse&gt;
        &lt;/string&gt;
      </processSyncRequestResponse>
    </soapenv:Body>
  </soapenv:Envelope>

```

```
        &lt;/responsecodes&gt;
        &lt;responsecodes&gt;
            &lt;prespc&gt;prespc23&lt;/prespc&gt;
            &lt;prespd&gt;prespd23&lt;/prespd&gt;
        &lt;/responsecodes&gt;
    &lt;/responsestatus&gt;
    &lt;cfa&gt;
        &lt;ecckt&gt;ecckt6&lt;/ecckt&gt;
        &lt;ord&gt;ord6&lt;/ord&gt;
    &lt;/cfa&gt;
    &lt;cfa&gt;
        &lt;ecckt&gt;ecckt7&lt;/ecckt&gt;
        &lt;ord&gt;ord7&lt;/ord&gt;
    &lt;/cfa&gt;
    &lt;/installationstatusresponse&gt;
        &lt;/localserviceporesponse&gt;
    </string>
</processSyncRequestResponse>
</soapenv:Body>
</soapenv:Envelope>
```

TxType: H – XDSL Loop Qualification Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponsexmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        <?xml version="1.0" encoding="UTF-8"?>
          <localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:snrBase="http://www.synchronoss.com/base/SNCR_BASE"
          &lt;xdslloopqualificationresponse&gt;
            &lt;ccna&gt;ccn&lt;/ccna&gt;
            &lt;txnum&gt;txnum12&lt;/txnum&gt;
            &lt;txtyp&gt;H&lt;/txtyp&gt;
            &lt;txact&gt;A&lt;/txact&gt;
            &lt;cc&gt;cc12&lt;/cc&gt;
            &lt;resid&gt;resid5&lt;/resid&gt;
            &lt;location&gt;
              &lt;aft&gt;B&lt;/aft&gt;
              &lt;sapr&gt;sapr14&lt;/sapr&gt;
              &lt;sano&gt;sano22&lt;/sano&gt;
              &lt;sasf&gt;sasf&lt;/sasf&gt;
              &lt;sasd&gt;E&lt;/sasd&gt;
              &lt;sasn&gt;sasn22&lt;/sasn&gt;
              &lt;sath&gt;sath20&lt;/sath&gt;
              &lt;sass&gt;E&lt;/sass&gt;
              &lt;ld1&gt;BLDG&lt;/ld1&gt;
              &lt;lv1&gt;lv120&lt;/lv1&gt;
              &lt;ld2&gt;ld220&lt;/ld2&gt;
              &lt;lv2&gt;lv220&lt;/lv2&gt;
              &lt;ld3&gt;APT&lt;/ld3&gt;
              &lt;lv3&gt;lv320&lt;/lv3&gt;
              &lt;city&gt;city22&lt;/city&gt;
              &lt;state&gt;AL&lt;/state&gt;
              &lt;zip&gt;zip34&lt;/zip&gt;
            &lt;/location&gt;
          &lt;/xdslloopqualificationresponse&gt;
        </string>
      </processSyncRequestResponse>
    </soapenv:Body>
  </soapenv:Envelope>

```

```

&lt;route&gt;route2&lt;/route&gt;
&lt;box&gt;box18&lt;/box&gt;
&lt;fe&gt;A&lt;/fe&gt;
&lt;lstfr&gt;l&lt;/lstfr&gt;
&lt;/location&gt;
&lt;location&gt;
&lt;aft&gt;B&lt;/aft&gt;
&lt;sapr&gt;sapr15&lt;/sapr&gt;
&lt;sano&gt;sano23&lt;/sano&gt;
&lt;sasf&gt;sasf&lt;/sasf&gt;
&lt;sasd&gt;E&lt;/sasd&gt;
&lt;sasn&gt;sasn23&lt;/sasn&gt;
&lt;sath&gt;sath21&lt;/sath&gt;
&lt;sass&gt;E&lt;/sass&gt;
&lt;ld1&gt;BLDG&lt;/ld1&gt;
&lt;lv1&gt;lv121&lt;/lv1&gt;
&lt;ld2&gt;ld221&lt;/ld2&gt;
&lt;lv2&gt;lv221&lt;/lv2&gt;
&lt;ld3&gt;APT&lt;/ld3&gt;
&lt;lv3&gt;lv321&lt;/lv3&gt;
&lt;city&gt;city23&lt;/city&gt;
&lt;state&gt;AL&lt;/state&gt;
&lt;zip&gt;zip35&lt;/zip&gt;
&lt;route&gt;route2&lt;/route&gt;
&lt;box&gt;box19&lt;/box&gt;
&lt;fe&gt;A&lt;/fe&gt;
&lt;lstfr&gt;l&lt;/lstfr&gt;
&lt;/location&gt;
&lt;multilinetext&gt;
&lt;msg&gt;msg6&lt;/msg&gt;
&lt;state&gt;AL&lt;/state&gt;
&lt;zip&gt;zip36&lt;/zip&gt;
&lt;mltdata&gt;
&lt;mlt&gt;mlt30&lt;/mlt&gt;
&lt;/mltdata&gt;
&lt;mltdata&gt;
&lt;mlt&gt;mlt31&lt;/mlt&gt;
&lt;/mltdata&gt;
&lt;/multilinetext&gt;
&lt;multilinetext&gt;
&lt;msg&gt;msg7&lt;/msg&gt;
&lt;state&gt;AL&lt;/state&gt;
&lt;zip&gt;zip37&lt;/zip&gt;
&lt;mltdata&gt;
&lt;mlt&gt;mlt32&lt;/mlt&gt;
&lt;/mltdata&gt;
&lt;mltdata&gt;
&lt;mlt&gt;mlt33&lt;/mlt&gt;
&lt;/mltdata&gt;
&lt;/multilinetext&gt;
&lt;loopdata&gt;
&lt;rsnotqual&gt;rsnotqual8&lt;/rsnotqual&gt;
&lt;loopstat&gt;loopstat8&lt;/loopstat&gt;
&lt;intmsg&gt;intmsg8&lt;/intmsg&gt;
&lt;updt&gt;updt8&lt;/updt&gt;
&lt;addrwithinwcid&gt;a&lt;/addrwithinwcid&gt;
&lt;pvcindcode&gt;pvcindcode8&lt;/pvcindcode&gt;
&lt;ll&gt;ll8&lt;/ll&gt;
&lt;wirectrareafacsid&gt;wirect&lt;/wirectrareafacsid&gt;
&lt;rtind&gt;Y&lt;/rtind&gt;
&lt;lpac&gt;lpac8&lt;/lpac&gt;
&lt;locationdata&gt;

```

```

        <lc>lc16</lc>
    </locationdata>
    <locationdata>
        <lc>lc17</lc>
    </locationdata>
    <wcn>wcn24</wcn>
</loopdata>
<loopdata>
    <rsnnotqual>rsnnotqual9</rsnnotqual>
    <loopstat>loopstat9</loopstat>
    <intmsg>intmsg9</intmsg>
    <updt>updt9</updt>
    <addrwithinwcid>a</addrwithinwcid>
    <pvcindcode>pvcindcode9</pvcindcode>
    <ll>ll9</ll>
    <wirectrareafacsid>wirect</wirectrareafacsid>
    <rtind>Y</rtind>
    <lpac>lpac9</lpac>
    <locationdata>
        <lc>lc18</lc>
    </locationdata>
    <locationdata>
        <lc>lc19</lc>
    </locationdata>
    <wcn>wcn25</wcn>
</loopdata>
<responsestatus>
    <responsecodes>
        <prespc>prespc24</prespc>
        <prespd>prespd24</prespd>
    </responsecodes>
    <responsecodes>
        <prespc>prespc25</prespc>
        <prespd>prespd25</prespd>
    </responsecodes>
    </responsestatus>
</xdslloopqualificationresponse>
    </localserviceporesponse>
</string>
</processSyncRequestResponse>
</soapenv:Body>
</soapenv:Envelope>

```


TxType: B – TN Assignment Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponsexmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:sncrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;tassignmentresponse&gt;
  &lt;ccna&gt;ccn&lt;/ccna&gt;
  &lt;txnum&gt;txnum13&lt;/txnum&gt;
  &lt;txtyp&gt;B&lt;/txtyp&gt;
  &lt;txact&gt;A&lt;/txact&gt;
  &lt;cc&gt;ccl3&lt;/cc&gt;
  &lt;resid&gt;resid6&lt;/resid&gt;
  &lt;expdt&gt;expdt0&lt;/expdt&gt;
  &lt;resno&gt;resno0&lt;/resno&gt;
  &lt;reqnum&gt;reqnum0&lt;/reqnum&gt;
  &lt;extcteffdt&gt;extcteffdt&lt;/extcteffdt&gt;
  &lt;tax&gt;tax1&lt;/tax&gt;
  &lt;cf&gt;0&lt;/cf&gt;
  &lt;cti&gt;Y&lt;/cti&gt;
  &lt;tntype&gt;D&lt;/tntype&gt;
  &lt;crossexch&gt;Y&lt;/crossexch&gt;
  &lt;qr&gt;qrl&lt;/qr&gt;
  &lt;location&gt;
    &lt;aft&gt;B&lt;/aft&gt;
    &lt;sapr&gt;sapr16&lt;/sapr&gt;
    &lt;sano&gt;sano24&lt;/sano&gt;
    &lt;lst&gt;lst16&lt;/lst&gt;
    &lt;sasf&gt;sasf&lt;/sasf&gt;

```

```

&lt;sasd&gt;E&lt;/sasd&gt;
&lt;sasn&gt;sasn24&lt;/sasn&gt;
&lt;sath&gt;sath22&lt;/sath&gt;
&lt;sass&gt;E&lt;/sass&gt;
&lt;ld1&gt;BLDG&lt;/ld1&gt;
&lt;lv1&gt;lv122&lt;/lv1&gt;
&lt;ld2&gt;ld222&lt;/ld2&gt;
&lt;lv2&gt;lv222&lt;/lv2&gt;
&lt;ld3&gt;APT&lt;/ld3&gt;
&lt;lv3&gt;lv322&lt;/lv3&gt;
&lt;aai&gt;aai12&lt;/aai&gt;
&lt;city&gt;city24&lt;/city&gt;
&lt;state&gt;AL&lt;/state&gt;
&lt;zip&gt;zip38&lt;/zip&gt;
&lt;route&gt;route3&lt;/route&gt;
&lt;box&gt;box20&lt;/box&gt;
&lt;/location&gt;
&lt;location&gt;
&lt;aft&gt;B&lt;/aft&gt;
&lt;sapr&gt;sapr17&lt;/sapr&gt;
&lt;sano&gt;sano25&lt;/sano&gt;
&lt;lst&gt;lst17&lt;/lst&gt;
&lt;sasf&gt;sasf&lt;/sasf&gt;
&lt;sasd&gt;E&lt;/sasd&gt;
&lt;sasn&gt;sasn25&lt;/sasn&gt;
&lt;sath&gt;sath23&lt;/sath&gt;
&lt;sass&gt;E&lt;/sass&gt;
&lt;ld1&gt;BLDG&lt;/ld1&gt;
&lt;lv1&gt;lv123&lt;/lv1&gt;
&lt;ld2&gt;ld223&lt;/ld2&gt;
&lt;lv2&gt;lv223&lt;/lv2&gt;
&lt;ld3&gt;APT&lt;/ld3&gt;
&lt;lv3&gt;lv323&lt;/lv3&gt;
&lt;aai&gt;aai13&lt;/aai&gt;
&lt;city&gt;city25&lt;/city&gt;
&lt;state&gt;AL&lt;/state&gt;
&lt;zip&gt;zip39&lt;/zip&gt;
&lt;route&gt;route3&lt;/route&gt;
&lt;box&gt;box21&lt;/box&gt;
&lt;/location&gt;
&lt;multilinetext&gt;
&lt;state&gt;AL&lt;/state&gt;
&lt;zip&gt;zip40&lt;/zip&gt;
&lt;/multilinetext&gt;
&lt;multilinetext&gt;
&lt;state&gt;AL&lt;/state&gt;
&lt;zip&gt;zip41&lt;/zip&gt;
&lt;/multilinetext&gt;
&lt;tndata&gt;
&lt;tnres&gt;50&lt;/tnres&gt;
&lt;altrcsw&gt;Y&lt;/altrcsw&gt;
&lt;avtn&gt;avtn0&lt;/avtn&gt;
&lt;ttsel&gt;R&lt;/tsel&gt;
&lt;/tndata&gt;
&lt;tndata&gt;
&lt;tnres&gt;50&lt;/tnres&gt;
&lt;altrcsw&gt;Y&lt;/altrcsw&gt;
&lt;avtn&gt;avtn1&lt;/avtn&gt;
&lt;ttsel&gt;R&lt;/tsel&gt;
&lt;/tndata&gt;
&lt;terminationdata&gt;
&lt;lst&gt;lst18&lt;/lst&gt;

```

```

&lt;exchangeareadetail&gt;
  &lt;wcn&gt;wcn26&lt;/wcn&gt;
  &lt;exchange&gt;exchange4&lt;/exchange&gt;
  &lt;fx&gt;Y&lt;/fx&gt;
  &lt;exchsel&gt;R&lt;/exchsel&gt;
&lt;/exchangeareadetail&gt;
&lt;exchangeareadetail&gt;
  &lt;wcn&gt;wcn27&lt;/wcn&gt;
  &lt;exchange&gt;exchange5&lt;/exchange&gt;
  &lt;fx&gt;Y&lt;/fx&gt;
  &lt;exchsel&gt;R&lt;/exchsel&gt;
&lt;/exchangeareadetail&gt;
&lt;swdesc&gt;swdesc4&lt;/swdesc&gt;
&lt;/terminationdata&gt;
&lt;terminationdata&gt;
  &lt;lst&gt;lst19&lt;/lst&gt;
  &lt;exchangeareadetail&gt;
    &lt;wcn&gt;wcn28&lt;/wcn&gt;
    &lt;exchange&gt;exchange6&lt;/exchange&gt;
    &lt;fx&gt;Y&lt;/fx&gt;
    &lt;exchsel&gt;R&lt;/exchsel&gt;
  &lt;/exchangeareadetail&gt;
  &lt;exchangeareadetail&gt;
    &lt;wcn&gt;wcn29&lt;/wcn&gt;
    &lt;exchange&gt;exchange7&lt;/exchange&gt;
    &lt;fx&gt;Y&lt;/fx&gt;
    &lt;exchsel&gt;R&lt;/exchsel&gt;
  &lt;/exchangeareadetail&gt;
  &lt;swdesc&gt;swdesc5&lt;/swdesc&gt;
&lt;/terminationdata&gt;
&lt;customerdata&gt;
  &lt;cs&gt;cs4&lt;/cs&gt;
  &lt;atn&gt;atn3&lt;/atn&gt;
  &lt;ln&gt;ln2&lt;/ln&gt;
  &lt;stat&gt;stat2&lt;/stat&gt;
&lt;/customerdata&gt;
&lt;customerdata&gt;
  &lt;cs&gt;cs5&lt;/cs&gt;
  &lt;atn&gt;atn4&lt;/atn&gt;
  &lt;ln&gt;ln3&lt;/ln&gt;
  &lt;stat&gt;stat3&lt;/stat&gt;
&lt;/customerdata&gt;
&lt;loopdata&gt;
  &lt;wcn&gt;wcn30&lt;/wcn&gt;
&lt;/loopdata&gt;
&lt;loopdata&gt;
  &lt;wcn&gt;wcn31&lt;/wcn&gt;
&lt;/loopdata&gt;
&lt;appointmentdetail&gt;
  &lt;appres&gt;appres3&lt;/appres&gt;
&lt;/appointmentdetail&gt;
&lt;appointmentdetail&gt;
  &lt;appres&gt;appres4&lt;/appres&gt;
&lt;/appointmentdetail&gt;
&lt;responsestatus&gt;
  &lt;responsecodes&gt;
    &lt;prespc&gt;prespc26&lt;/prespc&gt;
    &lt;prespd&gt;prespd26&lt;/prespd&gt;
  &lt;/responsecodes&gt;
  &lt;responsecodes&gt;
    &lt;prespc&gt;prespc27&lt;/prespc&gt;
    &lt;prespd&gt;prespd27&lt;/prespd&gt;

```

```

        </responsecodes>
        </responsestatus>
    </tnassignmentresponse>
        </localserviceporesponse>
    </string>
</processSyncRequestResponse>
</soapenv:Body>
</soapenv:Envelope>

```

TxType: P – Loop Qualification Extended Response

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponsexmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        <?xml version="1.0" encoding="UTF-8"?>
          <localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE"
          <loopqualificationextendedresponse>
            <ccna>ccn</ccna>
            <txnum>txnum14</txnum>
            <txtyp>P</txtyp>
            <txact>A</txact>
            <cc>cc14</cc>
            <resid>resid7</resid>
            <location>
              <state>AL</state>
            </location>
            <location>
              <state>AL</state>
            </location>
            <multilinetext>
              <msg>msg8</msg>
              <state>AL</state>
              <zip>zip42</zip>
              <mltdata>
                <mlt>mlt34</mlt>
              </mltdata>
              <mltdata>
                <mlt>mlt35</mlt>
              </mltdata>
            </multilinetext>
          </loopqualificationextendedresponse>
        </string>
      </processSyncRequestResponse>
    </soapenv:Body>
  </soapenv:Envelope>

```

```

        <lt;/mltdata>>
    <lt;/multilinetext>>
    <lt;multilinetext>>
        <lt;msg>>msg9<lt;/msg>>
        <lt;state>>AL<lt;/state>>
        <lt;zip>>zip43<lt;/zip>>
        <lt;mltdata>>
            <lt;mlt>>mlt36<lt;/mlt>>
        <lt;/mltdata>>
        <lt;mltdata>>
            <lt;mlt>>mlt37<lt;/mlt>>
        <lt;/mltdata>>
    <lt;/multilinetext>>
    <lt;loopdata>>
        <lt;loopstat>>loopstat10<lt;/loopstat>>
        <lt;intmsg>>intmsg10<lt;/intmsg>>
    <lt;/loopdata>>
    <lt;loopdata>>
        <lt;loopstat>>loopstat11<lt;/loopstat>>
        <lt;intmsg>>intmsg11<lt;/intmsg>>
    <lt;/loopdata>>
    <lt;responsestatus>>
        <lt;responsecodes>>
            <lt;prespc>>prespc28<lt;/prespc>>
            <lt;prespd>>prespd28<lt;/prespd>>
        <lt;/responsecodes>>
        <lt;responsecodes>>
            <lt;prespc>>prespc29<lt;/prespc>>
            <lt;prespd>>prespd29<lt;/prespd>>
        <lt;/responsecodes>>
    <lt;/responsestatus>>
    <lt;/loopqualificationextendedresponse>>
        <lt;/localserviceporesponse>>
    </string>
</processSyncRequestResponse>
</soapenv:Body>
</soapenv:Envelope>

```

TxType: C – Feature or Service Availability Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponsexmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;featureorserviceavailabilityresponse&gt;
  &lt;ccna&gt;ccn&lt;/ccna&gt;
  &lt;txnum&gt;txnum15&lt;/txnum&gt;
  &lt;txtyp&gt;C&lt;/txtyp&gt;
  &lt;txact&gt;A&lt;/txact&gt;
  &lt;cc&gt;cc15&lt;/cc&gt;
  &lt;resid&gt;resid8&lt;/resid&gt;
  &lt;vm&gt;vm0&lt;/vm&gt;
  &lt;vman&gt;50&lt;/vman&gt;
  &lt;location&gt;
    &lt;state&gt;AL&lt;/state&gt;
  &lt;/location&gt;
  &lt;location&gt;
    &lt;state&gt;AL&lt;/state&gt;
  &lt;/location&gt;
  &lt;multilinetext&gt;
    &lt;state&gt;AL&lt;/state&gt;
    &lt;mltdata&gt;
      &lt;mlt&gt;mlt38&lt;/mlt&gt;
    &lt;/mltdata&gt;
    &lt;mltdata&gt;
      &lt;mlt&gt;mlt39&lt;/mlt&gt;
    &lt;/mltdata&gt;
  &lt;/multilinetext&gt;
      &lt;/string&gt;
    </processSyncRequestResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

```
</mldata>;
</multilinetext>;
</multilinetext>;
<state>AL</state>;
<mldata>;
  <mlt>mlt40</mlt>;
</mldata>;
<mldata>;
  <mlt>mlt41</mlt>;
</mldata>;
</multilinetext>;
<terminationdata>;
  <exchangeareadetail>;
    <npanxdetail>;
      <npanxx>npanxx</npanxx>;
    </npanxdetail>;
    <npanxdetail>;
      <npanxx>npanxx</npanxx>;
    </npanxdetail>;
  </exchangeareadetail>;
  <exchangeareadetail>;
    <npanxdetail>;
      <npanxx>npanxx</npanxx>;
    </npanxdetail>;
    <npanxdetail>;
      <npanxx>npanxx</npanxx>;
    </npanxdetail>;
  </exchangeareadetail>;
</terminationdata>;
<terminationdata>;
  <exchangeareadetail>;
    <npanxdetail>;
      <npanxx>npanxx</npanxx>;
    </npanxdetail>;
    <npanxdetail>;
      <npanxx>npanxx</npanxx>;
    </npanxdetail>;
  </exchangeareadetail>;
  <exchangeareadetail>;
    <npanxdetail>;
      <npanxx>npanxx</npanxx>;
    </npanxdetail>;
    <npanxdetail>;
      <npanxx>npanxx</npanxx>;
    </npanxdetail>;
  </exchangeareadetail>;
</terminationdata>;
<configurationdata>;
  <picpicdetail>;
    <pic>pic2</pic>;
    <lpic>lpic</lpic>;
    <carrier>carrier0</carrier>;
    <carriertrn>carriertrn0</carriertrn>;
  </picpicdetail>;
  <picpicdetail>;
    <pic>pic3</pic>;
    <lpic>lpic</lpic>;
    <carrier>carrier1</carrier>;
    <carriertrn>carriertrn1</carriertrn>;
  </picpicdetail>;
  <featureavailability>;
    <featfunavail>featfunavail0</featfunavail>;
```

```

&lt;featuredetail&gt;
  &lt;usoc&gt;usoc0&lt;/usoc&gt;
  &lt;usocdes&gt;usocdes0&lt;/usocdes&gt;
  &lt;etusoc&gt;etusoc0&lt;/etusoc&gt;
  &lt;cont&gt;cont0&lt;/cont&gt;
  &lt;locationdetail&gt;
  &lt;/locationdetail&gt;
  &lt;locationdetail&gt;
  &lt;/locationdetail&gt;
&lt;/featuredetail&gt;
&lt;featuredetail&gt;
  &lt;usoc&gt;usoc1&lt;/usoc&gt;
  &lt;usocdes&gt;usocdes1&lt;/usocdes&gt;
  &lt;etusoc&gt;etusoc1&lt;/etusoc&gt;
  &lt;cont&gt;cont1&lt;/cont&gt;
  &lt;locationdetail&gt;
  &lt;/locationdetail&gt;
  &lt;locationdetail&gt;
  &lt;/locationdetail&gt;
&lt;/featuredetail&gt;
&lt;/featureavailability&gt;
&lt;featureavailability&gt;
  &lt;featfunavail&gt;featfunavail1&lt;/featfunavail&gt;
  &lt;featuredetail&gt;
    &lt;usoc&gt;usoc2&lt;/usoc&gt;
    &lt;usocdes&gt;usocdes2&lt;/usocdes&gt;
    &lt;etusoc&gt;etusoc2&lt;/etusoc&gt;
    &lt;cont&gt;cont2&lt;/cont&gt;
    &lt;locationdetail&gt;
    &lt;/locationdetail&gt;
    &lt;locationdetail&gt;
    &lt;/locationdetail&gt;
  &lt;/featuredetail&gt;
  &lt;featuredetail&gt;
    &lt;usoc&gt;usoc3&lt;/usoc&gt;
    &lt;usocdes&gt;usocdes3&lt;/usocdes&gt;
    &lt;etusoc&gt;etusoc3&lt;/etusoc&gt;
    &lt;cont&gt;cont3&lt;/cont&gt;
    &lt;locationdetail&gt;
    &lt;/locationdetail&gt;
    &lt;locationdetail&gt;
    &lt;/locationdetail&gt;
  &lt;/featuredetail&gt;
&lt;/featureavailability&gt;
&lt;callingareastructure&gt;
  &lt;cal&gt;cal0&lt;/cal&gt;
  &lt;caz&gt;caz0&lt;/caz&gt;
  &lt;cacos&gt;cacos0&lt;/cacos&gt;
&lt;/callingareastructure&gt;
&lt;callingareastructure&gt;
  &lt;cal&gt;call&lt;/cal&gt;
  &lt;caz&gt;caz1&lt;/caz&gt;
  &lt;cacos&gt;cacos1&lt;/cacos&gt;
&lt;/callingareastructure&gt;
&lt;directorydetail&gt;
  &lt;dir_name&gt;dir_name2&lt;/dir_name&gt;
  &lt;dir_code&gt;dir_code0&lt;/dir_code&gt;
&lt;/directorydetail&gt;
&lt;directorydetail&gt;
  &lt;dir_name&gt;dir_name3&lt;/dir_name&gt;
  &lt;dir_code&gt;dir_code1&lt;/dir_code&gt;
&lt;/directorydetail&gt;

```



```
<lt;/configurationdata>;
<lt;/responsestatus>;
  <lt;/responsecodes>;
    <lt;respc>;respc2<lt;/respc>;
    <lt;respd>;respd2<lt;/respd>;
    <lt;prespc>;prespc30<lt;/prespc>;
    <lt;prespd>;prespd30<lt;/prespd>;
  <lt;/responsecodes>;
  <lt;/responsecodes>;
    <lt;respc>;respc3<lt;/respc>;
    <lt;respd>;respd3<lt;/respd>;
    <lt;prespc>;prespc31<lt;/prespc>;
    <lt;prespd>;prespd31<lt;/prespd>;
  <lt;/responsecodes>;
<lt;/responsestatus>;
  <lt;cuscode>;cus<lt;/cuscode>;
<lt;/featureorserviceavailabilityresponse>;
  <lt;/localserviceporesponse>;
  </string>
</processSyncRequestResponse>
</soapenv:Body>
</soapenv:Envelope>
```

TxType: G – Reservation Maintenance Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://tml.tlml.org/tML.Transport.xsd">
      <ns1:TransportID> NWF2013-02-28T10:39:18.090-05:00142</ns1:TransportID>
      <ns1:CorrelationID>136206595809040</ns1:CorrelationID>
      <ns1:TrackID>as</ns1:TrackID>
      <ns1:ApplicationType>LSRPO</ns1:ApplicationType>
      <ns1:From> NWFPO</ns1:From>
      <ns1:To>ASSIGNED</ns1:To>
      <ns1:SendTimestamp>2013-02-28T10:39:18.090-05:00</ns1:SendTimestamp>
      <ns1:RetryCount>21</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processSyncRequestResponsexmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">
        &lt;?xml version="1.0" encoding="UTF-8"?&gt;
        &lt;localserviceporesponse
xmlns="http://www.synchronoss.com/lsr/ NWF_PO_RESP"
xmlns:snrcrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;reservationmaintenanceresponse&gt;
  &lt;ccna&gt;ccn&lt;/ccna&gt;
  &lt;txnum&gt;txnum16&lt;/txnum&gt;
  &lt;ttxtyp&gt;G&lt;/ttxtyp&gt;
  &lt;cc&gt;ccl6&lt;/cc&gt;
  &lt;expdt&gt;expdt1&lt;/expdt&gt;
  &lt;exresdt&gt;e&lt;/exresdt&gt;
  &lt;resno&gt;resnol&lt;/resno&gt;
  &lt;location&gt;
    &lt;state&gt;AL&lt;/state&gt;
  &lt;/location&gt;
  &lt;multilinetext&gt;
    &lt;state&gt;AL&lt;/state&gt;
  &lt;/multilinetext&gt;
  &lt;multilinetext&gt;
    &lt;state&gt;AL&lt;/state&gt;
  &lt;/multilinetext&gt;
  &lt;responsestatus&gt;
    &lt;responsecodes&gt;
      &lt;prespc&gt;prespc32&lt;/prespc&gt;
      &lt;prespd&gt;prespd32&lt;/prespd&gt;
```

```

        </responsecodes>
        </responsecodes>
        <prespc><prespc33</prespc>
        <prespd><prespd33</prespd>
        </responsecodes>
    </responsestatus>
</reservationmaintenanceresponse>
    </localserviceporesponse>
</string>
</processSyncRequestResponse>
</soapenv:Body>
</soapenv:Envelope>

```

LSR UOM Order Request tML

ReqType: AB

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
    <soapenv:Header>
        <wsse:Security
xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext" soapenv:actor=""
soapenv:mustUnderstand="0">
            <wsse:UsernameToken>
                <wsse:Username>clecusername</wsse:Username>
                <wsse:Password>clecpassword</wsse:Password>
            </wsse:UsernameToken>
        </wsse:Security>
        <ns1:tMLHeader
xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
            <ns1:TransportID>ZAXFRT_ISC2012-09-27T01:20:38.974-
04:00562</ns1:TransportID>
            <ns1:CorrelationID>49689</ns1:CorrelationID>
            <ns1:TrackID>49689</ns1:TrackID>
            <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
            <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
            <ns1:From>ZAX</ns1:From>
            <ns1:To>FRT_ISC</ns1:To>
            <ns1:SendTimestamp>2012-09-27T01:20:38.974-
04:00</ns1:SendTimestamp>
            <ns1:RetryCount>0</ns1:RetryCount>
        </ns1:tMLHeader>
    </soapenv:Header>
    <soapenv:Body>
        <processAsyncRequest xmlns="java:lsr.webservice.wisor.com">
            <string xmlns="">
                &lt;localservicerequest xmlns="http://www.synchronoss.com/lsr/
NWF_OR"
xmlns:snrcBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;lsrform
&lt;adminsection
&lt;ccna>ZAX</ccna>
&lt;pon>20119908</pon>
&lt;ver>01</ver>
&lt;locqty>001</locqty>
&lt;dtsent>201209260337AM</dtsent>
&lt;ddd>20120926</ddd>
&lt;reqtyp>AB</reqtyp>
&lt;act>N</act>
&lt;agauth>Y</agauth>

```

```

        <act1>MILNTNMAXMD</act1>
        <tos>2342</tos>
        <nc>2342</nc>
        <nci>ewrwerwerwe</nci>
        <secnci>r23423423423</secnci>
    </adminsection>
    <billsection>
        <bil>D</bil>
        <ban1>ewrwer2345345</ban1>
        <bi2>L</bi2>
        <ban2>adfsdq4234234</ban2>
    </billsection>
    <contactsection>
        <initiatorcontact>
            <init>sdfsdfsdfsdf</init>
            <telno>23423423423423</telno>
        </initiatorcontact>
        <implementationcontact>
            <impcon>qweqweqwe</impcon>
            <telno>34234234242342</telno>
        </implementationcontact>
    </contactsection>
</lsrform>
<enduserform>
    <locationsection>
        <locnum>001</locnum>
        <name>fgdfgdfgdfgdfg</name>
        <state>WV</state>
        <lcon>34234dfasfsdfsdfsd</lcon>
        <telno>433423423423</telno>
    </locationsection>
</enduserform>
<loopserviceform>
    <adminsection>
        <lqty>32423</lqty>
    </adminsection>
    <servicedetailsection>
        <locnum>342</locnum>
        <lnum>23423</lnum>
        <lna>N</lna>
        <ckr>eqweqweqweqweasdasd</ckr>
    </servicedetailsection>
</loopserviceform>
<directorylistingform>
    <listingsection>
        <listingcontrolsection>
            <lact>N</lact>
            <rty>SAS</rty>
            <lty>2</lty>
            <styc>CI</styc>
        </listingcontrolsection>
        <listingindicatorsection>
            <diridl>ertert</diridl>
            <omsd>sadasdasd324234234234</omsd>
        </listingindicatorsection>
        <listinginstructionsection>
            <ltn>4234234234</ltn>
        </listinginstructionsection>
    </listingsection>
</directorylistingform>

```

```
        &lt;/localservicerequest&gt;  
</string>      </processAsyncRequest>  
      </soapenv:Body>  
</soapenv:Envelope>
```

ReqType: JB

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>WISOR2</wsse:Username>
        <wsse:Password>ADMIN2</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2013-02-19T03:01:26.425-
05:00663</ns1:TransportID>
      <ns1:CorrelationID>49747</ns1:CorrelationID>
      <ns1:TrackID>49747</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2013-02-19T03:01:26.425-
05:00</ns1:SendTimestamp>
      <ns1:RetryCount>2</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns=""
&lt;localservicerequest xmlns="http://www.synchronoss.com/lsr/
NWF_OR"
xmlns:sncrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;lsrform"
&lt;adminsection"
&lt;ccna"
&lt;pon"
&lt;ver"
&lt;locqty"
&lt;htqty"
&lt;an"
&lt;atn"
&lt;dsent"
&lt;dsptch"
&lt;ddd"
&lt;apptimeddd"
&lt;dddo"
&lt;nor"
&lt;apptimedddo"
&lt;dfdt"
&lt;projindr"
&lt;project"
&lt;chc"
&lt;reqtyp"
&lt;p"
&lt;sli"
&lt;act"
&lt;exp"
&lt;apptresid"
&lt;cc"
&lt;nnspp"
&lt;/ccna"
&lt;/pon"
&lt;/ver"
&lt;/locqty"
&lt;/htqty"
&lt;/an"
&lt;/atn"
&lt;/dsent"
&lt;/dsptch"
&lt;/ddd"
&lt;/apptimeddd"
&lt;/dddo"
&lt;/nor"
&lt;/apptimedddo"
&lt;/dfdt"
&lt;/projindr"
&lt;/project"
&lt;/chc"
&lt;/reqtyp"
&lt;/p"
&lt;/sli"
&lt;/act"
&lt;/exp"
&lt;/apptresid"
&lt;/cc"
&lt;/nnspp"
&lt;/string"
&lt;/processAsyncRequest"
&lt;/soapenv:Body"
&lt;/soapenv:Envelope"
&lt;/xml"
&lt;/pre>
```

```

&lt;onsp&gt;ONSP&lt;/onsp&gt;
&lt;aeng&gt;Y&lt;/aeng&gt;
&lt;sca&gt;Y&lt;/sca&gt;
&lt;agauth&gt;Y&lt;/agauth&gt;
&lt;actl&gt;ACTLACTLACT&lt;/actl&gt;
&lt;sactl&gt;SACTLSACTLS&lt;/sactl&gt;
&lt;apot&gt;APOTAPOTAPO&lt;/apot&gt;
&lt;lst&gt;LSTLSTLSTLS&lt;/lst&gt;
&lt;lso&gt;LSOLSO&lt;/lso&gt;
&lt;tos&gt;TOST&lt;/tos&gt;
&lt;ac&gt;A&lt;/ac&gt;
&lt;spec&gt;SPECSPE&lt;/spec&gt;
&lt;nc&gt;NCNC&lt;/nc&gt;
&lt;nci&gt;NCINCINCINCI&lt;/nci&gt;
&lt;secnci&gt;SECNCISENCI&lt;/secnci&gt;
&lt;rpon&gt;RPNRPNRPNRPN&lt;/rpon&gt;
&lt;rpver&gt;01&lt;/rpver&gt;
&lt;rord&gt;RORDRORDRORDRORDRORD&lt;/rord&gt;
&lt;lspauth&gt;LSPA&lt;/lspauth&gt;
&lt;lspauthdate&gt;20090512&lt;/lspauthdate&gt;
&lt;lspauthname&gt;LSPAUTHNAMELSPA&lt;/lspauthname&gt;
&lt;lspan&gt;LSPANLSPANLSPANL&lt;/lspan&gt;
&lt;cust&gt;CUST CUST CUST CUST CUST &lt;/cust&gt;
&lt;npdi&gt;B&lt;/npdi&gt;
&lt;/adminsection&gt;
&lt;billsection&gt;
&lt;bil&gt;D&lt;/bil&gt;
&lt;ban1&gt;BAN1BAN1BAN1B&lt;/ban1&gt;
&lt;bi2&gt;D&lt;/bi2&gt;
&lt;ban2&gt;BAN2BAN2BAN2B&lt;/ban2&gt;
&lt;acna&gt;ACN&lt;/acna&gt;
&lt;ebd&gt;20090512&lt;/ebd&gt;
&lt;nri&gt;Y&lt;/nri&gt;
&lt;billnm&gt;BILLNMBILLNMBILLNMBILLNMB&lt;/billnm&gt;
&lt;sbillnm&gt;SBILLNMSBILLNMSBILLNMSBIL&lt;/sbillnm&gt;
&lt;te&gt;E&lt;/te&gt;
&lt;street&gt;STREETSTREETSTREETSTREETS&lt;/street&gt;
&lt;floor&gt;FLOORFLOOR&lt;/floor&gt;
&lt;roommailstop&gt;ROOMMAILST&lt;/roommailstop&gt;
&lt;city&gt;CITYCITYCITYCITYCITYCITYCITYCITYCITY&lt;/city&gt;
&lt;state&gt;ST&lt;/state&gt;
&lt;zip&gt;ZIPZIPZIPZIP&lt;/zip&gt;
&lt;billcon&gt;BILLCONBILLCONBILLCONBILL&lt;/billcon&gt;
&lt;telno&gt;TELNOTELETELN&lt;/telno&gt;
&lt;/billsection&gt;
&lt;contactsection&gt;
&lt;initiatorcontact&gt;
&lt;init&gt;INITINITINITINITINITINITI&lt;/init&gt;
&lt;telno&gt;TELNOTELETELN&lt;/telno&gt;
&lt;email&gt;EMAIL EMAIL EMAIL EMAIL EMAIL EMAIL
EMAIL EMAIL EMAIL EMAIL1&lt;/email&gt;
&lt;faxno&gt;1234567890&lt;/faxno&gt;
&lt;/initiatorcontact&gt;
&lt;implementationcontact&gt;
&lt;impcn&gt;IMPCONIMPCONIMP&lt;/impcn&gt;
&lt;telno&gt;TELNOTELETELN&lt;/telno&gt;
&lt;pager&gt;PAGERPAGERPAGERPAGERPAGER&lt;/pager&gt;
&lt;/implementationcontact&gt;
&lt;alternateimplementationcontact&gt;
&lt;altimpcn&gt;ALTIMPCONALTIMP&lt;/altimpcn&gt;
&lt;telno&gt;TELNOTELETELN&lt;/telno&gt;
&lt;pager&gt;PAGERPAGERPAGERPAGERPAGER&lt;/pager&gt;

```



```
<mlbtn>MLBTNMLBTN</mlbtn>
<plbo>P</plbo>
</migratinglistingtns>
<billsection>
  <eatn>EATNEATNEA</eatn>
  <fbi>D</fbi>
  <billnm>BILLNMBILLNMBILLNMBILLNMB</billnm>
  <sbillnm>SBILLNMSBILLNMSBILLNMSBIL</sbillnm>
  <street>STREETSTREETSTREETSTREETS</street>
  <floor>FLOORFLOOR</floor>
  <roommailstop>ROOMMAILST</roommailstop>
  <city>CITYCITYCITYCITYCITYCITYCITYCITY</city>
  <state>AL</state>
  <zip>ZIPZIPZIPZIP</zip>
</billsection>
<disconnectsection>
  <dnum>12224</dnum>
  <discnbr>1231231243</discnbr>
  <tcopt>N</tcopt>
  <tctosection>
    <tctopri>3224555676</tctopri>
    <tctosec>4355476877</tctosec>
    <tcid>23</tcid>

<tname>TCNAMETCNAMETCNAMETCNAMETCNAM</tname>
  <tcid2>34</tcid2>

<tname2>TCNAME2TCNAME2TCNAME2TCNAME2TCNAME2</tname2>
  <tctosection>
  <tctosection>
    <tctopri>3224555676</tctopri>
    <tctosec>4355476877</tctosec>
    <tcid>23</tcid>

<tname>TCNAMETCNAMETCNAMETCNAMETCNAM</tname>
  <tcid2>34</tcid2>

<tname2>TCNAME2TCNAME2TCNAME2TCNAME2TCNAME2</tname2>
  <tctosection>
  <tcper>20090512</tcper>
  <locnum>001</locnum>
  </disconnectsection>
  <disconnectsection>
    <dnum>12224</dnum>
    <discnbr>1231231243</discnbr>
    <tcopt>N</tcopt>
    <tctosection>
      <tctopri>3224555676</tctopri>
      <tctosec>4355476877</tctosec>
      <tcid>23</tcid>

<tname>TCNAMETCNAMETCNAMETCNAMETCNAM</tname>
  <tcid2>34</tcid2>

<tname2>TCNAME2TCNAME2TCNAME2TCNAME2TCNAME2</tname2>
  <tctosection>
  <tcper>20090512</tcper>
  <locnum>003</locnum>
  </disconnectsection>
  <deliverycontactsection>

<dcfn>DCFNDCFNDCFNDCFNDCFNDCFNDCFNDCFNDCFNDCFNDCFNDCFNDCFNDCFNDCFNDCFN</dcfn>
```


<name>NAMENAMENAMENAMENAMEN</name>
<name2>NAME2NAME2NAME2NAME2</name2>
<name3>NAME3NAME3NAME3NAME3</name3>
<ico>ICOICOICOICOICOICOICOI</ico>
<ddano>3435435435</ddano>
<ddasf>DDAS</ddasf>
<ddasd>E</ddasd>

<ddasn>DDASNDDASNDDASNDDASNDDASNDDASNDDASNDDASNDDASN</ddasn>
<ddath>DDATHDD</ddath>
<ddass>E</ddass>
<ld1>BLDG</ld1>
<lv1>DDATHDDATH</lv1>
<ld2>FL</ld2>
<lv2>LV2LV2LV2L</lv2>
<ld3>OFC</ld3>
<lv3>LV3LV3LV3L</lv3>

<aai>AAIA</aai
>

<city>CITYCITYCITYCITYCITYCITYCITYCITYCITYCIT</city>
<state>ST</state>
<zip>ZIPZIPZIPZIP</zip>
<directoryquantity>
<dirtytyp>W</dirtytyp>
<dirqtya>342</dirqtya>
<dirqtync>345</dirqtync>
</directoryquantity>
<directoryquantity>
<dirtytyp>W</dirtytyp>
<dirqtya>342</dirqtya>
<dirqtync>345</dirqtync>
</directoryquantity>
</dsrdeliveryinfo>
<dsrdeliveryinfo>
<name>NAMENAMENAMENAMENAMEN</name>
<name2>NAME2NAME2NAME2NAME2</name2>
<name3>NAME3NAME3NAME3NAME3</name3>
<ico>ICOICOICOICOICOICOICOI</ico>
<ddano>3435435435</ddano>
<ddasf>DDAS</ddasf>
<ddasd>E</ddasd>

<ddasn>DDASNDDASNDDASNDDASNDDASNDDASNDDASNDDASNDDASN</ddasn>
<ddath>DDATHDD</ddath>
<ddass>E</ddass>
<ld1>BLDG</ld1>
<lv1>DDATHDDATH</lv1>
<ld2>FL</ld2>
<lv2>LV2LV2LV2L</lv2>
<ld3>OFC</ld3>
<lv3>LV3LV3LV3L</lv3>

<aai>AAIA</aai
>

<city>CITYCITYCITYCITYCITYCITYCITYCITYCITYCIT</city>
<state>ST</state>
<zip>ZIPZIPZIPZIP</zip>
<directoryquantity>
<dirtytyp>W</dirtytyp>

```
        <dirqtya>342</dirqtya>
        <dirqtync>345</dirqtync>
    </directoryquantity>
    <dsrdeliveryinfo>
    </dsrdeliveryinfo>
    </directorylistingform>
    </localservicerequest>
</string>
    </processAsyncRequest>
</soapenv:Body>
</soapenv:Envelope>
```

ReqType: BB

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>WISOR2</wsse:Username>
        <wsse:Password>ADMIN2</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2013-02-19T03:01:26.425-
05:00663</ns1:TransportID>
      <ns1:CorrelationID>49747</ns1:CorrelationID>
      <ns1:TrackID>49747</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2013-02-19T03:01:26.425-
05:00</ns1:SendTimestamp>
      <ns1:RetryCount>2</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
&lt;localservicerequest xmlns="http://www.synchronoss.com/lsr/
NWF_OR"
xmlns:snocrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;lsrform
&lt;adminsection
  &lt;ccna;CCN;
  &lt;pon;TEST123123;
  &lt;ver;01;
  &lt;dtsent;2014032817:31:00;
  &lt;ddd;20140409;
  &lt;nor;0204;
  &lt;dfdt;1000PM;
  &lt;projindr;C;
  &lt;project;TEST;
  &lt;chc;Y;
  &lt;reqtyp;BB;
  &lt;sli;S;
  &lt;act;V;
  &lt;nns;7171;
  &lt;agauth;Z;
  &lt;actl;XXXXXXXXRRS;
  &lt;lso;888552;
  &lt;tos;11F2;
  &lt;nc;LX--;
  &lt;nci;02QC2.OOE;
  &lt;rpon;CCCC;
  &lt;rpver;01;
  &lt;npdi;D;
&lt;/adminsection
&lt;billsection
```



```

        <bil>D</bil>;
        <ban1>8885551212</ban1>;
    </billsection>;
    <contactsection>;
        <initiatorcontact>;
            <init>TESTER</init>;
            <telno>8885551212</telno>;
        </initiatorcontact>;
        <implementationcontact>;
            <impcon>Tech</impcon>;
            <telno>8885551212</telno>;
        </implementationcontact>;
        <alternateimplementationcontact>;
            <altimpcon>Pro</altimpcon>;
            <telno>8885551212</telno>;
        </alternateimplementationcontact>;
    </contactsection>;
    <remarkssection>;
        <remarks>Please call</remarks>;
    </remarkssection>;
</lsrform>;
<enduserform>;
    <locationsection>;
        <locnum>001</locnum>;
        <name>TESTER</name>;
        <aft>N</aft>;
        <sano>111</sano>;
        <sasn>TESTER</sasn>;
        <sath>WAY</sath>;
        <city>WILBERT</city>;
        <state>VA</state>;
        <zip>12121</zip>;
        <lcon>TESTER</lcon>;
        <telno>8885551212</telno>;
        <eumi>N</eumi>;
        <elt>A</elt>;
    </locationsection>;
    <billsection>;
        <eatn>8885551212</eatn>;
    </billsection>;
</enduserform>;
<loop servicewithnumberportabilityform>;
    <adminsection>;
        <lqty>1</lqty>;
        <npqty>1</npqty>;
    </adminsection>;
    <servicedetailsection>;
        <locnum>001</locnum>;
        <lnum>0001</lnum>;
        <npi>A</npi>;
        <lna>V</lna>;
        <ckr>8885551212</ckr>;
        <tdt>Y</tdt>;
        <shelf>01</shelf>;
        <slot>22</slot>;
        <portednbr>8885551212</portednbr>;
        <npt>D</npt>;
    </servicedetailsection>;
</loop servicewithnumberportabilityform>;
</localservicerequest>;
</string>
</processAsyncRequest>

```

```
</soapenv:Body>
</soapenv:Envelope>
```

ReqType: CB

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>WISOR2</wsse:Username>
        <wsse:Password>ADMIN2</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2013-02-19T03:01:26.425-
05:00663</ns1:TransportID>
      <ns1:CorrelationID>49747</ns1:CorrelationID>
      <ns1:TrackID>49747</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2013-02-19T03:01:26.425-
05:00</ns1:SendTimestamp>
      <ns1:RetryCount>2</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
&lt;localservicerequest xmlns="http://www.synchronoss.com/lsr/
NWF_OR"
xmlns:snocrBase="http://www.synchronoss.com/base/SNCR_BASE">
&lt;lsrform>
  &lt;adminsection>
    &lt;ccna>CCN</ccna>
    &lt;pon>TEST123123</pon>
    &lt;ver>01</ver>
    &lt;an>8885551212</an>
    &lt;dtsent>2014041613:46:00</dtsent>
    &lt;ddd>20140418</ddd>
    &lt;reqtyp>CB</reqtyp>
    &lt;act>V</act>
    &lt;nnspace>846F</nnspace>
    &lt;agauth>Y</agauth>
    &lt;npdi>D</npdi>
  &lt;/adminsection>
  &lt;contactsection>
    &lt;initiatorcontact>
      &lt;init>Center</init>
      &lt;telno>8885551212</telno>
    &lt;/initiatorcontact>
    &lt;implementationcontact>
      &lt;impcon>TESTER</impcon>
      &lt;telno>8885551212</telno>
    &lt;/implementationcontact>
  &lt;/contactsection>
&lt;/lsrform>
&lt;/enduserform>
```

```
<locationsection>
  <locnum>001</locnum>
  <name>NONE</name>
  <state>IL</state>
  <zip>12121</zip>
  <eumi>N</eumi>
  <elt>B</elt>
</locationsection>
</enduserform>
<numberportabilityform>
  <adminsection>
    <npqty>1</npqty>
  </adminsection>
  <servicedetailsection>
    <locnum>001</locnum>
    <lnum>00001</lnum>
    <lna>V</lna>
    <portednbr>8885551212</portednbr>
    <npt>D</npt>
  </servicedetailsection>
</numberportabilityform>
</localservicerequest>
</string>
</processAsyncRequest>
</soapenv:Body>
</soapenv:Envelope>
```

ReqType: DB

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>WISOR2</wsse:Username>
        <wsse:Password>ADMIN2</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2013-02-19T03:01:26.425-
05:00663</ns1:TransportID>
      <ns1:CorrelationID>49747</ns1:CorrelationID>
      <ns1:TrackID>49747</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2013-02-19T03:01:26.425-
05:00</ns1:SendTimestamp>
      <ns1:RetryCount>2</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
&lt;localservicerequest xmlns="http://www.synchronoss.com/lsr/
NWF_OR&quot;
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE&quot;&gt;
&lt;lsrform&gt;
&lt;adminsection&gt;
&lt;ccna&gt;CCN&lt;/ccna&gt;
&lt;pon&gt;TEST123123&lt;/pon&gt;
&lt;ver&gt;01&lt;/ver&gt;
&lt;locqty&gt;2&lt;/locqty&gt;
&lt;htqty&gt;01&lt;/htqty&gt;
&lt;atn&gt;8885551212&lt;/atn&gt;
&lt;dtsent&gt;2014041113:52:00&lt;/dtsent&gt;
&lt;dsptch&gt;Y&lt;/dsptch&gt;
&lt;ddd&gt;20140415&lt;/ddd&gt;
&lt;reqtyp&gt;DB&lt;/reqtyp&gt;
&lt;sli&gt;S&lt;/sli&gt;
&lt;act&gt;C&lt;/act&gt;
&lt;agauth&gt;Y&lt;/agauth&gt;
&lt;tos&gt;LAML&lt;/tos&gt;
&lt;nc&gt;SNAL&lt;/nc&gt;
&lt;nci&gt;02.00E&lt;/nci&gt;
&lt;/adminsection&gt;
&lt;contactsection&gt;
&lt;initiatorcontact&gt;
&lt;init&gt;TESTER&lt;/init&gt;
&lt;telno&gt;8885551212&lt;/telno&gt;
&lt;/initiatorcontact&gt;
&lt;implementationcontact&gt;
```

```

        &lt;impcn&gt;TESTER&lt;/impcn&gt;
        &lt;telno&gt;8885551212&lt;/telno&gt;
        &lt;/implementationcontact&gt;
&lt;/contactsection&gt;
&lt;remarkssection&gt;
        &lt;remarks&gt;INSTALL Term at DMARC.&lt;/remarks&gt;
&lt;/remarkssection&gt;
&lt;/lsrform&gt;
&lt;enduserform&gt;
        &lt;locationsection&gt;
            &lt;locnum&gt;001&lt;/locnum&gt;
            &lt;name&gt;TESTER STATION&lt;/name&gt;
            &lt;aft&gt;N&lt;/aft&gt;
            &lt;sano&gt;7777&lt;/sano&gt;
            &lt;sasn&gt;UNON&lt;/sasn&gt;
            &lt;sath&gt;AV&lt;/sath&gt;
            &lt;sass&gt;N&lt;/sass&gt;
            &lt;city&gt;TESTER STATION&lt;/city&gt;
            &lt;state&gt;WV&lt;/state&gt;
            &lt;zip&gt;11222&lt;/zip&gt;
        &lt;/locationsection&gt;
        &lt;billsection&gt;
            &lt;eatn&gt;8885551212&lt;/eatn&gt;
        &lt;/billsection&gt;
&lt;/enduserform&gt;
&lt;huntingform&gt;
        &lt;huntgroup&gt;
            &lt;locnum&gt;001&lt;/locnum&gt;
            &lt;hnum&gt;00001&lt;/hnum&gt;
            &lt;ha&gt;N&lt;/ha&gt;
            &lt;hid&gt;NEW&lt;/hid&gt;
            &lt;hntyp&gt;2&lt;/hntyp&gt;
            &lt;huntingdetail&gt;
                &lt;hla&gt;N&lt;/hla&gt;
                &lt;htseq&gt;001&lt;/htseq&gt;
                &lt;htn&gt;8885551212&lt;/htn&gt;
            &lt;/huntingdetail&gt;
            &lt;huntingdetail&gt;
                &lt;hla&gt;N&lt;/hla&gt;
                &lt;htseq&gt;002&lt;/htseq&gt;
                &lt;htn&gt;8885551212&lt;/htn&gt;
            &lt;/huntingdetail&gt;
            &lt;huntingdetail&gt;
                &lt;hla&gt;N&lt;/hla&gt;
                &lt;htseq&gt;003&lt;/htseq&gt;
                &lt;htn&gt;8885551212&lt;/htn&gt;
            &lt;/huntingdetail&gt;
        &lt;/huntgroup&gt;
&lt;/huntingform&gt;
&lt;portserviceform&gt;
        &lt;adminsection&gt;
            &lt;pqty&gt;001&lt;/pqty&gt;
        &lt;/adminsection&gt;
        &lt;servicedetailsection&gt;
            &lt;locnum&gt;001&lt;/locnum&gt;
            &lt;lnum&gt;00001&lt;/lnum&gt;
            &lt;lna&gt;N&lt;/lna&gt;
            &lt;ltos&gt;1AM1&lt;/ltos&gt;
            &lt;tns&gt;8885551212&lt;/tns&gt;
            &lt;pic&gt;0432&lt;/pic&gt;
            &lt;lpic&gt;0432&lt;/lpic&gt;
            &lt;blocking&gt;

```

```

        <ba>A</ba>
        <block>1</block>
    </blocking>
    <features>
        <fa>N</fa>
        <feature>69269</feature>
    </features>
    <features>
        <fa>N</fa>
        <feature>69328</feature>
    </features>
</servicedetailsection>
<servicedetailsection>
    <locnum>001</locnum>
    <lnum>00002</lnum>
    <lna>N</lna>
    <ltos>1AM1</ltos>
    <tns>8885551212</tns>
    <pic>0432</pic>
    <lpic>0432</lpic>
    <blocking>
        <ba>A</ba>
        <block>1</block>
    </blocking>
    <features>
        <fa>N</fa>
        <feature>69269</feature>
    </features>
    <features>
        <fa>N</fa>
        <feature>69328</feature>
    </features>
</servicedetailsection>
<servicedetailsection>
    <locnum>001</locnum>
    <lnum>00003</lnum>
    <lna>N</lna>
    <ltos>1AM1</ltos>
    <tns>8885551212</tns>
    <pic>0432</pic>
    <lpic>0432</lpic>
    <blocking>
        <ba>A</ba>
        <block>1</block>
    </blocking>
    <features>
        <fa>N</fa>
        <feature>69269</feature>
    </features>
    <features>
        <fa>N</fa>
        <feature>69328</feature>
    </features>
</servicedetailsection>
<servicedetailsection>
    <locnum>001</locnum>
    <lnum>00003</lnum>
    <lna>N</lna>
    <ltos>1AM1</ltos>
    <tns>8885551212</tns>
    <pic>0432</pic>
    <lpic>0432</lpic>

```

```

        <blocking>
            <ba>A</ba>
            <block>1</block>
        </blocking>
        <features>
            <fa>N</fa>
            <feature>69328</feature>
        </features>
    </servicedetailsection>
</portserviceform>
<directorylistingform>
    <listingsection>
        <listingcontrolsection>
            <lact>Z</lact>
            <rty>LML</rty>
            <mtn>8885551212</mtn>
        </listingcontrolsection>
        <listinginstructionsection>
            <ltn>8885551212</ltn>
        </listinginstructionsection>
    </listingsection>
</directorylistingform>
</localservicerequest>
</string>
</processAsyncRequest>
</soapenv:Body>
</soapenv:Envelope>

```

ReqType: EB

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>WISOR2</wsse:Username>
        <wsse:Password>ADMIN2</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2013-02-19T03:01:26.425-
05:00663</ns1:TransportID>
      <ns1:CorrelationID>49747</ns1:CorrelationID>
      <ns1:TrackID>49747</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2013-02-19T03:01:26.425-
05:00</ns1:SendTimestamp>
      <ns1:RetryCount>2</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
&lt;localservicerequest xmlns="http://www.synchronoss.com/lsr/
NWF_OR"
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;lsrform
&lt;adminsection
&lt;ccna;CCN;ccna;
&lt;pon;TEST123123;pon;
&lt;ver;01;ver;
&lt;locqty;01;locqty;
&lt;atn;8885551212;atn;
&lt;dtsent;2014041513:35:00;dtsent;
&lt;ddd;20140424;ddd;
&lt;dfdt;0900AM;dfdt;
&lt;projindr;C;projindr;
&lt;project;MCIPORT;project;
&lt;reqtyp;EB;reqtyp;
&lt;act;N;act;
&lt;onsp;7228;onsp;
&lt;agauth;Y;agauth;
&lt;lst;CTEST;lst;
&lt;lso;888555;lso;
&lt;tos;1BF-;tos;
&lt;nci;02QB2.OOE;nci;
&lt;npdi;D;npdi;
&lt;/adminsection;
&lt;contactsection;
&lt;initiatorcontact;
```



```

        <init>TESTER</init>;
        <telno>8885551212</telno>;
        <email>TESTER@TTST.COM</email>;
    </initiatorcontact>;
    <implementationcontact>;
        <impcon>TESTER</impcon>;
        <telno>8885551212</telno>;
    </implementationcontact>;
</contactsection>;
<remarkssection>;
    <remarks>REQ TO PORT 1 TN TO PORTED TN</remarks>;
</remarkssection>;
</lsrform>;
<enduserform>;
    <locationsection>;
        <locnum>1</locnum>;
        <name>TESTER CO</name>;
        <aft>N</aft>;
        <sano>11</sano>;
        <sasd>N</sasd>;
        <sasn>1st</sasn>;
        <sath>ST</sath>;
        <city>TESTER</city>;
        <state>WV</state>;
        <zip>11141</zip>;
        <lcon>TESTER</lcon>;
        <telno>8885551212</telno>;
    </locationsection>;
</enduserform>;
<resaleserviceform>;
    <adminsection>;
        <rsqty>1</rsqty>;
    </adminsection>;
    <servicedetailsection>;
        <locnum>1</locnum>;
        <lnum>1</lnum>;
        <npi>C</npi>;
        <lna>X</lna>;
        <tns>8885551212</tns>;
        <otn>8885551212</otn>;
        <tcopt>N</tcopt>;
    </servicedetailsection>;
</resaleserviceform>;
<directorylistingform>;
    <listingsection>;
        <listingcontrolsection>;
            <lact>N</lact>;
            <rty>LML</rty>;
            <lty>3</lty>;
            <styc>SL</styc>;
            <toa>BP</toa>;
            <mtn>8885551212</mtn>;
        </listingcontrolsection>;
        <listinginstructionsection>;
            <ltn>8885551212</ltn>;
            <lex>888555</lex>;
            <lnln>WHICH</lnln>;
            <lnfn>Floors</lnfn>;
            <lano>111</lano>;
            <lasd>W</lasd>;
            <lasn>TESTER</lasn>;
            <lath>Way</lath>;

```

```
        &lt;laloc&gt;FLOORS&lt;/laloc&gt;
        &lt;last&gt;WV&lt;/last&gt;
        &lt;lazc&gt;11141&lt;/lazc&gt;
    &lt;/listinginstructionsection&gt;
    &lt;advertisingsection&gt;
        &lt;yphv&gt;None&lt;/yphv&gt;
    &lt;/advertisingsection&gt;
&lt;/listingsection&gt;
&lt;dsrdeliveryinfo&gt;
    &lt;directoryquantity&gt;
        &lt;dirty&gt;W&lt;/dirty&gt;
        &lt;dirqtync&gt;0&lt;/dirqtync&gt;
    &lt;/directoryquantity&gt;
&lt;/dsrdeliveryinfo&gt;
&lt;/directorylistingform&gt;
&lt;/localservicerequest&gt;
</string>
</processAsyncRequest>
</soapenv:Body>
</soapenv:Envelope>
```

ReqType: FB

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>WISOR2</wsse:Username>
        <wsse:Password>ADMIN2</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2013-02-19T03:01:26.425-
05:00663</ns1:TransportID>
      <ns1:CorrelationID>49747</ns1:CorrelationID>
      <ns1:TrackID>49747</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2013-02-19T03:01:26.425-
05:00</ns1:SendTimestamp>
      <ns1:RetryCount>2</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
&lt;localservicerequest xmlns="http://www.synchronoss.com/lsr/
NWF_OR"
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;lsrform
&lt;adminsection
&lt;ccna;CCN;ccna;
&lt;pon;TEST123123;pon;
&lt;ver;01;ver;
&lt;locqty;001;locqty;
&lt;dtsent;20130808:26:00;dtsent;
&lt;ddd;20130814;ddd;
&lt;reqtyp;FB;reqtyp;
&lt;act;D;act;
&lt;agauth;Y;agauth;
&lt;tos;1FM-;tos;
&lt;/adminsection;
&lt;billsection;
&lt;acna;CCN;acna;
&lt;billnm;TESTER;billnm;
&lt;street;MAIN ST;street;
&lt;floor;2;floor;
&lt;city;GRINVILLE;city;
&lt;state;VA;state;
&lt;zip;11111;zip;
&lt;billcon;TESTER;billcon;
&lt;telno;8885551212;telno;
```

```

    </billsection>
    <contactsection>
      <initiatorcontact>
        <init>TESTER</init>
        <telno>8885551212</telno>
        <email>TESTER@TESTER.COM</email>
        <faxno>8885551212</faxno>
      </initiatorcontact>
      <implementationcontact>
        <impcon>TESTER</impcon>
        <telno>8885551212</telno>
      </implementationcontact>
    </contactsection>
    <remarkssection>
      <remarks>PLEASE DISCONNECT 8885551212</remarks>
    </remarkssection>
  </lsrform>
</enduserform>
  <locationsection>
    <locnum>001</locnum>
    <name>TESTER SITE</name>
    <state>SC</state>
    <lcon>TESTER</lcon>
    <telno>8885551212</telno>
  </locationsection>
  <billsection>
    <eatn>8885551212</eatn>
  </billsection>
  <disconnectsection>
    <dnum>00001</dnum>
    <discnbr>8885551212</discnbr>
    <tcopt>N</tcopt>
  </disconnectsection>
</enduserform>
</localservicerequest>
</string>
  </processAsyncRequest>
</soapenv:Body>
</soapenv:Envelope>

```

ReqType: KB

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>WISOR2</wsse:Username>
        <wsse:Password>ADMIN2</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2013-02-19T03:01:26.425-
05:00663</ns1:TransportID>
      <ns1:CorrelationID>49747</ns1:CorrelationID>
      <ns1:TrackID>49747</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2013-02-19T03:01:26.425-
05:00</ns1:SendTimestamp>
      <ns1:RetryCount>2</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
&lt;localservicerequest xmlns="http://www.synchronoss.com/lsr/
NWF_OR"
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;lsrform
&lt;adminsection
&lt;ccna;CCN;
&lt;pon;TEST123123;
&lt;ver;01;
&lt;locqty;2;
&lt;dtsent;2014041113:52:00;
&lt;ddd;20140512;
&lt;reqtyp;KB;
&lt;act;D;
&lt;agauth;Y;
&lt;tos;TTTT;
&lt;/adminsection
&lt;contactsection
&lt;initiatorcontact
&lt;init;TESTER;
&lt;telno;8885551212;
&lt;/initiatorcontact
&lt;/contactsection
&lt;remarkssection
&lt;remarks;Please disconnect;
```

```

    </remarkssection>;
  </lsrform>;
  </enduserform>;
  <locationsection>;
    <locnum>1</locnum>;
    <name>Systems</name>;
    <aft>N</aft>;
    <sano>2225</sano>;
    <sasn>EASTER</sasn>;
    <sath>DR</sath>;
    <city>BTON</city>;
    <state>VA</state>;
    <zip>11111</zip>;
    <lcon>TEST</lcon>;
    <telno>8885551212</telno>;
  </locationsection>;
  <locationsection>;
    <locnum>2</locnum>;
    <name>CENTER</name>;
    <aft></aft>;
    <sano>100</sano>;
    <sasd>N</sasd>;
    <sasn>WATON</sasn>;
    <sath>ST</sath>;
    <city>BIGTON</city>;
    <state>VA</state>;
    <zip>11111</zip>;
    <lcon>TEST</lcon>;
    <telno>8885551212</telno>;
  </locationsection>;
  <billsection>;
    <eatn>8885551212</eatn>;
  </billsection>;
  </enduserform>;
  </localservicerequest>;
</string>
</processAsyncRequest>
</soapenv:Body>
</soapenv:Envelope>

```

ReqType: LB

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>WISOR2</wsse:Username>
        <wsse:Password>ADMIN2</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2013-02-19T03:01:26.425-
05:00663</ns1:TransportID>
      <ns1:CorrelationID>49747</ns1:CorrelationID>
      <ns1:TrackID>49747</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2013-02-19T03:01:26.425-
05:00</ns1:SendTimestamp>
      <ns1:RetryCount>2</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
&lt;localservicerequest xmlns="http://www.synchronoss.com/lsr/
NWF_OR"
xmlns:snrBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;lsrform
&lt;adminsection
  <ccna;CCN;/ccna;
  <pon;TEST123123;/pon;
  <ver;01;/ver;
  <locqty;2;/locqty;
  <dtsent;2014041113:52:00;/dtsent;
  <ddd;20140512;/ddd;
  <reqtyp;LB;/reqtyp;
  <act;D;/act;
  <agauth;Y;/agauth;
  <tos;TTTT;/tos;
&lt;/adminsection;
&lt;contactsection;
  <initiatorcontact;
    <init;TESTER;/init;
    <telno;8885551212;/telno;
    <email;TST@TESTER.COM;/email;
    <faxno;8885551212;/faxno;
  </initiatorcontact;
```

```

        <implementationcontact>
            <impcon>TESTER</impcon>
            <telno>8885551212</telno>
        </implementationcontact>
    </contactsection>
    <remarkssection>
        <remarks>DISCO</remarks>
    </remarkssection>
</lsrform>
<enduserform>
    <locationsection>
        <locnum>1</locnum>
        <name>J INC</name>
        <state>WI</state>
    </locationsection>
    <billsection>
        <eatn>1112224444</eatn>
    </billsection>
    <disconnectsection>
        <dnum>1</dnum>
        <discnbr>1112224444</discnbr>
        <tcopt>N</tcopt>
    </disconnectsection>
    <disconnectsection>
        <dnum>2</dnum>
        <discnbr>1112224444</discnbr>
        <tcopt>N</tcopt>
    </disconnectsection>
</enduserform>
</localservicerequest>
</string>
</processAsyncRequest>
</soapenv:Body>
</soapenv:Envelope>

```


ReqType: NB

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>WISOR2</wsse:Username>
        <wsse:Password>ADMIN2</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2013-02-19T03:01:26.425-
05:00663</ns1:TransportID>
      <ns1:CorrelationID>49747</ns1:CorrelationID>
      <ns1:TrackID>49747</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2013-02-19T03:01:26.425-
05:00</ns1:SendTimestamp>
      <ns1:RetryCount>2</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
&lt;localservicerequest xmlns="http://www.synchronoss.com/lsr/
NWF_OR"
xmlns:snocrBase="http://www.synchronoss.com/base/SNCR_BASE"
&gt;
      <lsrform>
        <adminsection>
          <ccna>CCN</ccna>
          <pon>TEST123123</pon>
          <ver>01</ver>
          <locqty>001</locqty>
          <htqty>03</htqty>
          <atn>8885551212</atn>
          <dtsent>2013071611:42:00</dtsent>
          <ddd>20130718</ddd>
          <projindr>C</projindr>
          <project>NEWTEST</project>
          <reqtyp>NB</reqtyp>
          <p>A</p>
          <act>N</act>
          <agauth>Y</agauth>
          <lso>888555</lso>
          <tos>1QM-</tos>

```

```

&lt;/adminsection&gt;
&lt;contactsection&gt;
  &lt;initiatorcontact&gt;
    &lt;init&gt;TESTER&lt;/init&gt;
    &lt;telno&gt;8885551212&lt;/telno&gt;
  &lt;/initiatorcontact&gt;
  &lt;implementationcontact&gt;
    &lt;impcon&gt;TEST NAME&lt;/impcon&gt;
    &lt;telno&gt;8885551212&lt;/telno&gt;
  &lt;/implementationcontact&gt;
&lt;/contactsection&gt;
&lt;remarkssection&gt;
  &lt;remarks&gt;Please install&lt;/remarks&gt;
&lt;/remarkssection&gt;
&lt;/lsrform&gt;
&lt;enduserform&gt;
  &lt;locationsection&gt;
    &lt;locnum&gt;001&lt;/locnum&gt;
    &lt;name&gt;TEST CO&lt;/name&gt;
    &lt;aft&gt;N&lt;/aft&gt;
    &lt;sano&gt;1&lt;/sano&gt;
    &lt;sasn&gt;TESTCO&lt;/sasn&gt;
    &lt;sath&gt;DR&lt;/sath&gt;
    &lt;aai&gt;NEW ADDR&lt;/aai&gt;
    &lt;city&gt;NEWCITY&lt;/city&gt;
    &lt;state&gt;WV&lt;/state&gt;
    &lt;zip&gt;11111&lt;/zip&gt;
    &lt;lcon&gt;TEST NAME&lt;/lcon&gt;
    &lt;telno&gt;8885551212&lt;/telno&gt;
  &lt;/locationsection&gt;
&lt;/enduserform&gt;
&lt;huntingform&gt;
  &lt;huntgroup&gt;
    &lt;locnum&gt;001&lt;/locnum&gt;
    &lt;hnum&gt;00001&lt;/hnum&gt;
    &lt;ha&gt;N&lt;/ha&gt;
    &lt;hid&gt;NEW&lt;/hid&gt;
    &lt;hntyp&gt;3&lt;/hntyp&gt;
    &lt;huntingdetail&gt;
      &lt;hla&gt;N&lt;/hla&gt;
      &lt;htseq&gt;0001&lt;/htseq&gt;
      &lt;htn&gt;8885551212&lt;/htn&gt;
    &lt;/huntingdetail&gt;
    &lt;huntingdetail&gt;
      &lt;hla&gt;N&lt;/hla&gt;
      &lt;htseq&gt;0002&lt;/htseq&gt;
      &lt;htn&gt;8885551213&lt;/htn&gt;
    &lt;/huntingdetail&gt;
    &lt;huntingdetail&gt;
      &lt;hla&gt;N&lt;/hla&gt;
      &lt;htseq&gt;0003&lt;/htseq&gt;
      &lt;htn&gt;8885551214&lt;/htn&gt;
    &lt;/huntingdetail&gt;
  &lt;/huntgroup&gt;
&lt;/huntingform&gt;
&lt;diddodpbxserviceform&gt;
  &lt;adminsection&gt;
    &lt;commq&gt;03&lt;/commq&gt;
  &lt;/adminsection&gt;
  &lt;commonsection&gt;
    &lt;commgroupdetailsection&gt;
      &lt;locnum&gt;001&lt;/locnum&gt;

```

```

        < rnum> 0001 < /rnum> ;
        < ad> C < /ad> ;
        < tnsqq> 01 < /tnsgq> ;
        < tkgq> 01 < /tkgq> ;
    < /commgroupdetailsection> ;
    < diddodtelephonenumbersection> ;
        < locnum> 001 < /locnum> ;
        < rnum> 0001 < /rnum> ;
        < tna> N < /tna> ;
        < qn> 0003 < /qn> ;
        < tns> 8885551212 < /tns> ;
        < blocking> ;
            < ba> A < /ba> ;
            < block> 1 < /block> ;
        < /blocking> ;
        < features> ;
            < locnum> 001 < /locnum> ;
            < fa> N < /fa> ;
            < feature> HTG < /feature> ;
        < /features> ;
        < features> ;
            < locnum> 001 < /locnum> ;
            < fa> N < /fa> ;
            < feature> UUGR1 < /feature> ;
        < /features> ;
    < /diddodtelephonenumbersection> ;
    < trunkservicedetailsection> ;
        < locnum> 001 < /locnum> ;
        < rnum> 0001 < /rnum> ;
        < tact> N < /tact> ;
        < tkq> 0001 < /tkq> ;
        < telephonenumber> ;
            < tns> 8885551212 < /tns> ;
        < /telephonenumber> ;
        < do> 10 < /do> ;
        < pulse> DTMF < /pulse> ;
        < ssig> LS < /ssig> ;
        < ttp> C < /ttp> ;
        < pic> 0555 < /pic> ;
        < lpic> 0000 < /lpic> ;
        < features> ;
            < locnum> 001 < /locnum> ;
            < fa> N < /fa> ;
            < feature> HTG < /feature> ;
        < /features> ;
        < features> ;
            < locnum> 001 < /locnum> ;
            < fa> N < /fa> ;
            < feature> UUGR1 < /feature> ;
        < /features> ;
    < /trunkservicedetailsection> ;
< /commonsection> ;
< commonsection> ;
    < commgroupdetailsection> ;
        < locnum> 001 < /locnum> ;
        < rnum> 0002 < /rnum> ;
        < ad> C < /ad> ;
        < tnsqq> 01 < /tnsgq> ;
        < tkgq> 01 < /tkgq> ;
    < /commgroupdetailsection> ;
    < diddodtelephonenumbersection> ;
        < locnum> 001 < /locnum> ;

```

```

&lt;rnum&gt;0002&lt;/rnum&gt;
&lt;tna&gt;N&lt;/tna&gt;
&lt;qn&gt;0003&lt;/qn&gt;
&lt;tns&gt;8885551212&lt;/tns&gt;
&lt;blocking&gt;
  &lt;ba&gt;A&lt;/ba&gt;
  &lt;block&gt;1&lt;/block&gt;
&lt;/blocking&gt;
&lt;features&gt;
  &lt;locnum&gt;001&lt;/locnum&gt;
  &lt;fa&gt;N&lt;/fa&gt;
  &lt;feature&gt;HTG&lt;/feature&gt;
&lt;/features&gt;
&lt;features&gt;
  &lt;locnum&gt;001&lt;/locnum&gt;
  &lt;fa&gt;N&lt;/fa&gt;
  &lt;feature&gt;UUGR1&lt;/feature&gt;
&lt;/features&gt;
&lt;/diddodtelephonenumbersection&gt;
&lt;trunkservicedetailsection&gt;
  &lt;locnum&gt;001&lt;/locnum&gt;
  &lt;rnum&gt;0002&lt;/rnum&gt;
  &lt;tact&gt;N&lt;/tact&gt;
  &lt;tkq&gt;0001&lt;/tkq&gt;
  &lt;telephonenumber&gt;
    &lt;tns&gt;8885551214&lt;/tns&gt;
  &lt;/telephonenumber&gt;
  &lt;do&gt;10&lt;/do&gt;
  &lt;pulse&gt;DTMF&lt;/pulse&gt;
  &lt;ssig&gt;LS&lt;/ssig&gt;
  &lt;ttp&gt;C&lt;/ttp&gt;
  &lt;pic&gt;0555&lt;/pic&gt;
  &lt;lpic&gt;0000&lt;/lpic&gt;
  &lt;features&gt;
    &lt;locnum&gt;001&lt;/locnum&gt;
    &lt;fa&gt;N&lt;/fa&gt;
    &lt;feature&gt;HTG&lt;/feature&gt;
  &lt;/features&gt;
  &lt;features&gt;
    &lt;locnum&gt;001&lt;/locnum&gt;
    &lt;fa&gt;N&lt;/fa&gt;
    &lt;feature&gt;UUGR1&lt;/feature&gt;
  &lt;/features&gt;
  &lt;/trunkservicedetailsection&gt;
&lt;/commonsection&gt;
&lt;commonsection&gt;
  &lt;commgroupdetailsection&gt;
    &lt;locnum&gt;001&lt;/locnum&gt;
    &lt;rnum&gt;0003&lt;/rnum&gt;
    &lt;ad&gt;C&lt;/ad&gt;
    &lt;tnsgq&gt;01&lt;/tnsgq&gt;
    &lt;tkgq&gt;01&lt;/tkgq&gt;
  &lt;/commgroupdetailsection&gt;
  &lt;diddodtelephonenumbersection&gt;
    &lt;locnum&gt;001&lt;/locnum&gt;
    &lt;rnum&gt;0003&lt;/rnum&gt;
    &lt;tna&gt;N&lt;/tna&gt;
    &lt;qn&gt;0003&lt;/qn&gt;
    &lt;tns&gt;8885551214&lt;/tns&gt;
    &lt;blocking&gt;
      &lt;ba&gt;A&lt;/ba&gt;
      &lt;block&gt;1&lt;/block&gt;

```

```

    </blocking>;
    <features>;
        <locnum>001</locnum>;
        <fa>N</fa>;
        <feature>HTG</feature>;
    </features>;
    <features>;
        <locnum>001</locnum>;
        <fa>N</fa>;
        <feature>UUGR1</feature>;
    </features>;
</diddodtelephonenumbersection>;
<trunkservicedetailsection>;
    <locnum>001</locnum>;
    <rnum>0003</rnum>;
    <tact>N</tact>;
    <tkq>0001</tkq>;
    <telephonenumber>;
        <tns>8885551212</tns>;
    </telephonenumber>;
    <do>10</do>;
    <pulse>DTMF</pulse>;
    <ssig>LS</ssig>;
    <ttp>C</ttp>;
    <pic>0555</pic>;
    <lpic>0000</lpic>;
    <features>;
        <locnum>001</locnum>;
        <fa>N</fa>;
        <feature>HTG</feature>;
    </features>;
    <features>;
        <locnum>001</locnum>;
        <fa>N</fa>;
        <feature>UUGR1</feature>;
    </features>;
</trunkservicedetailsection>;
</commonsection>;
</diddodpbxserviceform>;
<directorylistingform>;
    <listingsection>;
        <listingcontrolsection>;
            <lact>N</lact>;
            <rty>LML</rty>;
            <lty>3</lty>;
            <styc>SL</styc>;
            <mtn>8885551212</mtn>;
        </listingcontrolsection>;
        <listinginstructionsection>;
            <ltn>8885551212</ltn>;
            <lex>888555</lex>;
            <lnln>Consol</lnln>;
            <lnfn>Energy</lnfn>;
            <adi>O</adi>;
        </listinginstructionsection>;
        <advertisingsection>;
            <yphv>NONE</yphv>;
        </advertisingsection>;
    </listingsection>;
</dsrdeliveryinfo>;
    <directoryquantity>;
        <dirtytyp>W</dirtytyp>;

```

```

        <dirqty>001</dirqty>
        <dirqtync>001</dirqtync>
        </directoryquantity>
        <dsrdeliveryinfo>
        </directorylistingform>
        </localservicerequest>
    </string>
    </processAsyncRequest>
</soapenv:Body>
</soapenv:Envelope>

```

ReqType: PB

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>WISOR2</wsse:Username>
        <wsse:Password>ADMIN2</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2013-02-19T03:01:26.425-
05:00663</ns1:TransportID>
      <ns1:CorrelationID>49747</ns1:CorrelationID>
      <ns1:TrackID>49747</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2013-02-19T03:01:26.425-
05:00</ns1:SendTimestamp>
      <ns1:RetryCount>2</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
        <localservicerequest xmlns="http://www.synchronoss.com/lsr/
NWF_OR"
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE">
          <lsrform>
            <adminsection>
              <ccna>CCN</ccna>
              <pon>TEST123123</pon>
              <ver>01</ver>
              <locqty>001</locqty>
              <atn>8885551212</atn>
              <dtsent>2014041017:28:00</dtsent>
              <ddd>20140414</ddd>
              <reqtyp>PB</reqtyp>
              <act>D</act>
              <sup>3</sup>
              <agauth>Y</agauth>
              <lso>888555</lso>
              <tos>1EF1</tos>
            </adminsection>
            <contactsection>

```

```

        <initiatorcontact>
            <init>TESTER</init>
            <telno>8885551212</telno>
        </initiatorcontact>
        <implementationcontact>
            <impcon>TESTER</impcon>
            <telno>8885551212</telno>
        </implementationcontact>
    </contactsection>
    <remarkssection>
        <remarks>MAKE THIS WORK</remarks>
    </remarkssection>
</lsrform>
<enduserform>
    <locationsection>
        <locnum>001</locnum>
        <name>TESTER CO</name>
        <aft>N</aft>
        <sano>11</sano>
        <sasn>BEANOT</sasn>
        <sath>ST</sath>
        <city>TESTER</city>
        <state>WV</state>
        <zip>11151</zip>
    </locationsection>
    <billsection>
        <eatn>8885551212</eatn>
    </billsection>
    <disconnectsection>
        <dnum>00001</dnum>
        <discnbr>8885551212</discnbr>
        <tcopt>N</tcopt>
    </disconnectsection>
    <disconnectsection>
        <dnum>00002</dnum>
        <discnbr>8885551212</discnbr>
        <tcopt>N</tcopt>
    </disconnectsection>
</enduserform>
</localservicerequest>
</string>
</processAsyncRequest>
</soapenv:Body>
</soapenv:Envelope>

```

ReqType: QB

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext"
soapenv:actor="" soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>WISOR2</wsse:Username>
        <wsse:Password>ADMIN2</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>ZAXFRT_ISC2013-02-19T03:01:26.425-
05:00663</ns1:TransportID>
      <ns1:CorrelationID>49747</ns1:CorrelationID>
      <ns1:TrackID>49747</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>ZAX</ns1:From>
      <ns1:To>FRT_ISC</ns1:To>
      <ns1:SendTimestamp>2013-02-19T03:01:26.425-
05:00</ns1:SendTimestamp>
      <ns1:RetryCount>2</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncRequest xmlns="java:lsr.webservice.wisor.com">
      <string xmlns="">
&lt;localservicerequest xmlns="http://www.synchronoss.com/lsr/
NWF_OR"
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;lsrform"
&lt;adminsection"
&lt;ccna" CCN" /ccna"
&lt;pon" TEST123123" /pon"
&lt;ver" 01" /ver"
&lt;locqty" 1" /locqty"
&lt;atn" 5035960729" /atn"
&lt;dtsent" 2014041609:19:00" /dtsent"
&lt;ddd" 20140423" /ddd"
&lt;reqtyp" QB" /reqtyp"
&lt;p" A" /p"
&lt;act" D" /act"
&lt;apptresid" /"
&lt;agauth" Y" /agauth"
&lt;tos" IHM-" /tos"
&lt;/adminsection"

```



```

    <contactsection>
      <initiatorcontact>
        <init>TESTER</init>
        <telno>8885551212</telno>
      </initiatorcontact>
    </contactsection>
  </lsrform>
</enduserform>
  <locationsection>
    <locnum>001</locnum>
    <name>TEST 12</name>
    <aft>N</aft>
    <sano>11</sano>
    <sasd>SW</sasd>
    <sasn>TESTER</sasn>
    <sath>BLVD</sath>
    <city>CREATIVE</city>
    <state>NH</state>
    <zip>11115</zip>
  </locationsection>
  <billsection>
    <eatn>8885551212</eatn>
  </billsection>
</enduserform>
</localservicerequest>
</string>
</processAsyncRequest>
</soapenv:Body>
</soapenv:Envelope>

```

LSR Order Responses

Synchronous Response: OK tML

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <ns1:tMLHeader xmlns:ns1="http://atis.org/tML/TransportProfile/v2.xsd">
      <ns1:TransportID>FRT_ISCZAX2013-02-19T03:01:27.864-
05:00715</ns1:TransportID>
      <ns1:CorrelationID>49747</ns1:CorrelationID>
      <ns1:TrackID>49747</ns1:TrackID>
      <ns1:ApplicationType>TMLAPP</ns1:ApplicationType>
      <ns1:ApplicationVersion>1.1</ns1:ApplicationVersion>
      <ns1:From>FRT_ISC</ns1:From>
      <ns1:To>ZAX</ns1:To>
      <ns1:SendTimestamp>2013-02-19T03:01:27.864-
05:00</ns1:SendTimestamp>
      <ns1:RetryCount>2</ns1:RetryCount>
    </ns1:tMLHeader>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncRequestResponse xmlns="java:lsr.webservice.wisor.com">
      <response xmlns="">OK</response>
    </processAsyncRequestResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

Synchronous Response: SOAP Fault

```
<?xml version="1.0" encoding="utf-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <soapenv:Fault>
      <faultcode>WLSRSTML005</faultcode>
      <faultstring>XML Schema validation failed. Please make corrections
to the request and retry again.</faultstring>
      <detail>
        <ns1:hostname xmlns:ns1="http://xml.apache.org/axis/">in-
banqasrv17p</ns1:hostname>
      </detail>
    </soapenv:Fault>
  </soapenv:Body>
</soapenv:Envelope>
```



```

&lt;remarks&gt;REMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREM
ARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKS
REMARKSREMARK&lt;/remarks&gt;
&lt;huntgroupsection&gt;
&lt;locnum&gt;123&lt;/locnum&gt;
&lt;hnum&gt;12322&lt;/hnum&gt;
&lt;hid&gt;HIDHIDHIDHID&lt;/hid&gt;
&lt;tli&gt;TLITLITLITLITL&lt;/tli&gt;
&lt;huntdetail&gt;
&lt;htn&gt;12131313123132123&lt;/htn&gt;
&lt;htseq&gt;2132123123&lt;/htseq&gt;
&lt;/huntdetail&gt;
&lt;/huntgroupsection&gt;
&lt;circuitdetailsection&gt;
&lt;lnum&gt;13213&lt;/lnum&gt;
&lt;rnum&gt;3212&lt;/rnum&gt;
&lt;lnex&gt;23121&lt;/lnex&gt;
&lt;legnum&gt;123&lt;/legnum&gt;
&lt;eccktdetails&gt;
&lt;ecckt&gt;ECCKTECCKTECCKTECCKTECCKTECCKTECCKTE&lt;/ecckt&gt;
&lt;/eccktdetails&gt;
&lt;dsn&gt;2131231&lt;/dsn&gt;
&lt;ltc&gt;12&lt;/ltc&gt;
&lt;notyp&gt;B&lt;/notyp&gt;
&lt;tns&gt;TNSTNSTNSTNSTNS&lt;/tns&gt;
&lt;tsp&gt;TSPTSPPTSP&lt;/tsp&gt;
&lt;fep&gt;A&lt;/fep&gt;
&lt;ters&gt;TERSTERSTE&lt;/ters&gt;
&lt;dstn&gt;1321231321&lt;/dstn&gt;
&lt;ltli&gt;2312313213&lt;/ltli&gt;
&lt;tkq&gt;1231&lt;/tkq&gt;
&lt;tgn&gt;1234&lt;/tgn&gt;
&lt;rin&gt;1231231231&lt;/rin&gt;
&lt;tkid&gt;2312312312&lt;/tkid&gt;
&lt;do&gt;12&lt;/do&gt;
&lt;matn&gt;M&lt;/matn&gt;
&lt;distinctringtelno&gt;
&lt;drtn&gt;2131231212&lt;/drtn&gt;
&lt;/distinctringtelno&gt;
&lt;pid&gt;2131&lt;/pid&gt;
&lt;sat&gt;1321231212&lt;/sat&gt;
&lt;ckr&gt;CKRCKRCKRCKRCKRCKRCKRCKRCKRCKRCKRCK&lt;/ckr&gt;
&lt;ispid&gt;13212312313212&lt;/ispid&gt;
&lt;cfa&gt;CFACFACFACFACFACFACFACFACFACFACFACFA&lt;/cfa&gt;
&lt;linelevelordno&gt;
&lt;ordl&gt;ORDLORDLORDLORDLORDL&lt;/ordl&gt;
&lt;/linelevelordno&gt;
&lt;npord&gt;NPORDNPORDNPORDNPORD&lt;/npord&gt;
&lt;portednbr&gt;PORTEDNBRPORTED&lt;/portednbr&gt;
&lt;rtil&gt;RTIRTI&lt;/rti&gt;
&lt;discnbr&gt;2123123123&lt;/discnbr&gt;
&lt;disceckt&gt;DISCECKTDISCECKTDISCECKTDISCECKTDISCE&lt;/disceckt&gt;
&lt;discord&gt;DISCORDDISCORDDISCOR&lt;/discord&gt;
&lt;tiedown&gt;
&lt;systemid&gt;SYSTE&lt;/systemid&gt;
&lt;shelfdetails&gt;
&lt;shelf&gt;SHELFS&lt;/shelf&gt;
&lt;/shelfdetails&gt;
&lt;slot&gt;SLOT&lt;/slot&gt;
&lt;sport&gt;SPO&lt;/sport&gt;
&lt;relayrack&gt;RELAYRACKR&lt;/relayrack&gt;
&lt;unit&gt;UNITU&lt;/unit&gt;

```


LR Response tML

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security soapenv:actor="" soapenv:mustUnderstand="0"
xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext">
      <wsse:UsernameToken>
        <wsse:Username>WISOR3</wsse:Username>
        <wsse:Password>ADMIN3</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncResponse xmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">&lt;?xml version="1.0" encoding="UTF-8"
xmlns="http://www.synchronoss.com/lsr/ NWF_OR_RESP"
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;localresponse&lt;ccna&lt;ZAX&lt;/ccna&lt;pon&lt;20119908&lt;/pon&lt;ver&lt;01&lt;/ver&lt;podate&lt;20091027&lt;/podate&lt;an&lt;ANANANANANANANANANAN&lt;/an&lt;atn&lt;1231212312&lt;/atn&lt;lsrno&lt;121321321321321321&lt;/lsrno&lt;ord&lt;ORDORDORDORDORDORDOR&lt;/ord&lt;cno&lt;CNOCNOCNO&lt;/cno&lt;init&lt;INITINITINITINITINITITI&lt;/init&lt;dtsent&lt;200908201024AM&lt;/dtsent&lt;rep&lt;REPREPREPREP&lt;/rep&lt;reptelno&lt;2123132132&lt;/reptelno&lt;fep&lt;A&lt;/fep&lt;rt&lt;I&lt;/rt&lt;eci&lt;123&lt;/eci&lt;nmr&lt;NMR&lt;/nmr&lt;pia&lt;1&lt;/pia&lt;chc&lt;A&lt;/chc&lt;fdt&lt;0100PM&lt;/fdt&lt;dd&lt;20091027&lt;/dd&lt;ebd&lt;20091027&lt;/ebd&lt;bil&lt;D&lt;/bil&lt;ban1&lt;BAN1BAN1BAN1&lt;/ban1&lt;bi2&lt;L&lt;/bi2&lt;ban2&lt;BAN2BAN2BAN2&lt;/ban2&lt;ecver&lt;001&lt;/ecver&lt;rcode&lt;1B&lt;/rcode&lt;rdet&lt;RDETRDETRDETRDETRDETRDETRDETRDETRDETRDETRDETRDETRDETRDETRDETRDETRDET&lt;/rdet&lt;esdd&lt;20090917&lt;/esdd&lt;afvr&lt;A&lt;/afvr&lt;dsgcon&lt;DSGCONDSGCONDSG&lt;/dsgcon&lt;nspdsgcon&lt;NSPDSGCONNSPDSG&lt;/nspdsgcon&lt;nspdsgtelno&lt;1213213212&lt;/nspdsgtelno&lt;onsp&lt;ONSP&lt;/onsp&lt;porttyp&lt;A&lt;/porttyp&lt;tdtr&lt;N&lt;/tdtr&lt;udspeed&lt;UDSPEEDUDSPEEDU&lt;/udspeed&lt;remarks&lt;REMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREM
```


ARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKS
REMARKSREMARK</remarks>
<huntgroupsection>
<locnum>123</locnum>
<hnum>12322</hnum>
<hid>HIDHIDHIDHID</hid>
<tli>TLITLITLITLITL</tli>
<huntdetail>
<htn>12131313123132123</htn>
<htseq>2132123123</htseq>
</huntdetail>
</huntgroupsection>
<circuitdetailsection>
<locnum>001</locnum>
<lnum>13213</lnum>
<rnum>3212</rnum>
<lnex>23121</lnex>
<legnum>123</legnum>
<eccktdetails>
<ecckt>ECCKTECCKTECCKTECCKTECCKTECCKTECCKTE</ecckt>
</eccktdetails>
<dsn>2131231</dsn>
<ltc>12</ltc>
<notyp>M</notyp>
<tns>TNSTNSTNSTNSTNS</tns>
<tsp>TSPTSPPTSP</tsp>
<fep>A</fep>
<ters>TERSTERSTE</ters>
<dstn>1321231321</dstn>
<ltli>2312313213</ltli>
<tkq>1231</tkq>
<tgn>3213</tgn>
<rin>1231231231</rin>
<tkid>2312312312</tkid>
<do>12</do>
<matn>M</matn>
<distinctringtelno>
<drtn>2131231212</drtn>
</distinctringtelno>
<pid>2131</pid>
<sat>1321231212</sat>
<ckr>CKRCKRCKRCKRCKRCKRCKRCKRCKRCKRCKRCKR</ckr>
<ispid>13212312313212</ispid>
<cfa>CFACFACFACFACFACFACFACFACFACFACFACFACFA</cfa>
<linelevelordno>
<ordl>ORDLORDLORDLORDLORDL</ordl>
</linelevelordno>
<npord>NPORDNPORDNPORDNPORD</npord>
<portednbr>PORTEDNBRPORTED</portednbr>
<rtil>RTIRTI</rti>
<discnbr>2123123123</discnbr>
<disceckt>DISCECKTDISCECKTDISCECKTDISCECKTDISCE</disceckt>
<discord>DISCORDDISCORDDISCOR</discord>
<tiedown>
<systemid>SYSTE</systemid>
<slot>SLOT</slot>
<sport>SPO</sport>
<relayrack>RELAYRACKR</relayrack>
<unit>UNITU</unit>
<cti>B</cti>
<cableid>CABLE</cableid>
<crossboxcableidentificationl>


```
&lt;/directorysection&gt;  
&lt;/localresponse&gt;  
&lt;/localserviceresponse&gt;</string>  
  </processAsyncResponse>  
</soapenv:Body>  
</soapenv:Envelope>
```

LSRBCM Response tML

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security soapenv:actor="" soapenv:mustUnderstand="0"
xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext">
      <wsse:UsernameToken>
        <wsse:Username>WISOR3</wsse:Username>
        <wsse:Password>ADMIN3</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncResponse xmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">&lt;?xml version="1.0" encoding="UTF-8"
xmlns="http://www.synchronoss.com/lsr/NWF_OR_RESP"
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;billingcompletionnotice&gt;
&lt;ccna&gt;ZAX&lt;/ccna&gt;
&lt;cc&gt;CCCC&lt;/cc&gt;
&lt;pon&gt;20119908&lt;/pon&gt;
&lt;ver&gt;01&lt;/ver&gt;
&lt;podate&gt;20091119&lt;/podate&gt;
&lt;lsrno&gt;132121321311321213&lt;/lsrno&gt;
&lt;an&gt;1234567890&lt;/an&gt;
&lt;atn&gt;1321321321&lt;/atn&gt;
&lt;rdtsent&gt;200908201024AM&lt;/rdtsent&gt;
&lt;dd&gt;20091118&lt;/dd&gt;
&lt;cd&gt;20091127&lt;/cd&gt;
&lt;pcd&gt;20091119&lt;/pcd&gt;
&lt;ppcd&gt;20091120&lt;/ppcd&gt;
&lt;rt&gt;Z&lt;/rt&gt;
&lt;ebd&gt;20091124&lt;/ebd&gt;
&lt;rep&gt;REPREPREPREPREP&lt;/rep&gt;
&lt;reptelno&gt;2112312313&lt;/reptelno&gt;
&lt;remarks&gt;REMARKS&lt;/remarks&gt;
&lt;soid&gt;SOIDSOIDSOIDSOIDSOID&lt;/soid&gt;
&lt;orderinformationsection&gt;
&lt;sobtn&gt;SOBTNSOBTNSO&lt;/sobtn&gt;
&lt;circuitfeaturesection&gt;
&lt;tns&gt;TNSTNSTNSTNSTNSTN&lt;/tns&gt;
&lt;ecckt&gt;ECCKTECKTECKTECKTECKTECKTECKTECKTECKTE&lt;/ecckt&gt;
&lt;actioncode&gt;1&lt;/actioncode&gt;
&lt;feature&gt;FEATUR&lt;/feature&gt;
&lt;featqty&gt;FEAT&lt;/featqty&gt;
&lt;featuredetailsection&gt;
&lt;featdetindr&gt;F&lt;/featdetindr&gt;
&lt;featuredet&gt;FEATU&lt;/featuredet&gt;
&lt;featuredata&gt;FEATURE DATA&lt;/featuredata&gt;
&lt;/featuredetailsection&gt;
&lt;/circuitfeaturesection&gt;
&lt;listingsection&gt;
&lt;ltn&gt;123132132132&lt;/ltn&gt;
&lt;lactcode&gt;L&lt;/lactcode&gt;
&lt;lfid&gt;LFID&lt;/lfid&gt;
&lt;ali&gt;ALIALI&lt;/ali&gt;
&lt;listnm&gt;LISTNM&lt;/listnm&gt;
&lt;la&gt;LALALLAA&lt;/la&gt;
```

</listingsection>
</orderinformationsection>
<orderinformationsection>
<sobtn>SOBTNSOBTNSO</sobtn>
<circuitfeaturesection>
<tns>TNSTNSTNSTNSTN</tns>
<ecckt>ECCKTECKTECKTECKTECKTECKTECKTECKTECKTE</ecckt>
<actioncode>1</actioncode>
<feature>FEATUR</feature>
<featqty>FEAT</featqty>
<featuredetailsection>
<featdetindr>F</featdetindr>
<featuredet>FEATU</featuredet>
<featuredata>FEATURE DATA</featuredata>
</featuredetailsection>
</circuitfeaturesection>
<listingsection>
<ltn>123132132132</ltn>
<lactcode>L</lactcode>
<lfid>LFID</lfid>
<ali>ALIALI</ali>
<listnm>LISTNM</listnm>
<la>LALALLAA</la>
</listingsection>
</orderinformationsection>
<huntgroupsection>
<ha>N</ha>
<hid>HIDHIDHIDHID</hid>
<tli>TLITLITLITLITL</tli>
<hntyp>1</hntyp>
<huntdetail>
<htseq>HTSE</htseq>
<htn>HTNHTNHTNHTNHT</htn>
</huntdetail>
<huntdetail>
<htseq>HTSE</htseq>
<htn>HTNHTNHTNHTNHT</htn>
</huntdetail>
</huntgroupsection>
<huntgroupsection>
<ha>N</ha>
<hid>HIDHIDHIDHI2</hid>
<tli>TLITLITLITLIT2</tli>
<hntyp>1</hntyp>
<huntdetail>
<htseq>HTS2</htseq>
<htn>HTNHTNHTNHTNH2</htn>
</huntdetail>
<huntdetail>
<htseq>HTS2</htseq>
<htn>HTNHTNHTNHTNH2</htn>
</huntdetail>
</huntgroupsection>
<huntgroupsection>
<ha>N</ha>
<hid>HIDHIDHIDHI3</hid>
<tli>TLITLITLITLIT3</tli>
<hntyp>1</hntyp>
<huntdetail>
<htseq>HTS3</htseq>
<htn>HTNHTNHTNHTNH3</htn>
</huntdetail>

```
&lt;huntdetail&gt;
&lt;htseq&gt;HTS3&lt;/htseq&gt;
&lt;htn&gt;HTNHTNHTNHTNHTNH3&lt;/htn&gt;
&lt;/huntdetail&gt;
&lt;/huntgroupsection&gt;
&lt;/billingcompletionnotice&gt;
&lt;/localservicerresponse&gt;</string>
  </processAsyncResponse>
</soapenv:Body>
</soapenv:Envelope>
```

LSRPCM Response tML

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security soapenv:actor="" soapenv:mustUnderstand="0"
xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext">
      <wsse:UsernameToken>
        <wsse:Username>WISOR3</wsse:Username>
        <wsse:Password>ADMIN3</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncResponse xmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns=""><?xml version="1.0"
encoding="UTF-8" ?><localservicerresponse
xmlns="http://www.synchronoss.com/lsr/ NWF_OR_RESP"
xmlns:snCRBase="http://www.synchronoss.com/base/SNCR_BASE"
&lt;provisioncompletionnotice&gt;
&lt;ccna&gt;ZAX&lt;/ccna&gt;
&lt;cc&gt;CCCC&lt;/cc&gt;
&lt;pon&gt;20119908&lt;/pon&gt;
&lt;ver&gt;01&lt;/ver&gt;
&lt;podate&gt;20091027&lt;/podate&gt;
&lt;lsrno&gt;LSRNOLSRNOLSRNOLSR&lt;/lsrno&gt;
&lt;an&gt;AN AN AN AN AN AN&lt;/an&gt;
&lt;atn&gt;2132132132&lt;/atn&gt;
&lt;rdtsent&gt;200908201024AM&lt;/rdtsent&gt;
&lt;dd&gt;20091027&lt;/dd&gt;
&lt;cd&gt;20091027&lt;/cd&gt;
&lt;ppcd&gt;20091027&lt;/ppcd&gt;
&lt;rt&gt;X&lt;/rt&gt;
&lt;ebd&gt;20091027&lt;/ebd&gt;
&lt;rep&gt;REPREPREPREPREP&lt;/rep&gt;
&lt;reptelno&gt;1231321213&lt;/reptelno&gt;
&lt;fep&gt;A&lt;/fep&gt;
&lt;remarks&gt;REMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREM
ARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKSREMARKS
REMARKSREMARK&lt;/remarks&gt;
&lt;/provisioncompletionnotice&gt;
&lt;/localservicerresponse&gt;</string>
    </processAsyncResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

LSR Error Response tML

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security soapenv:actor="" soapenv:mustUnderstand="0"
xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext">
      <wsse:UsernameToken>
        <wsse:Username>WISOR3</wsse:Username>
        <wsse:Password>ADMIN3</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncResponse xmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">&lt;?xml version="1.0"
encoding="UTF-8" ?>
&lt;localservicerresponse xmlns="http://www.synchronoss.com/lsr/
NWF_OR_RESP"
  xmlns:snCrBase="http://www.synchronoss.com/base/SNCR_BASE" &gt;
    &lt;errorresponse&gt;
      &lt;pon&gt;pon1&lt;/pon&gt;
      &lt;ver&gt;ve&lt;/ver&gt;
      &lt;date&gt;date0&lt;/date&gt;
      &lt;podate&gt;podate1&lt;/podate&gt;
      &lt;lsrno&gt;lsrno1&lt;/lsrno&gt;
      &lt;error&gt;
        &lt;errorCode&gt;errorCode0&lt;/errorCode&gt;
        &lt;errordescription&gt;errordescription0&lt;/errordescription&gt;
      &lt;/error&gt;
      &lt;error&gt;
        &lt;errorCode&gt;errorCode1&lt;/errorCode&gt;
        &lt;errordescription&gt;errordescription1&lt;/errordescription&gt;
      &lt;/error&gt;
    &lt;/errorresponse&gt;
  &lt;/localservicerresponse&gt;</string>
    </processAsyncResponse>
  </soapenv:Body>
</soapenv:Envelope
```


LSR Provide Notification Response tML

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <wsse:Security soapenv:actor="" soapenv:mustUnderstand="0"
xmlns:wsse="http://schemas.xmlsoap.org/ws/2002/07/secext">
      <wsse:UsernameToken>
        <wsse:Username>WISOR3</wsse:Username>
        <wsse:Password>ADMIN3</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </soapenv:Header>
  <soapenv:Body>
    <processAsyncResponse xmlns="java:webservice.lsr.customer.wisor.com">
      <string xmlns="">&lt;?xml version="1.0" encoding="UTF-8" ?>
&lt;localservicerresponse xmlns="http://www.synchronoss.com/lsr/
NWF_OR_RESP"
  xmlns:snrBase="http://www.synchronoss.com/base/SNCR_BASE" &gt;
    &lt;providernotification&gt;
      &lt;trackingId&gt;trackingId0&lt;/trackingId&gt;
      &lt;rdate&gt;rdate0&lt;/rdate&gt;
      &lt;rnspace&gt;rnspace0&lt;/rnspace&gt;
      &lt;circuitdetailsection&gt;
        &lt;nt&gt;A&lt;/nt&gt;
        &lt;nta&gt;A&lt;/nta&gt;
        &lt;state&gt;st&lt;/state&gt;
        &lt;tnc&gt;50&lt;/tnc&gt;
        &lt;btn&gt;btn0&lt;/btn&gt;
        &lt;wtn&gt;wtn0&lt;/wtn&gt;
        &lt;ter&gt;5000&lt;/ter&gt;
        &lt;hml&gt;5000&lt;/hml&gt;
        &lt;cvd&gt;cvd0&lt;/cvd&gt;
        &lt;olsp&gt;L&lt;/olsp&gt;
        &lt;nlspace&gt;E&lt;/nlspace&gt;
        &lt;ord&gt;ord1&lt;/ord&gt;
        &lt;cti&gt;A&lt;/cti&gt;
        &lt;acna&gt;acn&lt;/acna&gt;
        &lt;ecckt&gt;ecckt8&lt;/ecckt&gt;
        &lt;necckt&gt;necckt0&lt;/necckt&gt;
      &lt;/circuitdetailsection&gt;
      &lt;circuitdetailsection&gt;
        &lt;nt&gt;A&lt;/nt&gt;
        &lt;nta&gt;A&lt;/nta&gt;
        &lt;state&gt;st&lt;/state&gt;
        &lt;tnc&gt;50&lt;/tnc&gt;
        &lt;btn&gt;btn1&lt;/btn&gt;
        &lt;wtn&gt;wtn1&lt;/wtn&gt;
        &lt;ter&gt;5000&lt;/ter&gt;
        &lt;hml&gt;5000&lt;/hml&gt;
        &lt;cvd&gt;cvd1&lt;/cvd&gt;
        &lt;olsp&gt;L&lt;/olsp&gt;
        &lt;nlspace&gt;E&lt;/nlspace&gt;
        &lt;ord&gt;ord2&lt;/ord&gt;
        &lt;cti&gt;A&lt;/cti&gt;
        &lt;acna&gt;acn&lt;/acna&gt;
        &lt;ecckt&gt;ecckt9&lt;/ecckt&gt;
        &lt;necckt&gt;necckt1&lt;/necckt&gt;
      &lt;/circuitdetailsection&gt;
    &lt;/providernotification&gt;
  &lt;/localservicerresponse&gt;
&lt;/string&gt;
    &lt;/processAsyncResponse&gt;
  &lt;/soapenv:Body>
&lt;/soapenv:Envelope&gt;
```

```
    &lt;/providernotification&gt;  
&lt;/localservicerresponse&gt;</string>  
  </processAsyncResponse>  
</soapenv:Body>  
</soapenv:Envelope
```

SOAP Faults and Fault messages

Fault Codes	Fault Messages
WLSRSTML001	Gateway not reachable. Please contact support.
WLSRSTML002	Internal server error. Please contact support.
WLSRSTML003	Server busy, Please retry after some time.
WLSRSTML004	Unknown error. Please contact support
WLSRSTML005	XML Schema validation failed. Please make corrections to the request and retry again.
WLSRSTML006	Error while validating the tML Header. Please correct the tML Header and retry again.
WLSRSTML007	Customer with given CCNA is not configured
WLSRSTML008	Error while Transformation.
WLSRSTML009	Username/Password in Security Header is invalid
WLSRSTML0010	No Username/Password configured for the CLEC, Please contact Support.
WLSRSTML0011	Invalid CLEC, Sender ID could not be obtained from the XPATH configured.
WLSRSTML0012	Not able Process the request, because timeout occurred
WLSRSTML0013	There is no threadcount configured for Preorder. Please contact Support
WG1601	There is no interface configured for Pre Order, Please contact support.
WG1602	There is no interface configured, Please contact support.
WG1697	Translator is deactivated. Please activate before proceeding.
WG1604	Interface has been suspended. Please restore the interface before proceeding.
WG0641	Host is not reachable. Please check the URL Configured in the Interface.
WG0642	Read timeout in gateway. Please retry after sometime.
WG0503	Gateway is busy. Please retry after sometime.
WG0204	Empty message received from internal system

tMLHeader Details

tMLHeader Field	Population logic
TransportID	From + To + Sendtimestamp + random value
CorrelationID	Derived from request for synchronous responses New value generated for asynchronous responses
TrackID	Derived from request for synchronous and asynchronous responses
ApplicationType	Derived from request for synchronous and asynchronous responses
From	Derived from value of 'To' on the request
To	Derived from value of 'From' on the request
SendTimestamp	Transmission time in yyyy-MM-dd'T'HH:mm:ss.SSSZ format
RetryCount	Number of retries attempted to successfully transmit the tML response. Default is 0 (zero)

Appendix 1

Please test the Accept response generated by Web Service layer to check if it conforms to the NWF XML Schema provided by NWF at the time LSR-UOM is requested.

Change Log

DATE	Page	Change

Disclaimer: This documentation is for information purposes only and does not obligate Frontier to provide services in the manner herein described. Frontier reserves the right as its sole option to modify or revise the information in this document at any time without prior notice. In no event shall Frontier or its agents, employees, directors, officers, representatives or suppliers be liable under contract, warranty, tort (including but not limited to negligence of Frontier), or any other legal theory, for any damages arising from or relating to this document or its contents, even if advised of the possibility of such damages.

© 2019 Frontier Communications Corporation – All Rights Reserved.