



Northwest Four States (NWF)
Version 9.30.20.1
RFR FORM

NWF Local Business Rules

Version: 9.30.20.1

RFR FORM

Effective: 05/01/2020

Contents

UNI_CIRCUIT_DETAIL	4
LOCNUM - Location Number	4
LNA - Line Activity	4
ECCKT - Exchange Company Circuit ID	4
TSP - Telecommunication Service Priority	5
NIDR - NID Request	5
CFA - Connecting Facility Assignment	6
CLK - Clock Source	6
NVC - Number of Virtual Connections	6
PSPEED - Port Speed	6
LMP - Link Management Protocol	6
ZLG - Zero Logic	6
FA - Feature Activity	7
FEATURE - Feature Codes	7
FEATURE_DETAIL - Feature Detail	7
VIRTUAL_CIRCUIT_DET	7
LNUM - Line Number	7
VCACT - VC Activity Indicator	8
SVC - Service Level Identifier	8
DLCI - Data Link Connection Identifier	8
CIR - Committed Information Rate	8
BC - Committed Burst Size	9
BE - Excess Burst Size	9
GD - Graceful Discard	9
RELATED_CIRCUIT_DET	9
RECCKT - Related Exchange Company Circuit ID	10
RDLCI - Related Data Link Connection Identifier	10
RCIR - Related Committed Information Rate	10

NWF Local Business Rules

Version: 9.30.20.1

RFR FORM

Effective: 05/01/2020

RBC - Related Committed Burst Size 10

RBE - Related Excess Burst Size 11

RPSPEED - Related Port Speed..... 11

APPENDIX A – ERROR MESSAGE TABLE 11

APPENDIX B – CHANGE CONTROL LOG 13

NWF Local Business Rules
Version: 9.30.20.1

RFR FORM
Effective: 05/01/2020

Flid Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
RFR ADMINISTRATIVE							
001	PON					FIELD NOT SUPPORTED	P
002	VER					FIELD NOT SUPPORTED	P
003	AN					FIELD NOT SUPPORTED	P
004	ATN					FIELD NOT SUPPORTED	P
045	PG_of_					FIELD NOT SUPPORTED	P
UNI CIRCUIT DETAIL							
005	LOCNUM - Location Number	Identifies this service location number for the service requested	N	1-3		1. If not populated, then return error: NWFRFR001 LOCNUM IS REQUIRED 2. If populated and (dl > 3 or dc not = numeric), then return error: NWFRFR002 LOCNUM VALID VALUE = 1-3 NUMERIC	R
006	LNA - Line Activity	Identifies the activity involved at the line level.	A	1-1	C= Change, e.g., rearrangement, feature activity D= Disconnection N= New installation and/or account V= Conversion of service to new LSP as specified	1. If not populated, then return error: NWFRFR003 LNA IS REQUIRED 2. If populated and vv not = C, D, N, V, then return error: NWFRFR004 LNA VALID VALUE = C, D, N, V 3.If populated and vv does not = N and ACT = N, T, then return error NWFRFR057 LNA MUST = N WHEN ACT = N, T 4.If populated and vv does not = C, D, N and ACT = C, then return error NWFRFR058 LNA VALID VALUE = C, D, N WHEN ACT = C 5.If populated and vv does not = D, N, V and ACT = V, then return error NWFRFR059 LNA VALID VALUE = D, N, V WHEN ACT = V 6.If populated and vv does not = C, D, N and ACT = M, then return error NWFRFR060 LNA VALID VALUE = C, D, N WHEN ACT = M	R
007	CKR					FIELD NOT SUPPORTED	P
008	ECCKT - Exchange Company Circuit ID	Identifies a provider's circuit identification or multiple circuit IDs.	AN & ' * () : , \$ - # %	1-41	TELEPHONE NUMBER FORMAT: Prefix/Service Code and modifier/NPA/NXX/XXXX/ Terminal Number (if applicable)	1. If populated and dc = virgule and (preceding position not = numeric or following position not = numeric), then return error: NWFRFR005 ECCKT VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC	O

NWF Local Business Rules
Version: 9.30.20.1

RFR FORM
Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
			“ ; . / space		This format may be up to 30 characters in length. EXAMPLE: 20/DINV/425/290/0066/DI001 SERIAL NUMBER FORMAT: Prefix/Service Code and Modifier/Serial Number/ Suffix code/AP code/ segment name (if applicable)This format may be up to 27 characters in length including space for depicting a range of numbers. EXAMPLE: 43/TXNU/508449//GTEC in this example, there should be a delimiter after the serial number, 3 spaces, another delimiter, then the suffix.	2. If populated and (dl > 41 or dc not = alpha, numeric, Ampersand, Apostrophe, Asterisk, Parenthesis, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Percent, Plus Sign, Quote, Semicolon, Space, Period, Virgule), then return error: NWFRFR006 ECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE Note: 1.The format of the field is defined by the provider 2.All components within the ID should be delimited by virgules. 3.The layout of the field is defined by the COMMON LANGUAGE standards 4.When a component of CLT or CLS is purposely omitted, the component should still be delimited and compressed to eliminate any spaces. 5.If all positions in a component of CLT or CLS are not populated, the component should be compressed to eliminate any spaces.	
008 a	TSP - Telecommunic ation Service Priority	Indicates the provisioning and restoration priority as defined under the TSP Service Vendor Handbook	AN -	12-12	Format = XXXXXXXXXX-XX (Note - X = alpha/numeric)	1. If populated and position 1 of LSR.TOS = 2, then return error: NWFRFR007 TSP IS PROHIBITED FOR TOS 2. If populated and format not = XXXXXXXXXXX-XX, then return error: NWFRFR008 TSP VALID FORMAT = XXXXXXXXXXX-XX 3. If populated and position 11 not = E, 0, 1, 2, 3, 4, 5, then return error: NWFRFR009 TSP VALID VALUE FOR POSITION 11 MUST = E, 0, 1, 2, 3, 4, 5 4. If populated and position 12 not = 0, 1, 2, 3, 4, 5, then return error: NWFRFR010 TSP VALID VALUE FOR POSITION 12 MUST = 0, 1, 2, 3, 4, 5	O
009	JK_CODE					FIELD NOT SUPPORTED	P
010	JK_NUM					FIELD NOT SUPPORTED	P
011	JK_POS					FIELD NOT SUPPORTED	P
012	JR					FIELD NOT SUPPORTED	P
013	NIDR - NID Request	Indicates a request for a new network	A	1-1	Y	1. If populated and LNA not = N, then return error: NWFRFR011 NIDR IS PROHIBITED FOR LNA	O

NWF Local Business Rules
Version: 9.30.20.1

RFR FORM
Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
		interface device (NID).				2. If populated and vv not = Y, then return error: NWFRFR012 NIDR VALID VALUE = Y	
014	IWJK					FIELD NOT SUPPORTED	P
015	IWT					FIELD NOT SUPPORTED	P
016	IWJQ					FIELD NOT SUPPORTED	P
017	CFA - Connecting Facility Assignment	Identifies the provider's carrier system and channel to be used.	AN · - space	1-42		1.If populated and (dl > 42 or dc not = alpha, numeric, hyphen, period, space), then return error: NWFRFR013 CFA VALID VALUE = 1-42 ALPHA, NUMERIC, HYPHEN, PERIOD, SPACE	O
018	CLK - Clock Source	Indicates the source of the timing for the port which carries the frame relay end user interface on the frame relay switching system.	N	1-1	1=Internal 2=External 3=Loop	1.If populated and vv not = 1, 2, 3, then return error: NWFRFR014 CLK VALID VALUE = 1, 2, 3	O
019	NVC - Number of Virtual Connections	Identifies the number of VC's requested.	N	1-3		1. If populated and (dl > 3 or dc not = numeric), then return error: NWFRFR015 NVC VALID VALUE = 1-3 NUMERIC	O
020	PSPEED - Port Speed	Identifies the speed of the port.	AN	1-6		1. If populated and last position not = K, M, then return error: NWFRFR016 PSPEED VALID VALUE MUST END WITH K, M 2. If populated and (dl > 6 or dc not = alpha, numeric), then return error: NWFRFR017 PSPEED VALID VALUE = 1-6 ALPHA, NUMERIC Note: The last character of this entry is always expressed in megabits (M) or kilobits (K).	O
021	LMP - Link Management Protocol	Identifies the VC status signaling protocol.	N	1-1	1=LMI 2=Annex A 3=Annex D 4=Auto 5=Other (i.e. RLMI version) 6=None	1.If populated and vv not = 1, 2, 3, 4, 5, 6, then return error: NWFRFR018 LMP VALID VALUE = 1, 2, 3, 4, 5, 6	O
022	ZLG - Zero Logic	Identifies if the customer's frame relay customer premises equipment (CPE) is unable to support B&S.	A	1-1	Y	1. If populated and vv not = Y, then return error: NWFRFR019 ZLG VALID VALUE = Y	O

NWF Local Business Rules

Version: 9.30.20.1

RFR FORM

Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
022 a	FA - Feature Activity	Identifies the activity type for the feature	A	1-1	N=Add/Install C=Change to feature detail D=Disconnect V=Conversion to new LSP as specified	1.If populated and vv not = N, C, D, V, then return error: NWFRFR020 FA VALID VALUE = N, C, D, V	O
022 b	FEATURE - Feature Codes	Identifies the type of feature associated with the line.	AN + - # / *	1-6		1. If populated and FA is not populated, then return error: NWFRFR021 FEATURE IS PROHIBITED WHEN FA IS NOT POPULATED 2. If not populated and FA is populated, then return error: NWFRFR022 FEATURE IS REQUIRED WHEN FA IS POPULATED 3.If populated and (dl > 6 or dc not = alpha, numeric, plus sign, hyphen, number sign, virgule, asterick), then return error: NWFRFR023 FEATURE VALID VALUE 1-6 ALPHA, NUMERIC, PLUS SIGN, HYPHEN, NUMBER SIGN, VIRGULE, ASTERISK	O
022 c	FEATURE DETAIL - Feature Detail	Identifies additional information for the type of feature associated with the line	AN & ' * : , \$ - # () % . + " ; / Space	1-200		1. If not populated and FA = C, then return error: NWFRFR024 FEATURE DETAIL IS REQUIRED FOR FA 2. If populated and FA not = N, C, V, then return error: NWFRFR025 FEATURE DETAIL IS PROHIBITED FOR FA 3. If populated and (dl > 200 or dc not = alpha, numeric, ampersand, apostrophe, asterisk, colon, comma, dollar sign, hyphen, number sign, parentheses, percent sign, period, plus sign, quotation marks, semicolon, space, virgule, then return error: NWFRFR026 FEATURE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS, SEMICOLON, SPACE, VIRGULE	O
023	LEAN					FIELD NOT SUPPORTED	P
024	LEATN					FIELD NOT SUPPORTED	P
VIRTUAL_CIRCUIT_DET							
025	LNUM - Line Number	Identifies the virtual path or related virtual path as a unique number and	N	1-5		1. If not populated, then return error: NWFRFR027 LNUM IS REQUIRED	R

NWF Local Business Rules
Version: 9.30.20.1

RFR FORM
Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
		each additional occurrence as a unique number				2. If populated and (dl > 5 or dc not = numeric), then return error: NWFRFR028 LNUM VALID VALUE = 1-5 NUMERIC Note: 1.The LNUM is customer assigned and is returned on the confirmation notice to the ordering customer. 2.Once LNUM is generated it can not be changed and is retained through completion of the request. 3.The values are to be assigned sequentially and must be unique throughout the request at the LOCNUM level.	
026	LNEX					FIELD NOT SUPPORTED	P
027	VCACT - VC Activity Indicator	Identifies the type of activity associated with the VC.	A	1-1	N=New C=Change D=Disconnect	1. If not populated, then return error: NWFRFR029 VCACT IS REQUIRED 2. If populated and vv not = N, C, D, then return error: NWFRFR030 VCACT VALID VALUE = N, C, D	R
027 a	SVC - Service Level Identifier	Identifies level of service customer is ordering.	A	1-1	A=High priority service B=Standard service	1. If not populated and VCACT = N, then return error: NWFRFR031 SVC IS REQUIRED FOR VCACT 2. If populated and vv not = A, B, then return error: NWFRFR032 SVC VALID VALUE = A, B Note: 1."A" indicates the customer is requesting a circuit with an enhanced level of service. 2."B" indicates the customer is requesting a circuit with a standard level of service.	O
028	DLCI - Data Link Connection Identifier	Identifies the logical connection address between the provider's switch and the ECCKT.	N	1-4		1.If not populated and VCACT = C, D, then return error: NWFRFR033 DLCI IS REQUIRED FOR VCACT 2. If populated and (dl > 4 or dc not = numeric), then return error: NWFRFR034 DLCI VALID VALUE = 1-4 NUMERIC Note: For TLS products, populate with TLS	O
029	CIR - Committed Information Rate	Identifies the rate of ingress traffic across the ECCKT under normal conditions.	AN	1-5		1. If not populated and VCACT = N,C, then return error: NWFRFR035 CIR IS REQUIRED FOR VCACT 2. If populated and VCACT not = N, C, then return error: NWFRFR036 CIR IS PROHIBITED FOR VCACT	O

NWF Local Business Rules

Version: 9.30.20.1

RFR FORM

Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>3. If populated and last position not = K, M, then return error: NWFRFR037 CIR VALID VALUE MUST END WITH K, M</p> <p>4. If populated and (dl > 5, or dc not = alpha, numeric), then return error: NWFRFR038 CIR VALID VALUE = 1-5 ALPHA, NUMERIC</p> <p>Note: Valid CIR expressed in either kilobits or megabits</p>	
030	BC - Committed Burst Size	Identifies the maximum amount of data that a user is permitted to offer to the network during time interval (Tc) across the ECCKT.	AN	1-5		<p>1. If populated and last position not = K, M, then return error: NWFRFR039 BC VALID VALUE MUST END WITH K, M</p> <p>2. If populated and (dl > 5 or dc not = alpha, numeric), then return error: NWFRFR040 BC VALID VALUE = 1-5 ALPHA, NUMERIC</p> <p>Note: 1. The last character of this entry is always expressed in megabits (M) or kilobits (K). 2. Supported speeds: 56K, 128K, 256K, 384K, 1.544M.</p>	O
031	BE - Excess Burst Size	Identifies the maximum amount of data that a user is permitted to offer to the network that exceeds Bc during time interval (Tc) across the ECCKT.	AN	1-5		<p>1. If populated and last position not = K, M, then return error: NWFRFR041 BE VALID VALUE MUST END WITH K, M</p> <p>2. If populated and (dl > 5 or dc not = alpha, numeric), then return error: NWFRFR042 BE VALID VALUE = 1-5 ALPHA, NUMERIC</p> <p>Note: The last character of this entry is always expressed in megabits (M) or kilobits (K)</p>	O
032	GD - Graceful Discard	Indicates what the Frame Relay graceful discard feature should be set for.	A	1-1	A=On B=Off	1.If populated and vv not = A, B, then return error: NWFRFR043 GD VALID VALUE = A, B	O
033	LEAN					FIELD NOT SUPPORTED	P
034	LEATN					FIELD NOT SUPPORTED	P
RELATED_CIRCUIT_DET							
035	RPON					FIELD NOT SUPPORTED	P

NWF Local Business Rules

Version: 9.30.20.1

RFR FORM

Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
036	RECCKT - Related Exchange Company Circuit ID	Identifies the related provider's physical circuit ID against which the VC activity is requested.	AN & ' * () : , \$ - # % + " ; . / Space	1-41		<p>1. If populated and dc = virgule and (preceding position not = numeric or following position not = numeric), then return error: NWFRFR044 RECCKT VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC</p> <p>2. If populated and (dl > 41 or dc not = alpha, numeric, Ampersand, Apostrophe, Asterisk, Parenthesis, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Percent, Plus Sign, Quote, Semicolon, Space, Period, Virgule), then return error: NWFRFR045 RECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE</p>	O
037	RORD					FIELD NOT SUPPORTED	P
038	RDLCI - Related Data Link Connection Identifier	Identifies the logical connection address between the provider's switch and the RECCKT.	N	1-4		<p>1. If not populated and VCACT = C, D, then return error: NWFRFR046 RDLCI IS REQUIRED FOR VCACT</p> <p>2. If populated and (dl > 4 or dc not = numeric), then return error: NWFRFR047 RDLCI VALID VALUE = 1-4 NUMERIC</p>	O
039	RCIR - Related Committed Information Rate	Identifies the rate of ingress traffic across the RECCKT under normal conditions.	AN	1-5		<p>1. If populated and vv = CIR, then return error: NWFRFR048 RCIR CAN NOT MATCH CIR</p> <p>2. If populated and last position not = K, M, then return error: NWFRFR049 RCIR VALID VALUE MUST END WITH K, M</p> <p>3. If populated and (dl > 5 or dc not = alpha, numeric), then return error: NWFRFR050 RCIR VALID VALUE = 1-5 ALPHA, NUMERIC</p>	O
040	RBC - Related Committed Burst Size	Identifies the maximum amount of data that a user is permitted to offer to the network during time interval (Tc) across the RECCKT.	AN	1-5		<p>1. If populated and last position not = K, M, then return error: NWFRFR051 RBC VALID VALUE MUST END WITH K, M</p> <p>2. If populated and (dl > 5 or dc not = alpha, numeric), then return error: NWFRFR052 RBC VALID VALUE = 1-5 ALPHA, NUMERIC</p> <p>Note: 1. The last character of this entry is always expressed in megabits (M) or kilobits (K). 2. Supported speeds: 56K, 128K, 256K, 384K, 1.544M.</p>	O

NWF Local Business Rules
Version: 9.30.20.1

RFR FORM
Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
041	RBE - Related Excess Burst Size	Identifies the maximum amount of data that a user is permitted to offer to the network that exceeds Bc during time interval (Tc) across the RECCKT.	AN	1-5		<p>1. If populated and last position not = K, M, then return error: NWFRFR053 RBE VALID VALUE MUST END WITH K, M</p> <p>2. If populated and (dl > 5 or dc not = alpha, numeric), then return error: NWFRFR054 RBE VALID VALUE = 1-5 ALPHA, NUMERIC</p> <p>Note: 1.The last character of this entry is always expressed in megabits (M) or kilobits (K). 2.Supported speeds: 56K, 128K, 256K, 384K, 1.544M.</p>	O
042	RACNA					FIELD NOT SUPPORTED	P
043	RPSPEED - Related Port Speed	Identifies the speed of the port of the related circuit.	AN	1-6		<p>1. If populated and last position not = K, M, then return error: NWFRFR055 RPSPEED VALID VALUE MUST END WITH K, M</p> <p>2. If populated and (dl > 6 or dc not = alpha, numeric), then return error: NWFRFR056 RPSPEED VALID VALUE = 1-6 ALPHA, NUMERIC</p> <p>Note: 1.The last character of this entry is always expressed in megabits (M) or kilobits (K). 2.Supported speeds: 56K, 128K, 256K, 384K, 1.544M.</p>	O
REMARKS_INFO							
044	REMARKS					FIELD NOT SUPPORTED	P

APPENDIX A – ERROR MESSAGE TABLE

Error Message Number	Error Message Text
NWFRFR001	LOCNUM IS REQUIRED
NWFRFR002	LOCNUM VALID VALUE = 1-3 NUMERIC
NWFRFR003	LNA IS REQUIRED
NWFRFR004	LNA VALID VALUE = C, D, N, V
NWFRFR005	ECCKT VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC
NWFRFR006	ECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE

NWF Local Business Rules**Version: 9.30.20.1****RFR FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFRFR007	TSP IS PROHIBITED FOR TOS
NWFRFR008	TSP VALID FORMAT = XXXXXXXXXXX-XX
NWFRFR009	TSP VALID VALUE FOR POSITION 11 MUST = E, 0, 1, 2, 3, 4, 5
NWFRFR010	TSP VALID VALUE FOR POSITION 12 MUST = 0, 1, 2, 3, 4, 5
NWFRFR011	NIDR IS PROHIBITED FOR LNA
NWFRFR012	NIDR VALID VALUE = Y
NWFRFR013	CFA VALID VALUE = 1-42 ALPHA, NUMERIC, HYPHEN, PERIOD, SPACE
NWFRFR014	CLK VALID VALUE = 1, 2, 3
NWFRFR015	NVC VALID VALUE = 1-3 NUMERIC
NWFRFR016	PSPEED VALID VALUE MUST END WITH K, M
NWFRFR017	PSPEED VALID VALUE = 1-6 ALPHA, NUMERIC
NWFRFR018	LMP VALID VALUE = 1, 2, 3, 4, 5, 6
NWFRFR019	ZLG VALID VALUE = Y
NWFRFR020	FA VALID VALUE = N, C, D, V
NWFRFR021	FEATURE IS PROHIBITED WHEN FA IS NOT POPULATED
NWFRFR022	FEATURE IS REQUIRED WHEN FA IS POPULATED
NWFRFR023	FEATURE VALID VALUE 1-6 ALPHA, NUMERIC, PLUS SIGN, HYPHEN, NUMBER SIGN, VIRGULE, ASTERISK
NWFRFR024	FEATURE DETAIL IS REQUIRED FOR FA
NWFRFR025	FEATURE DETAIL IS PROHIBITED FOR FA
NWFRFR026	FEATURE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS, SEMICOLON, SPACE, VIRGULE
NWFRFR027	LNUM IS REQUIRED
NWFRFR028	LNUM VALID VALUE = 1-5 NUMERIC
NWFRFR029	VCACT IS REQUIRED
NWFRFR030	VCACT VALID VALUE = N, C, D
NWFRFR031	SVC IS REQUIRED FOR VCACT
NWFRFR032	SVC VALID VALUE = A, B
NWFRFR033	DLCI IS REQUIRED FOR VCACT
NWFRFR034	DLCI VALID VALUE = 1-4 NUMERIC
NWFRFR035	CIR IS REQUIRED FOR VCACT
NWFRFR036	CIR IS PROHIBITED FOR VCACT
NWFRFR037	CIR VALID VALUE MUST END WITH K, M
NWFRFR038	CIR VALID VALUE = 1-5 ALPHA, NUMERIC
NWFRFR039	BC VALID VALUE MUST END WITH K, M
NWFRFR040	BC VALID VALUE = 1-5 ALPHA, NUMERIC
NWFRFR041	BE VALID VALUE MUST END WITH K, M
NWFRFR042	BE VALID VALUE = 1-5 ALPHA, NUMERIC
NWFRFR043	GD VALID VALUE = A, B

NWF Local Business Rules

Version: 9.30.20.1

RFR FORM

Effective: 05/01/2020

Error Message Number	Error Message Text
NWFRFR044	RECCKT VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC
NWFRFR045	RECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE
NWFRFR046	RDLCI IS REQUIRED FOR VCACT
NWFRFR047	RDLCI VALID VALUE = 1-4 NUMERIC
NWFRFR048	RCIR CAN NOT MATCH CIR
NWFRFR049	RCIR VALID VALUE MUST END WITH K, M
NWFRFR050	RCIR VALID VALUE = 1-5 ALPHA, NUMERIC
NWFRFR051	RBC VALID VALUE MUST END WITH K, M
NWFRFR052	RBC VALID VALUE = 1-5 ALPHA, NUMERIC
NWFRFR053	RBE VALID VALUE MUST END WITH K, M
NWFRFR054	RBE VALID VALUE = 1-5 ALPHA, NUMERIC
NWFRFR055	RPSPEED VALID VALUE MUST END WITH K, M
NWFRFR056	RPSPEED VALID VALUE = 1-6 ALPHA, NUMERIC
NWFRFR057	LNA MUST = N WHEN ACT = N, T
NWFRFR058	LNA VALID VALUE = C, D, N WHEN ACT = C
NWFRFR059	LNA VALID VALUE = C, D, N WHEN ACT = V
NWFRFR060	LNA VALID VALUE = C, D, N WHEN ACT = M

APPENDIX B – CHANGE CONTROL LOG

DATE	REVISION NUMBER	FIELD	CHANGE
12/01/2019	N/A	All	Initial Version 9.30.20.1 – NWF Local Business Rules
02/20/2020	N/A	All	Add Production Effective Date to Header
03/16/2020	n/a	n/a	Rebranded as Ziplly Fiber